



# **Final Energy Consumption and Greenhouse Gas Emissions in Tokyo**

**(FY 2015)**

March 2018

Bureau of Environment  
Tokyo Metropolitan Government





# Contents

1	Tokyo in the World .....	1
2	Final Energy Consumption .....	2
2.1	Concepts for Calculation.....	2
2.2	Final Energy Consumption.....	3
2.2.1	Entire Tokyo .....	3
2.2.2	Industrial Sector .....	6
2.2.3	Commercial Sector .....	9
2.2.4	Residential Sector.....	12
2.2.5	Transport Sector .....	17
3	Total Greenhouse Gas Emissions.....	20
3.1	Concepts for Calculation.....	20
3.1.1	Basic Matters.....	20
3.1.2	Categorization of GHGs.....	20
3.1.3	CO <sub>2</sub> Emission Factor for Electricity.....	21
3.1.4	Scope of Calculation .....	21
3.2	Total Greenhouse Gas Emissions .....	22
3.2.1	Entire Tokyo .....	22
3.3	CO <sub>2</sub> Emissions.....	24
3.3.1	Entire Tokyo .....	24
3.3.2	[Reference] Trends in Each Sector .....	28
3.4	Other GHG Emissions .....	30
3.4.1	Overview .....	30
3.4.2	CH <sub>4</sub> .....	32
3.4.3	N <sub>2</sub> O.....	32
3.4.4	HFCs and Three Other Types .....	33
4	Reference Materials .....	34
	[Material 1] Calculation Methods for Final Energy Consumption and GHG Emissions (Overview) .....	34
	[Material 2] Trends in Final Energy Consumption in Tokyo and Gross Domestic Product (GDP) in Tokyo.....	37
	[Material 3] Greenhouse Gas Reduction Target and Energy Reduction Target in Tokyo .....	38
5	Figures and Tables .....	39

Note: Values in this report have been rounded, and the sum of indicated values may not agree with the indicated total.



# 1 Tokyo in the World

- Figure 1-1 indicates energy-derived CO<sub>2</sub> emissions in major countries in 2015.
- Japan emits the fifth largest quantity after China, USA, India and Russia, accounting for 3.5% of the global emissions.
- Energy-derived CO<sub>2</sub> emissions in Tokyo account for 5.3% of domestic emissions. This is considered to be approximately equivalent to the amount of one country, such as Austria, Greece, etc. (GHG emissions in Tokyo account for 5.0% of domestic emissions.)




Figure 1-1 Energy-derived CO<sub>2</sub> emissions by country (2015)


Note: The figure indicates the 20 largest emitters, from China (1st place) to Poland (20th place), and other selected major countries.  
 Sources: IEA, "CO<sub>2</sub> Emissions From Fuel Combustion Highlights (2017 Edition)", and Ministry of the Environment, "Energy-derived CO<sub>2</sub> Emissions in the World"

## 2 Final Energy Consumption

### 2.1 Concepts for Calculation

- This chapter clarifies the state of energy consumption as the main cause of CO<sub>2</sub> emissions in Tokyo.
- Figure 2-1 indicates the flow of energy in Japan. First, the primary energy supply of petroleum, coal, natural gas, etc., is undertaken through domestic production or importation. By way of the power generation/conversion sectors (power plants, petroleum refineries, etc.), final energy consumption is undertaken by final demand sectors (power plants, petroleum refineries, etc.), final energy consumption is undertaken by final demand sectors.
- In this survey, energy consumption excluding the losses in power generation, transmission, distribution, etc. on the final demand sectors (industrial/commercial/residential/transport sectors) (i.e. final energy consumption) in Tokyo is calculated.
- For the calculation methods for final energy consumption, an overview is indicated in Reference Material 1 (pages 34 to 36).

Note: With electricity market deregulation, there was a change in the types of available data. For that reason, the energy consumption data of each department has been recalculated retroactively.



Source: Agency for Natural Resources and Energy, "Energy White Paper 2017"

Figure 2-1 Domestic Energy Balance and Flow (Overview) (FY 2015)

Table 2-1 Heat conversion factors used in this survey (FY 2015)

(Unit: GJ/Specific unit)

Fuel	Specific unit	Heat conversion factor	Remarks
Electricity	MWh	3.6	Secondary energy conversion
City gas	1000 m <sup>3</sup>	45.0	See materials of Tokyo Gas
Other fuels (gasoline, kerosene, light oil, LPG, etc.)			See the energy balance table, Agency for Natural Resources and Energy, "Comprehensive Energy Statistics"

Note: Secondary energy conversion is conducted for electricity, from the perspective of calculating final energy consumption, excluding losses in power generation, transmission, distribution, etc.

## 2.2 Final Energy Consumption

### 2.2.1 Entire Tokyo

- ▼ The final energy consumption in Tokyo in FY 2015 stood at 633 PJ, which was 21.1% reduction from 802 PJ in FY 2000, and 2.4% reduction from 648 PJ in FY 2014.
- ▼ Respective increase rates vs. FY 2000 for the industrial, commercial, residential and transport sectors stood at -40.8%, -7.2%, -2.1%, and -41.7%.
- ▼ Since FY 2000, a decrease in fuel oil including gasoline has substantially contributed to overall reduction in final energy consumption. Although electricity consumption had been showing an increasing trend, after FY 2011 and on, the figures are lower than in FY 2000 due to the establishment of power conservation behavior.

Table 2-2 Final energy consumption by sector in Tokyo, and increases up to FY 2015

	Final energy consumption (PJ)							Increase rate (%)		
	FY 2000	FY 2005	FY 2010	FY 2011	FY 2013	FY 2014	FY 2015	Vs. 2000	Vs. 2010	Vs. 2014
(Industrial/ commercial sector)	359.4	372.2	348.4	309.6	309.3	301.8	301.1	△16.2%	△13.6%	△0.2%
Industrial sector	96.5	79.5	70.2	60.5	56.1	55.3	57.1	△40.8%	△18.6%	3.3%
Commercial sector	262.9	292.7	278.2	249.1	253.1	246.4	243.9	△7.2%	△12.3%	△1.0%
Residential sector	185.6	198.6	203.2	196.0	193.0	192.3	181.7	△2.1%	△10.6%	△5.5%
Transport sector	257.4	218.3	171.5	168.5	153.9	154.0	150.1	△41.7%	△12.5%	△2.5%
Final consumption sectors total	802.3	789.2	723.1	674.1	656.2	648.1	632.8	△21.1%	△12.5%	△2.4%

Note 1: The residential sector does not include fuel consumption by family cars, which is included in the transport sector.

Note 2: In the transport sector, the scope of calculation for automobiles includes traffic in Tokyo, while that for railway, vessels, and airlines includes service in Tokyo.

Table 2-3 Final energy consumption by fuel type in Tokyo, and increases up to FY 2015

	Final energy consumption (PJ)							Increase rate (%)		
	FY 2000	FY 2005	FY 2010	FY 2011	FY 2013	FY 2014	FY 2015	Vs. 2000	Vs. 2010	Vs. 2014
Electricity	295.9	315.8	323.4	290.3	293.6	285.1	282.2	△4.6%	△12.8%	△1.0%
City gas	187.0	211.4	196.8	187.9	184.5	181.4	176.1	△5.8%	△10.5%	△2.9%
LPG	32.7	26.2	19.2	20.5	17.0	20.9	15.7	△52.2%	△18.5%	△25.2%
Fuel oil	284.9	235.4	183.5	174.3	160.9	160.4	158.6	△44.3%	△13.6%	△1.1%
Other	1.8	0.3	0.1	1.0	0.3	0.4	0.4	△79.5%	156.9%	△3.1%
Total	802.3	789.2	723.1	674.1	656.2	648.1	632.8	△21.1%	△12.5%	△2.4%

Note: Fuel oils: gasoline, kerosene, light oil, heavy oil A/B/C, and jet fuel; Other: oil coke, coal coke, natural gas, etc.




Figure 2-2 Final energy consumption by sector in Tokyo (FY 2015)

2.2.1-1 Final Energy Consumption by Sector in Entire Tokyo

- In the composition in FY 2015, the commercial sector took up the largest share (38.5%), followed by the residential sector (28.7%), transport sector (23.7%), and industrial sector (9.0%).
- As for sectoral trends in the composition since FY 2000, the commercial sector and the residential sector indicate an increasing trend, while the industrial sector and the transport sector has been showing a decreasing trend until around FY 2010. After that, all departments are about the same level.




Figure 2-3 Trends in final energy consumption by sector in Tokyo




Figure 2-4 Composition ratios in final energy consumption by sector in Tokyo

2.2.1-2 Final Energy Consumption by Fuel Type in Entire Tokyo

- In the fuel type composition in FY 2015, electricity took up the largest share (44.6%), followed by city gas (27.8%) and fuel oil (25.1%).
- The composition ratio of electric power has increased until FY 2010, and thereafter it is about the same level. The composition ratio of city gas has also gradually increased until FY 2010, and thereafter it is about the same level.




Figure 2-5 Trends in final energy consumption by fuel type in Tokyo




Figure 2-6 Composition ratios in final energy consumption by fuel type in Tokyo

### 2.2.2 Industrial Sector

- ▼ The final energy consumption in the industrial sector in FY 2015 stood at 57 PJ, which was 40.8% reduction from 97 PJ in FY 2000, and 3.3% increase from 55 PJ in FY 2014.
- ▼ Final energy consumption in the industrial sector has been on a decreasing trend since FY 1990, but it remains at the same level in recent years.

#### 2.2.2-1 Final energy consumption by trade in the industrial sector

- In the trade composition in FY 2015, manufacturing took up the largest share (65.5%), followed by construction (30.8%), agriculture, forestry and fishery (3.3%), and mining (< 1%).
- Final energy consumption has been continuously decreasing in manufacturing, which accounts for approximately 70% of the industrial sector. In the construction industry, it is on the increasing trend since FY 2014.




Figure 2-7 Final energy consumption by trade in the industrial sector




Figure 2-8 Composition ratios in final energy consumption by trade in the industrial sector

2.2.2-2 Final Energy Consumption by fuel type in the Industrial Sector

- In the fuel type composition in FY 2015, fuel oil took up the largest share (39.6%), followed by electricity (30.6%) and city gas (28.8%).
- The composition ratio of fuel oil has been on a decreasing trend, but in FY 2015, it has expanded compared to the previous year. On the other hand, composition ratio of electric power, which has been showing an increasing trend, has decreased in FY 2015 in comparison with the previous year.




Figure 2-9 Trends in final energy consumption by fuel type in the industrial sector




Figure 2-10 Composition ratios in final energy consumption by fuel type in the industrial sector

2.2.2-3 Factor Analysis in the Industrial Sector

- The Indices of Industrial Production (IIP)\* for respective trade affect final energy consumption in manufacturing, the main trade in the industrial sector.
- Since FY 1990, IIP increase rates have been generally declining in manufacturing in Tokyo until about FY 2009, but there is a tendency of a slight recovery from FY 2010.
- In comparison with the nationwide IIP increase rates, the rates in Tokyo became smaller in FY 1994, and the gap with nationwide rates has become substantial since around FY 1998. The rate in Tokyo has been similar to that of the nationwide since FY 2008.

\* The Indices of Industrial Production (IIP) are a systematic representation of various activities related to production, shipment, and inventory of domestic business sites that produce mining and industrial products. The IIP used here refers to production indices weighted by added value, which is calculated for 176 items (487 items for nationwide indices), based on the dynamic statistics of production, the Census of Manufacturers, etc.




Figure 2-11 IIP increases in manufacturing in Tokyo




Figure 2-12 Comparison of IIP between Tokyo and Japan

Note: IIP figures are weighted by added value.

Source: Tokyo: Prepared from the Tokyo Metropolitan Government (hereinafter referred to as "TMG"), "Tokyo Industrial Indices"

Japan: Prepared from Energy Data and Modeling Center, the Institute of Energy Economics, Japan "EDMC/Energy Economics Statistics Summary"

2.2.3 Commercial Sector

▼ The final energy consumption in the commercial sector in FY 2015 stood at 244 PJ, which was 7.2% reduction from 263 PJ in FY 2000, and 1.0% reduction from 246 PJ in FY 2014.

▼ Final energy consumption in the commercial sector has been increasing since FY 1990, but took a downturn with a peak at around FY 2007.

2.2.3-1 Final Energy Consumption by Building Application in the Commercial Sector

- In the building application composition in FY 2015, office buildings took up the largest share (60.7%). Other applications included restaurants (8.4%), schools (7.6%), hotels (5.5%), etc.
- Since FY 2000, the share of office buildings has been rising. This indicates the structural characteristics of Tokyo, where the corporate head office buildings, tenant buildings, etc., are accumulated.




Figure 2-13 Trends in final energy consumption by building application in the commercial sector




Figure 2-14 Composition ratios in final energy consumption by building application in the commercial sector

2.2.3-2 Final Energy Consumption by Fuel Type in the Commercial Sector

- In the fuel type composition in FY 2015, electricity (68.1%) and city gas (30.2%) combined accounted for 98% of the entire commercial sector.
- Since FY 2000, the share of fuel oil has been decreasing, indicating progress in the conversion from fuel oils to electricity and city gas.




Figure 2-15 Trends in final energy consumption by fuel type in the commercial sector




Figure 2-16 Composition ratios in final energy consumption by fuel type in the commercial sector

2.2.3-3 Factor Analysis in the Commercial Sector

- The total floor area by building application is an index that affects final energy consumption in the commercial sector.
- Since FY 1990, the total floor area has been increasing in the commercial sector. While the total floor area in the commercial sector is generally increasing across Japan, the remarkably high rate of office buildings is characteristic in Tokyo.
- The total floor area of office buildings in Tokyo has been steadily increasing since FY 1990.




Figure 2-17 Trends in total floor area by trade in Tokyo




Figure 2-18 Trends in total floor area by trade in Japan

Note: "Department stores" include large-scale retail stores and supermarkets.

Source: Prepared from Energy Data and Modeling Center, the Institute of Energy Economics, Japan "EDMC/Energy Economics Statistics Summary"

### 2.2.4 Residential Sector

▼ The final energy consumption in the residential sector in FY 2015 stood at 182 PJ, which was 2.1% increase from 186 PJ in FY 2000, and 5.5% decrease from 192 PJ in FY 2014.

▼ Final energy consumption in the residential sector has been increasing since FY 1990, but it shows a decline in recent years.

#### 2.2.4-1 Final Energy Consumption by Household Type in the Residential Sector

- In the household type composition in FY 2015, multiple-person households accounted for 68.3%, while single-person households made up 31.7%.
- Since FY 2000, the share of single-person households has been increasing in final energy consumption, indicating increase in aged single-person households, etc.




Figure 2-19 Trends in final energy consumption by household type in the residential sector




Figure 2-20 Composition ratios in final energy consumption by household type in the residential sector

2.2.4-2 Final Energy Consumption by Fuel Type in the Residential Sector

- In the fuel type composition in FY 2015, electricity (46.1%) and city gas (47.3%) combined accounted for 93% of the entire residential sector.
- Although the share of electricity had been increasing since FY 2000, it decreased by 1.8 points from FY 2010 level in FY 2015, as power conservation behavior took roots after the Great East Japan Earthquake. In the meantime, the share of city gas extended 2.9 points from FY 2010 level.




Figure 2-21 Trends in final energy consumption by fuel type in the residential sector




Figure 2-22 Composition ratios in final energy consumption by fuel type in the residential sector

2.2.4-3 Factor Analysis in the Residential Sector

- The number of households is an index that affects final energy consumption in the residential sector.
- Since FY 1990, an increasing trend is more remarkable in single-person households than in multiple-person households. In addition, the proportion of the number of single-person households in Tokyo is larger than in Japan.




Figure 2-23 Trends in the number of households in Tokyo

Source: Prepared from Ministry of Internal Affairs and Communications (hereinafter referred to as "MIC"), "Census Report" and TMG, "Tokyo Statistical Yearbook"




Figure 2-24 Comparison of the proportion of single-person and multiple-person households between Tokyo and Japan

Source: Prepared from MIC, "Census Report"

- The home appliance ownership rates are indices related to the shares of power consumption in the residential sector.
- In general, ownership rates of major home appliances have been increasing in Tokyo. In FY 2015, in comparison with FY 2000, the ownership rates of room air conditioners, PCs, toilets with warm water bidet, clothes dryers, etc. have remarkably increased, as it reflects the growing needs for the comfort and convenience of life.




Figure 2-25 Trends in the ownership rates of home appliances in Tokyo

Note: The values for color TVs indicate the total of 29" or larger and below 29" for up to FY 2003, and the total of CRT and flat-screen (LCD, plasma, etc.) for FY 2004 and after.

The values may not be continuous for some appliances between FY 2003 and FY 2009, due to the review of appliances in the source material.

Source: Prepared from MIC "National Consumption Survey" and Cabinet Office "Trends in Household Consumption"

Reference Data 1: Trends in energy consumption per household




Figure 2-26 Comparison of energy consumption per household in Tokyo with Japan

Source: Prepared from TMG "Tokyo Statistical Yearbook" and MIC, "Population, demographics and the number of households based on the Basic Resident Register"

Reference Data 2: Progress of energy saving for household electrical appliances

(1) Air Conditioners




Figure 2-27 Progress of energy saving for air conditioners

Note: Simple average of the wall-mounted representative models with heating and cooling combined, cooling capacity of 2.8kW, and energy-saving function

Source: Prepared from Energy Data and Modeling Center, the Institute of Energy Economics, Japan "EDMC/Energy Economics Statistics Summary"

(2) Electric Refrigerators




Figure 2-28 Progress of energy saving for electric refrigerators

Note: Average of the products from each company, corresponding to rated capacity of 401-450 liters since 2004

Source: Prepared from Energy Data and Modeling Center, the Institute of Energy Economics, Japan "EDMC/Energy Economics Statistics Summary"

2.2.5 Transport Sector

▼ The final energy consumption in the transport sector in FY 2015 stood at 150 PJ, which was 41.7% reduction from 257 PJ in FY 2000, and 2.5% reduction from 154 PJ in FY 2014.

▼ Final energy consumption in the transport sector has been decreasing since FY 2000.

2.2.5-1 Final Energy Consumption by Means of Transportation in the Transport Sector

- In the composition in FY 2015 by means of transportation, road transportation took up the largest share (88.0%). Other means included railways (9.9%), navigation (1.7%), and civil aviation (< 1%).
- Road transportation accounts for approximately 90% of the transport sector. In addition to the decreased traffic in Tokyo, road conditions have been improved, and performance of individual automobiles have been enhanced, thereby improving the actual mileage, and leading to the continuous decrease in final energy consumption.




Figure 2-29 Trends in final energy consumption by means of transportation in the transport sector




Figure 2-30 Composition ratios in final energy consumption by means of transportation in the transport sector

2.2.5-2 Final Energy Consumption by Fuel Type in the Transport Sector

- In the fuel type composition in FY 2015, gasoline contained in fuel oil took up the largest share (54.1%), followed by light oil (27.6%) and electricity consumed by railroad (9.9%).
- Since FY 2005, the share of gasoline has been decreasing. On the other hand, the share of light oil consumed by diesel cars has been expanding since FY 2005.




Figure 2-31 Trends in final energy consumption by fuel type in the transport sector




Figure 2-32 Composition ratios in final energy consumption by fuel type in the transport sector

2.2.5-3 Factor Analysis in the Transport Sector

- The number of registered vehicles and the traffic are indices that affect final energy consumption by road transportation, the main means of transportation in the transport sector.
- For the numbers of registered vehicle in Tokyo, those of passenger cars and light cars have been increasing, while those of compact passenger cars and freight vehicles have been decreasing. The overall number remains mostly at the same level, with a slight decrease.
- The traffic of passenger vehicles in Tokyo had been increasing until FY 2000, and then took a downturn. In the meantime, freight vehicles have been slowly decreasing since FY 1990.




Figure 2-33 Trends in the number of registered vehicles in Tokyo

Note: "Light cars" include light passenger cars and light freight cars.

Sources: TMG "Tokyo Statistical Yearbook"

Registered Vehicles Based on Materials of the Road Transport Bureau, Ministry of Land, Infrastructure, Transport and Tourism (hereinafter referred to as "MLIT"), March 2016 (Automobile Inspection & Registration Information Association)




Figure 2-34 Trends in the traveling kilometers of vehicles in Tokyo

Note: Passenger vehicles: light passenger cars, compact passenger cars, passenger cars, and buses

Freight vehicles: light freight cars, compact freight cars, freight/passenger cars, freight cars, and special freight cars

## 3 Total Greenhouse Gas Emissions

### 3.1 Concepts for Calculation

#### 3.1.1 Basic Matters

- This chapter clarifies the status of GHG emissions in Tokyo.
- The scope of GHGs includes carbon dioxide (CO<sub>2</sub>), methane (CH<sub>4</sub>), dinitrogen oxide (N<sub>2</sub>O), hydrofluorocarbons (HFCs), perfluorocarbons (PFCs), sulfur hexafluoride (SF<sub>6</sub>), and nitrogen trifluoride (NF<sub>3</sub>). These seven types of gas are defined in the Act on Promotion of Global Warming Countermeasures.
- The GHGs other than CO<sub>2</sub> (CH<sub>4</sub>, N<sub>2</sub>O, HFCs, PFCs, SF<sub>6</sub>, NF<sub>3</sub>) are referred to as "Other GHGs".
- In this survey, the values are calculated based on the Ministry of the Environment, "Manual for Formulating Action Plans (Regional Measures) for Municipal Governments against Global Warming". This manual describes calculation methods for GHG emissions in each prefecture. Calculation methods used here reflect the actual status in Tokyo more accurately, incorporating information and findings that have been uniquely collected by TMG
- For the calculation methods for GHG emissions in this survey, an overview is indicated in Reference Material 1 (pages 34 to 36).

Note: With electricity market deregulation, there was a change in the types of available data. For that reason, the GHG emissions data of each department has been recalculated retroactively.

Table 3-1 GHGs and main source(s) of emission

GHG		Global warming potential	Main source(s) of emission
CO <sub>2</sub>	Carbon dioxide	1	Combustion of fuel, incineration of waste, industrial process, etc.
CH <sub>4</sub>	Methane	25	Agriculture, waste, industrial process, combustion of fuel, leak from fuel, etc.
N <sub>2</sub> O	Dinitrogen oxide	298	Agriculture, waste, industrial process, combustion of fuel, leak from fuel, etc.
HFCs	Hydrofluorocarbons	124 to 14,800	Coolant, foaming agent, heat insulation material, aerosol and MDI, etc.
PFCs	Perfluorocarbons	7,390 to 12,200	Solvents, manufacturing of semiconductors and LCDs, etc.
SF <sub>6</sub>	Sulfur hexafluoride	22,800	Electrical equipment using insulating gas, manufacturing of semiconductors and LCDs, etc.
NF <sub>3</sub>	Nitrogen trifluoride	17,200	Leak from manufacturing of NF <sub>3</sub> , manufacturing of semiconductors and LCDs, etc.

Note: The "Global Warming Potential (GWP)" is a factor of the extent of greenhouse effect of a GHG, indicated in proportion to the extent of greenhouse effect of CO<sub>2</sub>. The values indicated here are based on the Fourth Assessment Report (2007) by the Intergovernmental Panel on Climate Change (IPCC).

#### 3.1.2 Categorization of GHGs

- GHGs are categorized into CO<sub>2</sub> and other GHGs. CO<sub>2</sub> is further categorized into energy-derived CO<sub>2</sub> emissions and non-energy-derived CO<sub>2</sub> emissions.
- "Energy-derived CO<sub>2</sub> emissions" refers to CO<sub>2</sub> that are generated through final energy consumption of electricity, etc. In this survey, non-energy-derived CO<sub>2</sub> emissions include CO<sub>2</sub> derived from incineration of waste.

Table 3-2 Categorization of carbon dioxides

Categorization	Targeted sector
Energy-derived CO <sub>2</sub> emissions	Final demand sectors * The amount of emission from the final energy consumption of respectively for the industrial, commercial, residential, and transport sectors
Non-energy-derived CO <sub>2</sub> emissions	Waste sector * The amount of emission from the incineration of waste is calculated.

### 3.1.3 CO<sub>2</sub> Emission Factor for Electricity

- The CO<sub>2</sub> emission factor for electricity changes every year, based on the power supply mix on the supply side.
- In this survey, "variable cases" are calculated by applying yearly emission factors for the purpose of incorporating the influence of variation in power supply mix.
- For calculation, the yearly emission factor is used for General Electricity Utility, and the yearly average emission factor is used for Power Producer and Suppliers (PPS).

Table 3-3 CO<sub>2</sub> emission factors for electricity

(Unit: kg-CO<sub>2</sub>/kWh)

	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
General Electricity Utility	0.380	0.385	0.390	0.367	0.378	0.358	0.336	0.335	0.315	0.326	0.328	0.317	0.381
PPS (average)											0.493	0.454	0.442
All power supplies in Tokyo (average)	0.380	0.385	0.390	0.367	0.378	0.358	0.336	0.335	0.315	0.326	0.328	0.318	0.381

	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015
General Electricity Utility	0.461	0.381	0.368	0.339	0.425	0.418	0.384	0.375	0.464	0.525	0.531	0.505	0.500
PPS (average)	0.432	0.448	0.460	0.447	0.480	0.446	0.464	0.420	0.412	0.429	0.425	0.433	0.431
All power supplies in Tokyo (average)	0.460	0.383	0.372	0.345	0.428	0.420	0.388	0.378	0.461	0.519	0.523	0.499	0.492

Note: "Average" refers to the weighted average calculated in this survey is used, based on emission factors and sold electricity of electricity utilities that supply power in Tokyo.

### 3.1.4 Scope of Calculation

- Most agricultural, forestry and fishery products, industrial products, etc., that are supplied in Tokyo are produced outside Tokyo, and therefore CO<sub>2</sub> emissions from such activities occur outside Tokyo. Such CO<sub>2</sub> emissions are excluded from this survey.
- CO<sub>2</sub> emissions through power consumption are calculated using emission factors at sale, and include emissions during power generation outside Tokyo (these emissions are allocated to the final demand sectors in accordance with the amount of power consumption).




Figure 3-1 Image of GHG emissions in Tokyo

### 3.2 Total Greenhouse Gas Emissions

#### 3.2.1 Entire Tokyo

▼ The total GHG emissions in FY 2015 stood at 66.3 million tons of CO<sub>2</sub> equivalent. This is 6.6% increase from 62.2 million tons in FY 2000, and 1.6% reduction from 67.4 million tons in FY 2014.

Table 3-4 Trends in total GHG emissions in Tokyo

(Unit: 10,000 t-CO<sub>2</sub> eq)

	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
CO <sub>2</sub>	5,458	5,747	5,869	5,687	5,925	5,830	5,698	5,759	5,684	5,775	5,896	5,676	6,327
CH <sub>4</sub>	221	226	229	231	231	227	217	201	181	159	139	121	105
N <sub>2</sub> O	85	91	91	83	87	91	96	97	97	101	99	95	96
HFCs						34	49	63	71	71	78	84	93
PFCs						32	33	40	35	9	5	4	4
SF <sub>6</sub>						11	13	14	11	5	4	6	2
NF <sub>3</sub>						1	1	1	1	0	0	0	0
<b>Total</b>	<b>5,763</b>	<b>6,064</b>	<b>6,189</b>	<b>6,001</b>	<b>6,243</b>	<b>6,227</b>	<b>6,109</b>	<b>6,174</b>	<b>6,079</b>	<b>6,120</b>	<b>6,220</b>	<b>5,986</b>	<b>6,626</b>

	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015
CO <sub>2</sub>	6,773	6,192	6,171	5,759	6,515	6,289	5,897	5,876	6,111	6,585	6,555	6,230	6,084
CH <sub>4</sub>	90	79	72	66	63	61	60	59	58	57	57	56	56
N <sub>2</sub> O	93	89	89	81	73	71	66	59	58	57	54	56	55
HFCs	103	112	123	141	170	202	227	256	280	316	347	393	436
PFCs	4	0	0	0	0	0	0	0	0	0	0	0	0
SF <sub>6</sub>	2	2	2	3	2	2	2	2	3	3	2	2	2
NF <sub>3</sub>	0	—	—	—	—	—	—	—	—	—	—	—	—
<b>Total</b>	<b>7,065</b>	<b>6,474</b>	<b>6,457</b>	<b>6,050</b>	<b>6,824</b>	<b>6,625</b>	<b>6,251</b>	<b>6,251</b>	<b>6,509</b>	<b>7,017</b>	<b>7,015</b>	<b>6,737</b>	<b>6,633</b>

Note: CO<sub>2</sub> emissions are calculated by applying yearly CO<sub>2</sub> emission factors for electricity.

(10,000 t-CO<sub>2</sub>eq)




Figure 3-2 Trends in total GHG emissions in Tokyo

- In the total GHG emissions, CO<sub>2</sub> emissions account for 91.7% in FY 2015, which was 3.1-point reduction from FY 2000, and 2.3-point reduction from FY 2010.
- In comparison with the national shares by GHG in FY 2015, the share of HFCs and three other types in Tokyo is larger than that in Japan (Japan 3.4%, Tokyo 6.6%).




Figure 3-3 Composition ratios by GHG in Tokyo and in Japan

Source: Preliminary figures for Japan's GHG Emissions Data (FY 1990 - 2016), Greenhouse Gas Inventory Office of Japan




Figure 3-4 Increase rates by GHG in Tokyo and in Japan

Note: The values in brackets respectively indicate increase in FY 2010 from FY 2000, and increase in FY 2015 from FY 2010.  
 Source: Preliminary figures for Japan's GHG Emissions Data (FY 1990 - 2016), Greenhouse Gas Inventory Office of Japan

### 3.3 CO<sub>2</sub> Emissions

#### 3.3.1 Entire Tokyo

- ▼ The total CO<sub>2</sub> emissions in FY 2015 stood at 60.8 million tons. This is 3.2% increase from 59.0 million tons in FY 2000, and 2.3% reduction from 62.3 million tons in the previous fiscal year.
- ▼ The CO<sub>2</sub> emissions from electricity in FY 2015 increased by 13.8% from FY 2010, due to the deteriorated emission factor after the Great East Japan Earthquake.

 Table 3-5 Total CO<sub>2</sub> emissions by sector and increases up to FY 2015 in Tokyo

	CO <sub>2</sub> emissions (10,000 t-CO <sub>2</sub> )							Increase rate (%)		
	FY 2000	FY 2005	FY 2010	FY 2011	FY 2013	FY 2014	FY 2015	Vs. 2000	vs. 2010	vs. 2014
(Industrial/commercial sector)	2,728	3,089	2,954	3,026	3,365	3,168	3,123	14.5%	5.7%	Δ1.4%
Industrial sector	680	579	520	497	499	476	481	Δ29.2%	Δ7.4%	1.1%
Commercial sector	2,048	2,510	2,434	2,529	2,866	2,692	2,642	29.0%	8.5%	Δ1.9%
Residential sector	1,283	1,464	1,559	1,707	1,848	1,747	1,663	29.6%	6.7%	Δ4.8%
Transport sector	1,765	1,518	1,206	1,219	1,170	1,157	1,128	Δ36.1%	Δ6.5%	Δ2.5%
Energy-derived CO <sub>2</sub> emissions	5,776	6,072	5,719	5,953	6,383	6,072	5,914	2.4%	3.4%	Δ2.6%
Non-energy-derived CO <sub>2</sub> emissions	120	100	157	158	172	158	170	41.5%	8.4%	7.6%
Total CO <sub>2</sub> emissions	5,896	6,171	5,876	6,111	6,555	6,230	6,084	3.2%	3.5%	Δ2.3%


Note 1: The residential sector does not include emissions by family cars, which is included in the transport sector.

Note 2: In the transport sector, the scope of calculation for automobiles includes traffic in Tokyo, while that for railway, vessels, and airlines includes service in Tokyo.

 Table 3-6 Total energy-derived CO<sub>2</sub> emissions by fuel type and increases up to FY 2015 in Tokyo

	CO <sub>2</sub> emissions (10,000 t-CO <sub>2</sub> )							Increase rate (%)		
	FY 2000	FY 2005	FY 2010	FY 2011	FY 2013	FY 2014	FY 2015	Vs. 2000	vs. 2010	vs. 2014
Electricity	2,698	3,268	3,392	3,719	4,265	3,949	3,861	43.1%	13.8%	Δ2.2%
City gas	926	1,047	967	923	906	891	865	Δ6.7%	Δ10.5%	Δ2.9%
LPG	198	159	116	124	102	126	94	Δ52.5%	Δ19.0%	Δ25.2%
Fuel oil	1,935	1,595	1,243	1,181	1,108	1,104	1,092	Δ43.6%	Δ12.1%	Δ1.1%
Other	19	3	1	6	2	3	3	Δ86.2%	74.0%	2.4%
Energy-derived CO <sub>2</sub> emissions	5,776	6,072	5,719	5,953	6,383	6,072	5,914	2.4%	3.4%	Δ2.6%

Note: Fuel oils: gasoline, kerosene, light oil, heavy oil A/B/C, and jet fuel; Other: oil coke, coal coke, natural gas, etc.


 Figure 3-5 CO<sub>2</sub> emissions by sector in Tokyo (FY 2015)

3.3.1-1 CO<sub>2</sub> Emissions in Entire Tokyo (by Sector, Total CO<sub>2</sub> Emissions)

- Combining energy-derived CO<sub>2</sub> emissions (industrial, commercial, residential, and transport sectors) with non-energy-derived CO<sub>2</sub> emissions (others), trends and composition ratios by sector in total CO<sub>2</sub> emissions are as follows:




Figure 3-6 Trends in total CO<sub>2</sub> emissions by sector in Tokyo




Figure 3-7 Composition ratios in total CO<sub>2</sub> emissions by sector in Tokyo

- Note 1: "Other" indicates non-energy-derived CO<sub>2</sub> emissions from the incineration of waste.
- Note 2: Tokyo does not count the "energy conversion sector" because Tokyo allocates CO<sub>2</sub> emissions from the energy conversion sector to the final demand sectors in accordance with the amount of power consumption.
- Note 3: Tokyo does not count the "industrial process" due to the minimal CO<sub>2</sub> emissions from the industrial process and its difficulty of statistical grasp.

- In comparison with the national CO<sub>2</sub> emission structure by sector in FY 2015, Tokyo has a smaller share of the industrial sector (7.9% vs. 35.4% nationwide), and larger shares of the commercial sector (43.4% vs. 17.7% nationwide) and the residential sector (27.3% vs. 18.8% nationwide).




Figure 3-8 Trends in CO<sub>2</sub> emissions in Japan

Source: Preliminary figures for Japan's GHG Emissions Data (FY 1990 - 2016), Greenhouse Gas Inventory Office of Japan




Figure 3-9 Composition ratios in CO<sub>2</sub> emissions in Japan

Source: Preliminary figures for Japan's GHG Emissions Data (FY 1990 - 2016), Greenhouse Gas Inventory Office of Japan

3.3.1-2 CO<sub>2</sub> Emissions in Entire Tokyo (by Fuel Type, Energy-derived CO<sub>2</sub> Emissions)

■ Trends and composition ratios by fuel type in energy-derived CO<sub>2</sub> emissions are as follows:




Figure 3-10 Trends in energy-derived CO<sub>2</sub> emissions by fuel type in Tokyo




Figure 3-11 Composition ratios in energy-derived CO<sub>2</sub> emissions by fuel type in Tokyo

Note: Fuel oils: gasoline, kerosene, light oil, heavy oil A/B/C, and jet fuel; Other: oil coke, coal coke, natural gas, etc.

### 3.3.2 [Reference] Trends in Each Sector

#### 3.3.2-1 Industrial Sector

■ Trends in CO<sub>2</sub> emissions in the industrial sector are as follows:




Figure 3-12 Trends in CO<sub>2</sub> emissions in the industrial sector

#### 3.3.2-2 Commercial Sector

■ Trends in CO<sub>2</sub> emissions in the commercial sector are as follows:




Figure 3-13 Trends in CO<sub>2</sub> emissions in the commercial sector

3.3.2-3 Residential Sector

Trends in CO<sub>2</sub> emissions in the residential sector are as follows:




Figure 3-14 Trends in CO<sub>2</sub> emissions in the residential sector

3.3.2-4 Transport Sector

Trends in CO<sub>2</sub> emissions in the transport sector are as follows:




Figure 3-15 Trends in CO<sub>2</sub> emissions in the transport sector

### 3.4 Other GHG Emissions

#### 3.4.1 Overview

##### 3.4.1-1 Trends in Other GHG Emissions

(Tokyo)

- Other GHG emissions in FY 2015 stood at 5.5 million t-CO<sub>2</sub>eq, which was 69.2% increase from 3.2 million t-CO<sub>2</sub>eq in FY 2000, and 46.1% increase from 3.8 million t-CO<sub>2</sub>eq in FY 2010.
- HFCs increased by 57.7% from FY 2000 to FY 2005, 108.2% from FY 2005 to FY 2010, and 70.4% from FY 2010 to FY 2015. This is because the substitution of HCFCs, which are regulated under the Montreal Protocol, by HFCs has proceeded, and consequently emissions from the coolant use of HFCs have increased.
- CH<sub>4</sub> and NO<sub>2</sub> have shown a downward trend since FY 2000.

(Japan)

- Other GHG emissions in Japan in FY 2015 stood at 97.0 million t-CO<sub>2</sub>eq, which was 11.0% reduction from 109 million t-CO<sub>2</sub>eq in FY 2000, and 9.8% increase from 88.3 million t-CO<sub>2</sub>eq in FY 2010.
- HFCs have declined by 44.1% from FY 2000 to FY 2005 due to a decrease in emissions of HFC-23, which is a by-product in manufacturing specific freon HCFC-22. Since then, due to an increase in the use of CFC substitute HFCs as a refrigerant application, it has increased by 82.3% from FY 2005 to FY 2010 and by 68.2% from FY 2010 to FY 2015.
- CH<sub>4</sub>, NO<sub>2</sub>, PFCs and SF<sub>6</sub> have shown a downward trend since FY 2000. On the other hand, NF<sub>3</sub> has shown an upward trend from FY 2000 to FY 2010, but in recent years there is a sign that starts to decrease.




Figure 3-16 Increase rates by GHG (other GHGs) in Tokyo and in Japan

Note: The values in brackets respectively indicate increase in FY 2005 from FY 2000, increase in FY 2010 from FY 2005, and increase in FY 2015 from FY 2010.

Source: Preliminary figures for Japan's GHG Emissions Data (FY 1990 – 2016), Greenhouse Gas Inventory Office of Japan

## 3.4.1-2 Composition Ratios in Other GHG Emissions

- In Tokyo, HFCs accounted for 79.4% of other GHG emissions in FY 2015, followed by CH<sub>4</sub> (10.2%), N<sub>2</sub>O (10.0%), SF<sub>6</sub> (0.4%), and PFCs (< 1%).
- In Japan, HFCs accounted for 40.4% of other GHG emissions in FY 2015, followed by CH<sub>4</sub> (32.1%), N<sub>2</sub>O (21.3%), PFCs (3.4%), SF<sub>6</sub> (2.2%), and NF<sub>3</sub> (0.6%).
- Compared to the nationwide composition ratios of other GHG emissions in FY 2015, Tokyo sees a larger share of HFCs, and accordingly smaller shares of the other gases.




Figure 3-17 Composition ratios of other GHG emissions in Tokyo and in Japan (FY 2015)

Source: Preliminary figures for Japan's GHG Emissions Data (FY 1990 - 2016), Greenhouse Gas Inventory Office of Japan

## 3.4.1-3 Shares of Other GHG Emissions in Japan

- Other GHG emissions in FY 2015 in Tokyo account for approximately 5.7% in Japan.
- By the type of gas, Tokyo takes up the largest share in Japan with HFCs (11.1%), followed by N<sub>2</sub>O (2.7%) and CH<sub>4</sub> (1.8%). Tokyo's shares are minimal for PFCs, SF<sub>6</sub>, and NF<sub>3</sub>.

Table 3-7 Comparison of other GHG emissions in Tokyo and in Japan (FY 2015)  
(Unit: 10,000 t-CO<sub>2</sub> eq)

	Tokyo	Japan	vs. Japan
CH <sub>4</sub>	56	3,111	1.8%
N <sub>2</sub> O	55	2,063	2.7%
HFCs	436	3,920	11.1%
PFCs	0	331	0.0%
SF <sub>6</sub>	2	215	0.9%
NF <sub>3</sub>	-	57	-
Total	549	9,696	5.7%

Source: Preliminary figures for Japan's GHG Emissions Data (FY 1990 - 2016), Greenhouse Gas Inventory Office of Japan

### 3.4.2 CH<sub>4</sub>

- The composition ratios of CH<sub>4</sub> emissions in Tokyo and in Japan in FY 2015 are indicated below.
- In Tokyo, 95.6% of CH<sub>4</sub> emissions are derived from waste. "Waste" mainly refers to emissions from landfill sites (inner and outer central breakwater landfill sites) and from sewage treatment.




Figure 3-18 Composition ratios of CH<sub>4</sub> emissions in Tokyo and in Japan (FY 2015)

Source: Preliminary figures for Japan's GHG Emissions Data (FY 1990 - 2016), Greenhouse Gas Inventory Office of Japan

### 3.4.3 N<sub>2</sub>O

- The composition ratios of N<sub>2</sub>O emissions in Tokyo and in Japan in FY 2015 are indicated below.
- In Tokyo, 77.0% of N<sub>2</sub>O emissions are derived from waste. "Waste" mainly refers to emissions from the incineration of waste (general/industrial) and sewage treatment.




Figure 3-19 Composition ratios of N<sub>2</sub>O emissions in Tokyo and in Japan (FY 2015)

Source: Preliminary figures for Japan's GHG Emissions Data (FY 1990 - 2016), Greenhouse Gas Inventory Office of Japan

### 3.4.4 HFCs and Three Other Types

- The composition ratios of HFCs and three other types of emissions in Tokyo and in Japan in FY 2015 are indicated below.
- In Tokyo, 92.1% of the emissions of these four gases are HFCs derived from coolants. "Coolants" mainly refers to emissions at the time of production, use, disposal of freezers and air conditioners for business use, household air conditioners, car air conditioners, etc.
- Unlike in the emission composition of entire Japan, "Manufacturing of semiconductors and LCDs", "Leak from manufacturing of HFCs and three other types", and "Metal production", etc. are excluded from the emission statistics of Tokyo, because the relevant factories are considered to be very rare in Tokyo.
- The addition of  $\text{NF}_3$  to the list of GHGs was stipulated in the Partial Amendment to the Act on Promotion of Global Warming Countermeasures (Law No. 18, May 24, 2013) which took effect on April 1, 2015, but TMG excluded  $\text{NF}_3$  from the emission statistics of Tokyo, because the relevant factories are considered to be very rare in Tokyo.




Figure 3-20 Composition ratios of HFCs and three other types of emissions in Tokyo and in Japan (FY 2015)

Source: Preliminary figures for Japan's GHG Emissions Data (FY 1990 - 2016), Greenhouse Gas Inventory Office of Japan

## 4 Reference Materials

### [Material 1] Calculation Methods for Final Energy Consumption and GHG Emissions (Overview)

#### (1) Final energy consumption and energy-derived CO<sub>2</sub> emissions

- Fuel consumption and energy consumption are estimated by sectors based on statistical data, etc., and CO<sub>2</sub> emissions are calculated by multiplying the consumption by the emission factor.

Sectors		Calculation methods (overview)	Key statistical data, etc.
Industrial sector	Agriculture, forestry and fishery	Estimated based on utility cost (electricity/kerosene) per farming household, fuel cost (heavy oil A) per fishing management body, etc. (The electricity consumption after FY 2012 is identified from supply side)	<ul style="list-style-type: none"> <li>MAFF "Agricultural Management Statistics Report"</li> <li>MAFF "MAFF Statistics"</li> <li>Sales data in Tokyo provided by electricity utilities.</li> </ul>
	Mining	Estimated based on national mining energy consumption, fuel and electricity cost rates in Japan and in Tokyo, etc.	<ul style="list-style-type: none"> <li>Agency for Natural Resources and Energy "Comprehensive Energy Statistics"</li> <li>MIC "Economic Census: Activity Survey"</li> </ul>
	Construction	National fuel consumption in the construction industry is allocated in accordance with the construction sales rates in Japan and in Tokyo.	<ul style="list-style-type: none"> <li>Agency for Natural Resources and Energy "Comprehensive Energy Statistics"</li> <li>MLIT "Comprehensive Statistical Yearbook for Construction"</li> </ul>
	Manufacturing	<p>Energy consumption is estimated based on energy data for business sites in Tokyo, product shipment amount by trade, etc.</p> <ul style="list-style-type: none"> <li>Consumption for the entire manufacturing industry is estimated based on energy consumption at soot emitting facilities.</li> <li>Composition of energy consumption by trade is estimated based on product shipment amount by trade, etc.</li> </ul>	<ul style="list-style-type: none"> <li>TMG "Soot Emission Survey Report"</li> <li>TMG "Industry in Tokyo: Industrial Statistics"</li> <li>METI "Petroleum Consumption Structure Statistics"</li> <li>MIC "Economic Census: Activity Survey"</li> </ul>
		<ul style="list-style-type: none"> <li>Consumptions of electricity and city gas by the entire manufacturing industry are identified from supply side.</li> </ul>	<ul style="list-style-type: none"> <li>TMG "Tokyo Statistical Yearbook"</li> <li>Sales data in Tokyo as provided by electricity utilities and gas utilities</li> </ul>
Consumer sector	Commercial	<p>Energy consumption is estimated by multiplying the energy consumption basic unit for each building application of business sites in Tokyo by the total floor area.</p> <ul style="list-style-type: none"> <li>Total floor area for each building application is calculated based on national statistical materials.</li> <li>The national average energy consumption basic unit for each building application has been adjusted in accordance with the actual status in Tokyo.</li> <li>Energy consumption composition for each building application is estimated based on data reported by large-scale business sites under the Tokyo Metropolitan Ordinance.</li> </ul>	<ul style="list-style-type: none"> <li>MIC "Summary Record of Prices for Fixed Assets"</li> <li>Institute of Local Finance "Public Facility Status Survey" (Sources for total floor area data)</li> <li>The Institute of Energy Economics, Japan "Energy Economics Statistics Summary"</li> <li>TMG "Global Warming Corrective Measures Plan"</li> </ul>
		<ul style="list-style-type: none"> <li>Consumptions of electricity and city gas by the entire commercial sector are identified from supply side.</li> </ul>	<ul style="list-style-type: none"> <li>TMG "Tokyo Statistical Yearbook"</li> <li>Sales data in Tokyo as provided by electricity utilities and gas utilities</li> </ul>

Sectors		Calculation methods (overview)	Key statistical data, etc.
Consumer sector	Residential	<p>Energy consumption is estimated based on survey materials concerning household spending, etc.</p> <ul style="list-style-type: none"> <li>• Consumptions of kerosene and LPG for all households are estimated based on fuel spending per household (single- or multiple-person households), unit prices for fuels, etc.</li> </ul> <p>* Gasoline and other fuels used for family cars are included in the transport sector.</p> <ul style="list-style-type: none"> <li>• Consumptions of electricity and city gas by the entire residential sector are identified from supply side.</li> </ul>	<ul style="list-style-type: none"> <li>• TMG "Living Standards of Tokyo Metropolitan Citizens (Tokyo Livelihood Analysis Report)"</li> <li>• MIC "Household Economy Annual Report"</li> </ul>
			<ul style="list-style-type: none"> <li>• TMG "Tokyo Statistical Yearbook"</li> <li>• Sales data in Tokyo as provided by electricity utilities and gas utilities</li> </ul>
Transport sector	Road Transportation	<p>Traffic and CO<sub>2</sub> emissions by car type and by fuel type are estimated based on measurement data provided by TMG</p> <p>* The scope of calculation only includes traffic in Tokyo.</p>	<ul style="list-style-type: none"> <li>• TMG "Traffic and CO<sub>2</sub> emissions by car type and by fuel type"</li> </ul>
	Railways	<p>(Passengers) The basic unit is calculated based on the power consumption and passenger kilometers of each railway company. The emissions are estimated by multiplying the basic unit by the passenger kilometers in Tokyo.</p> <p>(Freight) The national power consumption is allocated in accordance with the transportation tons in Japan and in Tokyo.</p> <p>* The scope of calculation only includes transportation in Tokyo.</p>	<ul style="list-style-type: none"> <li>• TMG "Tokyo Statistical Yearbook"</li> <li>• MLIT "Railway Statistical Yearbook"</li> </ul>
	Navigation	<p>(Passengers) The national fuel consumption is allocated in accordance with the passengers in Japan and in Tokyo.</p> <p>(Freight) The national fuel consumption is allocated in accordance with the transportation tons in Japan and in Tokyo.</p> <p>* The scope of calculation only includes navigation in Tokyo. The values for navigation outside Tokyo (from other parts of Japan to Tokyo, or from Tokyo to other parts of Japan) are calculated for reference.</p>	<ul style="list-style-type: none"> <li>• MLIT "Coastal Vessel Transportation Statistics"</li> <li>• MLIT "Passenger Regional Fluidity Survey"</li> <li>• MLIT "Freight Regional Fluidity Survey"</li> </ul>
	Civil Aviation	<p>Fuel consumptions at airports are counted.</p> <p>* The scope of calculation only includes navigation in Tokyo. The values for navigation outside Tokyo (from other parts of Japan to Tokyo, or from Tokyo to other parts of Japan) are calculated for reference.</p>	<ul style="list-style-type: none"> <li>• MLIT "Airport Management Status Record"</li> <li>• MLIT "Air Transportation Statistical Yearbook"</li> </ul>

(2) Non-energy-derived CO<sub>2</sub> emissions

- CO<sub>2</sub> emissions are calculated by multiplying the incineration of waste (on a dried basis) by the emission factor.

Sectors		Calculation methods (overview)	Key statistical data, etc.
Waste sector	General waste	The incinerated amounts (on a dried basis) for waste plastics and synthetic fiber dust are estimated based on the incinerated amount (on a wet basis) in the Tokyo wards area and in the Tama area, the composition ratios of waste, the water content, etc., according to materials provided by cleaning factories and other sources.	<ul style="list-style-type: none"> <li>Clean Authority of TOKYO 23 Cities "Cleaning Service Annual Report" and "Survey Report on the Properties of Waste Delivered to Cleaning Factories"</li> <li>The Institute for Tokyo Municipal Research, "Tama Area Waste Status Survey"</li> </ul>
	Industrial waste	The incineration amounts of waste oil and waste plastics are estimated based on materials concerning the treatment of industrial waste.	<ul style="list-style-type: none"> <li>TMG "Survey Report on Changes over Time in Industrial Waste"</li> <li>TMG "Performance Report on Industrial Waste Treatment "</li> </ul>

## (3) Other GHGs


- Emissions are estimated based on statistical materials prepared by TMG and the national government.

Sectors		Calculation methods (overview)	Key statistical data, etc.
Methane (CH <sub>4</sub> )		The main source of emission is the gas generated from waste landfill sites. The emissions at inner and outer central breakwater landfill sites are estimated using a model that assumes a state of the successive resolution of the waste.	<ul style="list-style-type: none"> <li>TMG "Survey Results on the Effective Use of Landfill Gas (LFG) (March, 2004)"</li> </ul>
Dinitrogen oxide (N <sub>2</sub> O)		The main sources of emission are the incineration of waste (general/industrial), sewage treatment at sewage plants, and automobile driving. Emissions are estimated based on statistical materials prepared by TMG and the national government.	<ul style="list-style-type: none"> <li>Ministry of the Environment "Survey Results on General Waste Treatment"</li> <li>TMG "Survey Report on Changes over Time in Industrial Waste"</li> <li>TMG "Performance Report on Industrial Waste Treatment "</li> </ul>
HFCs and three other types (HFCs, PFCs, SF <sub>6</sub> , and NF <sub>3</sub> )		The main source of emission is coolants (HFCs) that are emitted during the production, use, and disposal of freezers and air conditioners. National emissions are allocated in accordance with shipment amounts in Japan and in Tokyo. * Also for HFCs that are derived from foaming agents, aerosols, etc., and for SF <sub>6</sub> that are derived from the use of gas insulated transformers, etc., national emissions are allocated in accordance with shipment amounts in Japan and in Tokyo.	<ul style="list-style-type: none"> <li>METI materials for the Working Group for Countermeasures against CFCs, Manufacturing Industry Subcommittee, Industrial Structure Council</li> </ul>

## [Material 2] Trends in Final Energy Consumption in Tokyo and Gross Domestic Product (GDP) in Tokyo

- To realize a vigorous sustainable city, it is necessary to aim at a state where economic growth does not link with increased energy/resource consumption ("decoupling").
- EU includes decoupling in its policy targets under the 6th Environmental Action Plan (2002). International arguments are also held at the sessions of OECD, United Nations Environment Programme (UNEP), etc.
- Trends in the final energy consumption in Tokyo and the gross product in Tokyo indicate that the decoupling has been in progress since FY 2009. TMG will farther promote smart energy and power conservation which are coexistent with economic growth.

**Trends in final energy consumption and the gross product in Tokyo and in Japan**



Sources: TMG "Prefectural Accounts of Tokyo"

Cabinet Office "System of National Accounts (GDP Statistics)"

Agency for Natural Resources and Energy "Energy Supply and Demand Performance"

Note: Total production in Tokyo and Gross Domestic Product uses real value/chain-linked system and chained FY 2011 price.

### [Material 3] Greenhouse Gas Reduction Target and Energy Reduction Target in Tokyo

- For greenhouse gas emissions, TMG sets the reduction target as a medium-term transit point configuration based on the reduced level of long-term required in the Intergovernmental Panel on Climate Change (IPCC) Fifth Assessment Report (October 2014), etc.
- For energy consumption, TMG sets the energy saving target at a level necessary to achieve the greenhouse gas reduction target.

Note: With electricity market deregulation, there was a change in the types of available data. For that reason, the figures of each sector have been recalculated retroactively from the time of target setting.

#### Greenhouse gas reduction target

Reducing Tokyo's greenhouse gas emissions by 30% from the year 2000 level by the year 2030

<Targets by Sectors> by the year 2030

- Reduction by about 20% from the year 2000 level in the industrial and commercial sectors (about 20% reduction in the commercial sector)
- Reduction by about 20% from the year 2000 level in the residential sector
- Reduction by about 60% from the year 2000 level in the transport sector

Estimation results of greenhouse gas emissions (Unit: Mt-CO<sub>2</sub> eq)

	2000	2015		2030	
			vs. 2000	(target)	vs. 2000
Energy-derived CO <sub>2</sub> emissions	57.8	59.1	2.4%	39.1	Δ33%
Industrial and commercial sector	27.3	31.2	14%	21.6	Δ22%
Industrial sector	6.8	4.8	Δ29%	4.2	Δ38%
Commercial sector	20.5	26.4	29%	17.4	Δ15%
Residential sector	12.8	16.6	30%	9.9	Δ23%
Transport sector	17.7	11.3	Δ36%	7.6	Δ57%
Other gases	4.4	7.2	64%	4.9	11%
<b>Total GHG emissions</b>	<b>62.2</b>	<b>66.3</b>	<b>6.7%</b>	<b>44.0</b>	<b>Δ30%</b>

Note 1: The CO<sub>2</sub> emission factor for electricity in 2030 is 0.37kg-CO<sub>2</sub>/kWh which is a voluntary target value of electric power industry based on the Long-term Energy Supply and Demand Outlook by the Government (July 2015).

Note 2: Other gases: Non-energy-derived CO<sub>2</sub> emissions, CH<sub>4</sub>, N<sub>2</sub>O, HFCs and three other types (HFCs, PFCs, SF<sub>6</sub>, and NF<sub>3</sub>)

#### Energy reduction target

Reducing Tokyo's energy consumption by 38% from the year 2000 level by the year 2030

<Targets by Sectors> by the year 2030

- Reduction by about 30% from the year 2000 level in the industrial and commercial sectors (about 20% reduction in the commercial sector)
- Reduction by about 30% from the year 2000 level in the residential sector
- Reduction by about 60% from the year 2000 level in the transport sector

Estimation results of energy consumption (Unit: PJ)

	2000	2015		2030年	
			vs. 2000	(target)	vs. 2000
Industrial and commercial sector	359	301	Δ16%	260	Δ28%
Industrial sector	97	57	Δ41%	57	Δ41%
Commercial sector	263	244	Δ7.2%	203	Δ23%
Residential sector	186	182	Δ2.1%	132	Δ29%
Transport sector	257	150	Δ42%	105	Δ59%
<b>Total energy consumptions</b>	<b>802</b>	<b>633</b>	<b>Δ21%</b>	<b>496</b>	<b>Δ38%</b>

## 5 Figures and Tables

---

### — Contents for Tables —

Table 2-1	Heat conversion factors used in this survey (FY 2015).....	2
Table 2-2	Final energy consumption by sector in Tokyo, and increases up to FY 2015.....	3
Table 2-3	Final energy consumption by fuel type in Tokyo, and increases up to FY 2015.....	3
Table 3-1	GHGs and main source(s) of emission .....	20
Table 3-2	Categorization of carbon dioxides .....	20
Table 3-3	CO <sub>2</sub> emission factors for electricity .....	21
Table 3-4	Trends in total GHG emissions in Tokyo .....	22
Table 3-5	Total CO <sub>2</sub> emissions by sector and increases up to FY 2015 in Tokyo.....	24
Table 3-6	Total energy-derived CO <sub>2</sub> emissions by fuel type and increases up to FY 2015 in Tokyo .....	24
Table 3-7	Comparison of other GHG emissions in Tokyo and in Japan (FY 2015).....	31

## — Figures —

Figure 1-1	Energy-derived CO <sub>2</sub> emissions by country (2015).....	1
Figure 2-1	Domestic Energy Balance and Flow (Overview) (FY 2015).....	2
Figure 2-2	Final energy consumption by sector in Tokyo (FY 2015).....	3
Figure 2-3	Trends in final energy consumption by sector in Tokyo .....	4
Figure 2-4	Composition ratios in final energy consumption by sector in Tokyo.....	4
Figure 2-5	Trends in final energy consumption by fuel type in Tokyo .....	5
Figure 2-6	Composition ratios in final energy consumption by fuel type in Tokyo.....	5
Figure 2-7	Final energy consumption by trade in the industrial sector .....	6
Figure 2-8	Composition ratios in final energy consumption by trade in the industrial sector .....	6
Figure 2-9	Trends in final energy consumption by fuel type in the industrial sector .....	7
Figure 2-10	Composition ratios in final energy consumption by fuel type in the industrial sector.....	7
Figure 2-11	IIP increases in manufacturing in Tokyo.....	8
Figure 2-12	Comparison of IIP between Tokyo and Japan.....	8
Figure 2-13	Trends in final energy consumption by building application in the commercial sector.....	9
Figure 2-14	Composition ratios in final energy consumption by building application in the commercial sector .....	9
Figure 2-15	Trends in final energy consumption by fuel type in the commercial sector.....	10
Figure 2-16	Composition ratios in final energy consumption by fuel type in the commercial sector .....	10
Figure 2-17	Trends in total floor area by trade in Tokyo .....	11
Figure 2-18	Trends in total floor area by trade in Japan .....	11
Figure 2-19	Trends in final energy consumption by household type in the residential sector.....	12
Figure 2-20	Composition ratios in final energy consumption by household type in the residential sector .....	12
Figure 2-21	Trends in final energy consumption by fuel type in the residential sector.....	13
Figure 2-22	Composition ratios in final energy consumption by fuel type in the residential sector .....	13
Figure 2-23	Trends in the number of households in Tokyo .....	14
Figure 2-24	Comparison of the proportion of single-person and multiple-person households between Tokyo and Japan	14
Figure 2-25	Trends in the ownership rates of home appliances in Tokyo .....	15
Figure 2-26	Comparison of energy consumption per household in Tokyo with Japan.....	15
Figure 2-27	Progress of energy saving for air conditioners.....	16
Figure 2-28	Progress of energy saving for electric refrigerators.....	16
Figure 2-29	Trends in final energy consumption by means of transportation in the transport sector.....	17
Figure 2-30	Composition ratios in final energy consumption by means of transportation in the transport sector .....	17
Figure 2-31	Trends in final energy consumption by fuel type in the transport sector .....	18
Figure 2-32	Composition ratios in final energy consumption by fuel type in the transport sector.....	18
Figure 2-33	Trends in the number of registered vehicles in Tokyo .....	19
Figure 2-34	Trends in the traveling kilometers of vehicles in Tokyo .....	19

Figure 3-1	Image of GHG emissions in Tokyo.....	21
Figure 3-2	Trends in total GHG emissions in Tokyo.....	22
Figure 3-3	Composition ratios by GHG in Tokyo and in Japan.....	23
Figure 3-4	Increase rates by GHG in Tokyo and in Japan.....	23
Figure 3-5	CO <sub>2</sub> emissions by sector in Tokyo (FY 2015) .....	24
Figure 3-6	Trends in total CO <sub>2</sub> emissions by sector in Tokyo .....	25
Figure 3-7	Composition ratios in total CO <sub>2</sub> emissions by sector in Tokyo .....	25
Figure 3-8	Trends in CO <sub>2</sub> emissions in Japan .....	26
Figure 3-9	Composition ratios in CO <sub>2</sub> emissions in Japan.....	26
Figure 3-10	Trends in energy-derived CO <sub>2</sub> emissions by fuel type in Tokyo .....	27
Figure 3-11	Composition ratios in energy-derived CO <sub>2</sub> emissions by fuel type in Tokyo .....	27
Figure 3-12	Trends in CO <sub>2</sub> emissions in the industrial sector .....	28
Figure 3-13	Trends in CO <sub>2</sub> emissions in the commercial sector .....	28
Figure 3-14	Trends in CO <sub>2</sub> emissions in the residential sector .....	29
Figure 3-15	Trends in CO <sub>2</sub> emissions in the transport sector .....	29
Figure 3-16	Increase rates by GHG (other GHGs) in Tokyo and in Japan .....	30
Figure 3-17	Composition ratios of other GHG emissions in Tokyo and in Japan (FY 2015).....	31
Figure 3-18	Composition ratios of CH <sub>4</sub> emissions in Tokyo and in Japan (FY 2015) .....	32
Figure 3-19	Composition ratios of N <sub>2</sub> O emissions in Tokyo and in Japan (FY 2015) .....	32
Figure 3-20	Composition ratios of HFCs and three other types of emissions in Tokyo and in Japan (FY 2015).....	33



Final Energy Consumption and Greenhouse Gas Emissions in Tokyo  
(FY 2015)

---

Issued in March, 2018

Edited/issued by: Planning Section, Climate Change and Energy Division,  
Bureau of Environment, Tokyo Metropolitan Government  
2-8-1 Nishi-Shinjuku, Shinjuku-ku, Tokyo, JAPAN  
163-8001  
Tel: +81-3-5388-3486

Entrusted with: Sogo Environment Planning Co., Ltd.  
KDX Monzen-nakacho Building, 1-14-1 Botan, Koto-ku,  
Tokyo, JAPAN 135-0046  
Tel: +81-3-5639-1951



For more details,  
please visit the website of the Bureau of Environment  
Tokyo Metropolitan Government at:  
<http://www.kankyo.metro.tokyo.jp/en/climate/index.html>  
(Website on countermeasures against Climate Change & Energy, Tokyo)

