

7.1.1.4 現況調査結果の詳細（参考）

表 7.1-8(1) 低周波音周波数測定結果（停止時、地点 1）

調査期間：平成 31 年 2 月 7 日（木）17 時～2 月 8 日（金）17 時（停止時）（単位：dB）

| 時刻     | L <sub>Geq</sub> | 平坦特性等価音圧レベル |           |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|--------|------------------|-------------|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|        |                  | AP          | 中心周波数(Hz) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|        |                  |             | 1         | 1.25 | 1.6  | 2    | 2.5  | 3.15 | 4    | 5    | 6.3  | 8    | 10   | 12.5 | 16   | 20   | 25   | 31.5 | 40   | 50   | 63   | 80   |
| 6:00   | 72.7             | 72.9        | 65.1      | 63.6 | 61.4 | 59.6 | 58.5 | 57.8 | 56.9 | 56.3 | 55.1 | 56.2 | 59.4 | 58.0 | 59.2 | 59.5 | 61.5 | 59.5 | 60.9 | 59.4 | 58.0 | 56.6 |
| 7:00   | 73.4             | 75.2        | 66.2      | 64.8 | 62.9 | 61.0 | 59.6 | 58.8 | 58.2 | 57.9 | 56.2 | 57.5 | 60.3 | 58.4 | 60.2 | 59.6 | 62.4 | 61.2 | 60.4 | 59.4 | 58.2 | 55.8 |
| 8:00   | 74.1             | 76.6        | 66.9      | 65.5 | 63.5 | 61.7 | 60.4 | 59.7 | 59.4 | 58.9 | 57.0 | 58.1 | 60.9 | 59.0 | 61.1 | 60.3 | 63.3 | 61.8 | 63.7 | 63.2 | 64.0 | 60.5 |
| 9:00   | 74.7             | 78.1        | 69.6      | 68.5 | 66.1 | 64.1 | 62.8 | 61.7 | 61.0 | 60.5 | 58.4 | 59.0 | 61.5 | 59.7 | 61.8 | 60.7 | 63.9 | 62.6 | 65.3 | 67.0 | 67.7 | 62.2 |
| 10:00  | 74.8             | 77.9        | 67.5      | 66.2 | 64.1 | 62.4 | 61.1 | 60.5 | 60.6 | 59.9 | 57.8 | 58.7 | 61.4 | 59.5 | 61.9 | 61.0 | 64.2 | 62.3 | 67.0 | 67.0 | 69.7 | 65.2 |
| 11:00  | 74.5             | 78.2        | 71.7      | 70.7 | 68.0 | 65.7 | 64.4 | 62.9 | 61.3 | 61.0 | 58.9 | 59.3 | 61.5 | 59.8 | 61.7 | 60.4 | 63.6 | 62.9 | 63.5 | 66.9 | 65.6 | 59.2 |
| 12:00  | 75.2             | 77.5        | 66.5      | 65.0 | 63.6 | 61.9 | 60.5 | 59.4 | 59.1 | 59.5 | 57.2 | 58.7 | 61.4 | 59.7 | 61.6 | 61.3 | 64.4 | 64.0 | 62.0 | 60.5 | 59.5 | 56.4 |
| 13:00  | 75.2             | 77.5        | 67.8      | 65.7 | 64.0 | 62.4 | 60.6 | 60.5 | 60.7 | 60.4 | 58.1 | 58.9 | 61.3 | 59.6 | 62.0 | 61.6 | 64.8 | 62.3 | 66.9 | 64.9 | 71.1 | 67.1 |
| 14:00  | 74.8             | 78.1        | 62.9      | 62.2 | 60.2 | 59.1 | 58.2 | 58.1 | 59.8 | 58.2 | 56.5 | 57.9 | 61.4 | 59.2 | 61.9 | 60.9 | 64.3 | 61.7 | 70.7 | 69.1 | 72.4 | 69.2 |
| 15:00  | 75.0             | 75.4        | 67.7      | 65.2 | 62.3 | 60.7 | 59.4 | 59.5 | 59.7 | 58.1 | 56.4 | 57.4 | 60.6 | 59.2 | 61.0 | 61.9 | 65.1 | 62.9 | 63.4 | 62.9 | 64.7 | 61.9 |
| 16:00  | 75.9             | 74.2        | 68.0      | 64.8 | 61.8 | 59.9 | 58.9 | 57.9 | 57.8 | 56.9 | 55.8 | 56.6 | 58.9 | 58.0 | 60.4 | 63.2 | 63.5 | 61.9 | 63.5 | 61.7 | 65.2 | 61.2 |
| 17:00  | 72.4             | 71.1        | 60.9      | 58.1 | 56.8 | 55.5 | 54.8 | 54.3 | 54.3 | 54.9 | 54.1 | 55.4 | 59.0 | 57.7 | 59.4 | 58.7 | 61.9 | 58.3 | 59.7 | 59.3 | 58.8 | 57.5 |
| 18:00  | 72.3             | 70.3        | 56.1      | 54.8 | 53.5 | 52.4 | 52.8 | 52.5 | 53.9 | 54.4 | 53.4 | 55.1 | 59.1 | 57.6 | 59.6 | 58.5 | 61.2 | 58.6 | 60.1 | 59.5 | 58.7 | 57.6 |
| 19:00  | 71.9             | 69.7        | 52.8      | 50.5 | 50.0 | 51.4 | 51.7 | 52.5 | 53.6 | 54.4 | 53.7 | 55.3 | 59.2 | 57.5 | 59.3 | 57.7 | 60.8 | 59.0 | 59.1 | 58.6 | 57.8 | 56.0 |
| 20:00  | 71.8             | 69.5        | 51.2      | 51.1 | 50.7 | 52.0 | 52.7 | 53.4 | 54.1 | 55.0 | 54.4 | 55.7 | 59.2 | 57.9 | 59.3 | 58.0 | 60.0 | 57.2 | 58.9 | 58.0 | 56.8 | 56.4 |
| 21:00  | 70.8             | 68.9        | 58.7      | 54.9 | 53.2 | 53.4 | 52.3 | 52.4 | 53.4 | 54.1 | 53.2 | 55.1 | 58.7 | 57.0 | 58.7 | 56.2 | 59.2 | 55.5 | 56.7 | 56.1 | 54.9 | 53.2 |
| 22:00  | 71.0             | 68.8        | 51.0      | 49.9 | 50.2 | 51.1 | 51.2 | 52.2 | 53.4 | 54.0 | 53.6 | 55.2 | 59.1 | 56.8 | 58.7 | 56.7 | 59.4 | 59.1 | 57.3 | 56.1 | 55.3 | 54.6 |
| 23:00  | 70.4             | 69.3        | 59.2      | 57.9 | 56.4 | 55.2 | 54.5 | 54.0 | 54.4 | 54.4 | 53.9 | 55.3 | 58.5 | 56.2 | 58.2 | 56.0 | 59.0 | 55.2 | 56.7 | 55.7 | 54.2 | 54.0 |
| 0:00   | 70.8             | 74.5        | 69.1      | 67.1 | 64.9 | 63.3 | 61.7 | 60.4 | 59.1 | 58.4 | 56.6 | 57.0 | 59.1 | 56.7 | 58.1 | 56.7 | 59.1 | 55.5 | 57.0 | 55.8 | 54.5 | 53.5 |
| 1:00   | 70.4             | 70.3        | 62.9      | 59.7 | 58.8 | 57.1 | 56.1 | 54.7 | 54.9 | 54.6 | 53.8 | 55.5 | 58.7 | 56.3 | 58.2 | 56.1 | 58.6 | 55.6 | 56.2 | 55.9 | 53.8 | 52.5 |
| 2:00   | 71.0             | 69.4        | 60.4      | 57.3 | 55.2 | 54.8 | 53.5 | 53.3 | 53.7 | 54.1 | 53.9 | 55.4 | 59.0 | 56.6 | 58.4 | 57.2 | 59.2 | 55.9 | 56.3 | 55.2 | 54.8 | 52.9 |
| 3:00   | 71.4             | 73.0        | 67.2      | 64.6 | 62.7 | 61.6 | 59.2 | 57.7 | 56.4 | 55.8 | 54.9 | 55.8 | 58.9 | 56.7 | 58.4 | 57.7 | 60.2 | 58.6 | 58.0 | 55.8 | 54.2 | 52.5 |
| 4:00   | 71.1             | 71.5        | 64.9      | 62.0 | 59.4 | 57.7 | 57.1 | 56.2 | 55.9 | 55.4 | 54.5 | 55.9 | 59.1 | 57.1 | 58.4 | 57.3 | 59.6 | 56.2 | 57.6 | 57.4 | 56.1 | 54.2 |
| 5:00   | 71.6             | 72.8        | 65.9      | 64.6 | 62.2 | 60.1 | 58.6 | 58.1 | 57.3 | 56.3 | 55.2 | 56.2 | 59.2 | 57.1 | 58.7 | 57.8 | 60.4 | 58.4 | 58.8 | 58.3 | 56.8 | 55.1 |
| 24時間平均 | 73.2             | 74.6        | 65.9      | 64.2 | 62.0 | 60.3 | 58.9 | 58.2 | 57.9 | 57.4 | 55.9 | 57.0 | 59.9 | 58.1 | 60.1 | 59.5 | 62.2 | 60.3 | 62.9 | 62.4 | 64.4 | 60.8 |

注 1) L<sub>Geq</sub> は G 特性等価音圧レベルである。  
注 2) AP は、1～80Hz の周波数ごとの平坦特性等価音圧レベルの合成値である。  
注 3) 平均は毎回の測定の等価音圧レベルのパワー平均値である。  
注 4) 測定開始時間は、17 時である。




表 7.1-8(2) 低周波音周波数測定結果（稼働時、地点 1）

調査期間：平成 30 年 12 月 18 日（火）12 時～12 月 19 日（水）12 時（稼働時）

（単位：dB）

| 時刻     | L <sub>Geq</sub> | 平坦特性等価音圧レベル |            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|--------|------------------|-------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
|        |                  | AP          | 中心周波数 (Hz) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|        |                  |             | 1          | 1.25 | 1.6  | 2    | 2.5  | 3.15 | 4    | 5    | 6.3  | 8    | 10   | 12.5 | 16   | 20   | 25   | 31.5 | 40   | 50   | 63   | 80   |  |
| 6:00   | 73.7             | 71.0        | 52.4       | 50.8 | 50.3 | 51.7 | 53.1 | 54.2 | 55.9 | 56.7 | 55.6 | 58.3 | 60.3 | 58.5 | 60.9 | 60.7 | 61.5 | 59.3 | 59.8 | 60.3 | 58.7 | 57.2 |  |
| 7:00   | 73.7             | 71.6        | 52.2       | 51.2 | 50.8 | 52.3 | 53.0 | 54.1 | 55.7 | 56.8 | 55.6 | 59.4 | 60.3 | 58.1 | 60.6 | 60.5 | 62.2 | 60.7 | 60.3 | 60.9 | 60.2 | 59.9 |  |
| 8:00   | 75.0             | 72.6        | 51.8       | 51.1 | 51.3 | 52.6 | 54.4 | 57.1 | 58.1 | 59.4 | 57.5 | 59.9 | 62.1 | 60.3 | 62.9 | 61.3 | 62.3 | 60.9 | 62.5 | 61.8 | 59.5 | 58.1 |  |
| 9:00   | 75.9             | 73.5        | 55.0       | 52.5 | 51.7 | 52.8 | 54.2 | 57.3 | 59.0 | 59.8 | 58.0 | 59.3 | 62.7 | 61.3 | 62.8 | 62.9 | 63.8 | 62.6 | 63.4 | 62.5 | 60.9 | 59.1 |  |
| 10:00  | 76.1             | 73.4        | 55.9       | 54.0 | 52.3 | 52.7 | 54.3 | 57.1 | 60.1 | 58.9 | 57.2 | 58.8 | 62.8 | 60.3 | 63.2 | 63.3 | 63.8 | 62.6 | 63.8 | 61.7 | 60.5 | 58.7 |  |
| 11:00  | 75.6             | 73.8        | 61.3       | 59.3 | 57.4 | 56.4 | 56.6 | 58.6 | 60.0 | 59.5 | 57.7 | 59.1 | 62.2 | 60.1 | 63.1 | 62.4 | 63.4 | 62.9 | 63.1 | 61.7 | 61.8 | 59.9 |  |
| 12:00  | 75.5             | 73.8        | 63.2       | 60.6 | 59.4 | 58.1 | 58.2 | 58.3 | 58.4 | 59.9 | 57.3 | 58.7 | 61.8 | 61.2 | 63.0 | 62.1 | 63.5 | 61.9 | 62.0 | 62.1 | 59.6 | 58.9 |  |
| 13:00  | 75.6             | 73.8        | 59.9       | 57.4 | 56.2 | 56.0 | 56.5 | 58.2 | 59.0 | 60.5 | 58.1 | 58.8 | 62.3 | 62.4 | 63.1 | 61.7 | 63.5 | 63.2 | 62.5 | 61.8 | 62.4 | 58.9 |  |
| 14:00  | 76.5             | 74.0        | 58.7       | 55.8 | 54.4 | 53.9 | 55.1 | 57.8 | 58.9 | 60.5 | 58.1 | 58.7 | 62.8 | 62.8 | 63.9 | 63.2 | 63.7 | 62.9 | 62.9 | 62.2 | 62.4 | 61.3 |  |
| 15:00  | 76.4             | 74.1        | 61.9       | 60.0 | 59.4 | 58.6 | 58.2 | 58.8 | 58.9 | 60.0 | 58.2 | 59.2 | 62.1 | 61.9 | 65.1 | 61.9 | 63.4 | 62.5 | 62.4 | 61.4 | 60.1 | 59.0 |  |
| 16:00  | 75.1             | 73.0        | 61.5       | 60.2 | 58.1 | 57.2 | 57.2 | 56.9 | 57.3 | 57.7 | 56.0 | 56.9 | 60.5 | 61.7 | 62.4 | 61.8 | 62.6 | 61.4 | 61.4 | 60.7 | 60.0 | 58.8 |  |
| 17:00  | 74.5             | 72.6        | 60.0       | 57.1 | 56.1 | 55.6 | 55.7 | 55.3 | 55.9 | 57.1 | 55.5 | 56.9 | 60.4 | 62.1 | 60.9 | 60.0 | 64.8 | 60.6 | 60.8 | 60.5 | 59.7 | 59.6 |  |
| 18:00  | 73.6             | 70.9        | 54.0       | 52.4 | 51.6 | 52.6 | 52.8 | 53.1 | 55.3 | 56.6 | 55.3 | 56.7 | 60.5 | 61.0 | 61.0 | 59.9 | 60.9 | 59.4 | 59.4 | 57.7 | 57.1 |      |  |
| 19:00  | 73.0             | 70.6        | 55.4       | 53.7 | 52.9 | 53.0 | 53.6 | 54.0 | 55.0 | 56.5 | 55.0 | 56.5 | 60.4 | 61.3 | 60.3 | 58.9 | 60.0 | 57.9 | 58.8 | 59.4 | 57.2 | 56.8 |  |
| 20:00  | 72.4             | 69.7        | 50.9       | 50.2 | 50.3 | 51.3 | 52.6 | 53.1 | 54.9 | 56.5 | 55.0 | 57.0 | 60.9 | 57.5 | 59.9 | 59.1 | 59.2 | 57.4 | 58.0 | 57.2 | 55.8 | 55.3 |  |
| 21:00  | 72.7             | 70.2        | 57.3       | 55.5 | 54.6 | 54.2 | 53.9 | 54.5 | 55.5 | 56.2 | 55.2 | 56.8 | 61.9 | 58.5 | 60.5 | 59.1 | 59.0 | 56.0 | 56.6 | 56.8 | 55.4 | 54.1 |  |
| 22:00  | 71.9             | 69.1        | 51.8       | 50.4 | 50.7 | 52.0 | 52.4 | 53.3 | 55.3 | 56.3 | 55.1 | 56.8 | 61.2 | 57.4 | 59.7 | 58.1 | 58.2 | 55.4 | 55.7 | 55.7 | 54.0 | 53.7 |  |
| 23:00  | 72.3             | 69.5        | 48.1       | 48.0 | 48.9 | 51.2 | 52.2 | 53.5 | 55.1 | 56.1 | 54.9 | 56.7 | 61.9 | 58.0 | 60.0 | 58.5 | 58.4 | 56.7 | 57.3 | 56.9 | 55.0 | 54.1 |  |
| 0:00   | 72.4             | 69.5        | 49.7       | 50.0 | 50.0 | 51.5 | 52.1 | 53.5 | 55.1 | 56.4 | 55.1 | 56.7 | 61.7 | 58.6 | 60.0 | 58.8 | 59.0 | 56.2 | 56.3 | 56.4 | 54.5 | 53.4 |  |
| 1:00   | 72.3             | 69.2        | 48.2       | 47.9 | 48.9 | 50.9 | 51.9 | 53.1 | 55.0 | 56.2 | 54.9 | 56.9 | 61.3 | 57.5 | 60.0 | 58.9 | 58.5 | 56.4 | 56.3 | 55.7 | 54.0 | 52.5 |  |
| 2:00   | 72.4             | 69.5        | 50.6       | 48.8 | 48.6 | 51.1 | 52.0 | 53.1 | 55.0 | 56.0 | 55.0 | 57.7 | 61.2 | 57.5 | 60.0 | 59.1 | 58.9 | 56.3 | 57.0 | 56.7 | 55.4 | 54.2 |  |
| 3:00   | 72.5             | 69.5        | 52.7       | 50.4 | 50.4 | 51.5 | 52.3 | 53.5 | 55.1 | 56.1 | 55.1 | 57.2 | 61.2 | 57.6 | 60.1 | 59.2 | 58.9 | 56.2 | 57.1 | 56.2 | 55.0 | 53.7 |  |
| 4:00   | 72.0             | 70.0        | 58.9       | 57.2 | 55.6 | 55.2 | 55.2 | 54.6 | 55.7 | 56.8 | 55.5 | 57.2 | 61.4 | 57.3 | 59.8 | 58.3 | 58.1 | 55.0 | 56.5 | 56.1 | 52.5 | 51.8 |  |
| 5:00   | 72.7             | 69.9        | 51.8       | 50.8 | 51.3 | 51.8 | 53.5 | 54.3 | 55.5 | 56.6 | 55.3 | 58.6 | 60.4 | 57.7 | 60.2 | 59.6 | 59.4 | 57.3 | 57.3 | 57.8 | 55.6 | 54.6 |  |
| 24時間平均 | 74.2             | 71.8        | 57.4       | 55.4 | 54.3 | 54.2 | 54.7 | 55.8 | 57.1 | 57.9 | 56.3 | 58.0 | 61.5 | 60.0 | 61.7 | 60.7 | 61.7 | 60.1 | 60.4 | 59.9 | 58.8 | 57.5 |  |

注 1)  $L_{Geq}$  は G 特性等価音圧レベルである。

注 2) AP は、1～80Hz の周波数ごとの平坦特性等価音圧レベルの合成値である。

注 3) 平均は毎回の測定の等価音圧レベルのパワー平均値である。

注 4) 測定開始時間は、12 時である。




表 7.1-8(3) 低周波音周波数測定結果（停止時、地点 2）

調査期間：平成 31 年 2 月 7 日（木）17 時～2 月 8 日（金）17 時（停止時）（単位：dB）

| 時刻     | L <sub>Geq</sub> | 平坦特性等価音圧レベル |           |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|--------|------------------|-------------|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|        |                  | AP          | 中心周波数(Hz) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|        |                  |             | 1         | 1.25 | 1.6  | 2    | 2.5  | 3.15 | 4    | 5    | 6.3  | 8    | 10   | 12.5 | 16   | 20   | 25   | 31.5 | 40   | 50   | 63   | 80   |
| 6:00   | 81.9             | 79.3        | 62.1      | 61.4 | 62.0 | 64.7 | 65.8 | 64.8 | 64.7 | 67.0 | 68.5 | 68.7 | 68.9 | 68.2 | 70.6 | 67.3 | 67.9 | 65.4 | 65.5 | 63.5 | 59.3 | 56.9 |
| 7:00   | 82.3             | 79.4        | 60.1      | 59.1 | 60.9 | 64.4 | 65.8 | 64.5 | 64.8 | 67.4 | 68.4 | 68.7 | 69.0 | 68.3 | 70.8 | 68.2 | 67.9 | 66.3 | 64.8 | 63.3 | 60.5 | 59.2 |
| 8:00   | 81.7             | 79.6        | 64.4      | 63.3 | 62.8 | 65.5 | 65.9 | 64.8 | 65.0 | 67.9 | 68.7 | 68.6 | 68.9 | 68.7 | 70.5 | 66.6 | 67.1 | 65.3 | 67.1 | 65.3 | 62.8 | 59.1 |
| 9:00   | 82.3             | 80.3        | 63.0      | 62.9 | 63.0 | 64.9 | 65.8 | 65.2 | 65.4 | 67.9 | 68.5 | 68.8 | 69.2 | 68.7 | 70.8 | 67.6 | 68.8 | 69.4 | 68.7 | 68.0 | 64.1 | 60.9 |
| 10:00  | 81.7             | 79.8        | 67.0      | 64.9 | 64.2 | 65.5 | 66.1 | 65.5 | 65.8 | 67.9 | 68.6 | 68.7 | 69.3 | 68.8 | 70.2 | 67.0 | 67.3 | 65.6 | 64.9 | 63.5 | 60.9 | 58.9 |
| 11:00  | 81.8             | 80.0        | 66.3      | 64.8 | 63.9 | 65.6 | 66.4 | 65.7 | 65.8 | 67.8 | 68.6 | 68.8 | 69.4 | 68.7 | 70.4 | 67.0 | 67.5 | 66.2 | 66.9 | 65.4 | 62.2 | 59.6 |
| 12:00  | 81.7             | 79.5        | 64.7      | 62.5 | 62.7 | 65.1 | 66.0 | 64.8 | 65.5 | 67.8 | 68.5 | 68.8 | 69.3 | 68.8 | 70.4 | 66.6 | 67.2 | 65.9 | 65.1 | 63.1 | 60.4 | 57.9 |
| 13:00  | 81.7             | 79.8        | 63.6      | 62.1 | 62.5 | 65.2 | 65.8 | 65.2 | 65.6 | 68.0 | 68.6 | 68.8 | 69.4 | 68.9 | 70.3 | 66.7 | 67.4 | 65.6 | 67.9 | 65.9 | 62.2 | 59.5 |
| 14:00  | 81.9             | 79.5        | 61.0      | 60.7 | 61.6 | 64.7 | 65.5 | 64.7 | 65.4 | 67.7 | 68.5 | 69.0 | 69.1 | 68.8 | 70.3 | 67.7 | 66.9 | 65.5 | 66.7 | 65.3 | 61.2 | 59.0 |
| 15:00  | 82.0             | 79.7        | 64.7      | 62.7 | 63.2 | 65.3 | 65.9 | 65.0 | 65.5 | 67.6 | 68.6 | 68.9 | 69.2 | 68.9 | 70.3 | 67.4 | 68.3 | 66.1 | 64.1 | 64.2 | 61.5 | 60.1 |
| 16:00  | 81.7             | 79.6        | 63.9      | 62.1 | 62.6 | 65.1 | 65.9 | 64.7 | 65.3 | 67.2 | 68.6 | 68.8 | 69.0 | 68.5 | 70.3 | 66.9 | 67.1 | 65.8 | 68.0 | 66.2 | 60.9 | 59.1 |
| 17:00  | 81.6             | 79.3        | 66.0      | 64.3 | 63.9 | 65.2 | 65.6 | 64.3 | 64.7 | 67.0 | 68.3 | 68.2 | 68.8 | 67.9 | 70.4 | 66.9 | 66.6 | 65.2 | 64.3 | 63.9 | 61.1 | 59.9 |
| 18:00  | 81.7             | 79.1        | 61.1      | 60.8 | 61.9 | 64.7 | 65.2 | 64.0 | 64.9 | 66.9 | 68.1 | 68.0 | 68.8 | 68.2 | 70.6 | 67.1 | 66.8 | 65.1 | 64.6 | 64.2 | 63.3 | 60.6 |
| 19:00  | 81.6             | 78.8        | 57.8      | 58.3 | 60.4 | 64.1 | 65.2 | 63.8 | 64.7 | 66.9 | 68.4 | 68.2 | 68.9 | 68.2 | 70.5 | 66.9 | 66.8 | 64.9 | 64.0 | 62.5 | 60.1 | 58.5 |
| 20:00  | 81.7             | 78.9        | 59.3      | 59.9 | 61.3 | 64.2 | 65.1 | 64.3 | 64.7 | 67.3 | 68.5 | 68.1 | 68.5 | 68.1 | 70.6 | 67.0 | 67.0 | 65.3 | 63.6 | 63.0 | 59.8 | 59.6 |
| 21:00  | 81.7             | 78.7        | 58.5      | 58.0 | 60.8 | 63.7 | 65.1 | 63.8 | 64.6 | 67.0 | 68.2 | 68.3 | 68.9 | 68.0 | 70.7 | 66.8 | 66.4 | 63.9 | 61.6 | 61.6 | 59.4 | 56.7 |
| 22:00  | 81.5             | 78.5        | 57.2      | 57.7 | 60.4 | 63.9 | 65.2 | 64.1 | 64.5 | 67.1 | 68.2 | 68.1 | 68.8 | 68.1 | 70.6 | 66.5 | 66.4 | 64.0 | 60.9 | 60.2 | 56.9 | 55.8 |
| 23:00  | 81.4             | 78.9        | 63.4      | 62.8 | 63.5 | 64.7 | 65.8 | 64.5 | 64.9 | 67.2 | 68.3 | 68.1 | 68.8 | 68.2 | 70.4 | 66.5 | 66.3 | 63.8 | 60.8 | 60.9 | 56.0 | 54.4 |
| 0:00   | 81.5             | 78.9        | 63.8      | 62.4 | 62.8 | 64.7 | 65.1 | 64.4 | 65.0 | 67.2 | 68.4 | 68.3 | 68.8 | 68.2 | 70.5 | 66.6 | 66.5 | 63.5 | 61.0 | 60.1 | 59.1 | 54.1 |
| 1:00   | 81.6             | 78.6        | 58.2      | 58.7 | 61.2 | 64.4 | 65.2 | 64.1 | 64.4 | 66.9 | 68.3 | 68.3 | 68.9 | 68.1 | 70.5 | 66.7 | 66.5 | 63.8 | 60.8 | 59.3 | 54.6 | 54.1 |
| 2:00   | 81.6             | 78.6        | 60.2      | 59.3 | 61.4 | 64.3 | 65.1 | 64.3 | 64.7 | 67.0 | 68.3 | 68.3 | 68.7 | 68.1 | 70.6 | 66.8 | 66.5 | 63.5 | 60.4 | 59.9 | 55.8 | 53.8 |
| 3:00   | 81.6             | 78.7        | 59.7      | 60.0 | 61.4 | 64.4 | 65.3 | 64.2 | 64.8 | 67.5 | 68.4 | 68.6 | 68.6 | 68.0 | 70.6 | 66.7 | 66.6 | 63.8 | 61.1 | 60.2 | 54.9 | 53.5 |
| 4:00   | 81.6             | 78.8        | 62.1      | 61.3 | 61.9 | 64.9 | 65.7 | 64.7 | 64.9 | 67.2 | 68.3 | 68.3 | 68.9 | 68.2 | 70.6 | 66.8 | 66.6 | 63.7 | 60.9 | 60.1 | 55.7 | 54.2 |
| 5:00   | 82.1             | 79.4        | 63.8      | 63.3 | 63.6 | 65.6 | 65.6 | 65.1 | 65.1 | 67.5 | 68.5 | 68.6 | 68.8 | 68.2 | 70.7 | 67.7 | 68.3 | 64.3 | 63.6 | 61.7 | 57.5 | 56.2 |
| 24時間平均 | 81.8             | 79.3        | 63.0      | 61.9 | 62.4 | 64.8 | 65.6 | 64.6 | 65.0 | 67.4 | 68.4 | 68.5 | 69.0 | 68.4 | 70.5 | 67.0 | 67.2 | 65.3 | 64.8 | 63.6 | 60.2 | 58.2 |

注 1) L<sub>Geq</sub> は G 特性等価音圧レベルである。  
注 2) AP は、1 ～80Hz の周波数ごとの平坦特性等価音圧レベルの合成値である。  
注 3) 平均は毎回の測定の等価音圧レベルのパワー平均値である。  
注 4) 測定開始時間は、17 時である。




表 7.1-8(4) 低周波音周波数測定結果（稼働時、地点 2）

調査期間：平成 30 年 12 月 18 日（火）12 時～12 月 19 日（水）12 時（稼働時）

（単位：dB）

| 時刻      | L <sub>Geq</sub> | 平坦特性等価音圧レベル |            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|---------|------------------|-------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         |                  | AP          | 中心周波数 (Hz) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                  |             | 1          | 1.25 | 1.6  | 2    | 2.5  | 3.15 | 4    | 5    | 6.3  | 8    | 10   | 12.5 | 16   | 20   | 25   | 31.5 | 40   | 50   | 63   | 80   |
| 6:00    | 82.5             | 80.9        | 63.6       | 62.3 | 62.5 | 65.2 | 67.1 | 67.2 | 68.9 | 69.4 | 70.6 | 71.4 | 70.4 | 69.2 | 70.1 | 68.4 | 69.0 | 67.2 | 66.0 | 64.9 | 65.2 | 61.0 |
| 7:00    | 82.5             | 80.9        | 64.0       | 62.7 | 62.2 | 65.2 | 67.6 | 67.2 | 69.4 | 69.4 | 70.7 | 71.7 | 70.3 | 69.4 | 70.4 | 68.6 | 68.2 | 66.0 | 66.2 | 65.6 | 63.4 | 61.6 |
| 8:00    | 82.7             | 81.1        | 60.4       | 59.7 | 61.2 | 65.2 | 66.7 | 67.1 | 69.0 | 69.8 | 70.9 | 71.7 | 70.5 | 69.8 | 70.5 | 68.7 | 68.1 | 66.7 | 69.3 | 66.6 | 63.8 | 60.8 |
| 9:00    | 83.1             | 81.5        | 65.1       | 63.4 | 63.0 | 65.6 | 67.1 | 67.8 | 69.1 | 69.8 | 70.9 | 71.5 | 70.6 | 70.3 | 70.6 | 69.3 | 69.1 | 68.0 | 68.2 | 68.7 | 65.6 | 63.0 |
| 10:00   | 81.2             | 80.1        | 63.3       | 61.8 | 61.1 | 62.6 | 65.2 | 66.7 | 68.4 | 68.4 | 69.9 | 70.7 | 69.1 | 67.4 | 67.5 | 68.3 | 68.3 | 67.0 | 67.7 | 66.6 | 65.1 | 62.0 |
| 11:00   | 80.9             | 80.0        | 63.6       | 61.2 | 60.9 | 61.9 | 64.9 | 66.5 | 68.5 | 68.5 | 70.0 | 70.9 | 69.0 | 67.7 | 67.4 | 67.5 | 68.2 | 66.1 | 66.6 | 66.8 | 64.2 | 61.7 |
| 12:00   | 82.8             | 81.1        | 65.6       | 64.5 | 63.8 | 65.8 | 67.3 | 67.6 | 69.2 | 70.0 | 70.7 | 71.4 | 70.6 | 70.2 | 70.6 | 68.8 | 68.4 | 66.5 | 65.6 | 65.5 | 61.5 | 59.4 |
| 13:00   | 83.3             | 81.6        | 66.2       | 64.7 | 64.5 | 66.3 | 67.9 | 67.6 | 69.3 | 70.1 | 70.9 | 71.6 | 70.4 | 70.9 | 70.8 | 69.4 | 69.0 | 67.8 | 67.7 | 67.1 | 64.6 | 60.6 |
| 14:00   | 83.2             | 81.4        | 65.0       | 62.6 | 62.5 | 65.2 | 67.0 | 67.4 | 69.4 | 70.1 | 70.8 | 71.4 | 70.4 | 70.7 | 70.7 | 69.3 | 69.1 | 67.8 | 67.0 | 66.9 | 65.5 | 63.3 |
| 15:00   | 83.7             | 82.3        | 71.3       | 68.9 | 67.0 | 67.9 | 68.5 | 68.5 | 69.7 | 70.1 | 70.8 | 71.4 | 70.6 | 70.9 | 72.5 | 68.8 | 68.6 | 67.4 | 67.4 | 68.2 | 65.4 | 61.9 |
| 16:00   | 83.0             | 81.3        | 67.4       | 64.8 | 64.8 | 66.4 | 67.4 | 67.1 | 69.6 | 69.7 | 70.5 | 71.2 | 70.3 | 70.5 | 71.3 | 68.4 | 68.0 | 66.6 | 65.7 | 66.5 | 64.3 | 61.2 |
| 17:00   | 82.5             | 80.8        | 63.3       | 62.0 | 62.8 | 65.3 | 67.1 | 66.7 | 68.9 | 69.5 | 70.4 | 71.1 | 70.1 | 70.5 | 70.2 | 68.3 | 67.9 | 66.3 | 66.4 | 66.3 | 63.7 | 60.9 |
| 18:00   | 82.6             | 81.0        | 63.0       | 61.6 | 61.8 | 64.6 | 66.9 | 66.7 | 68.9 | 69.4 | 70.4 | 71.0 | 70.3 | 70.5 | 70.5 | 68.2 | 68.3 | 67.4 | 66.5 | 67.0 | 65.8 | 63.3 |
| 19:00   | 82.4             | 80.6        | 61.7       | 60.5 | 61.2 | 64.8 | 66.8 | 66.7 | 69.0 | 69.2 | 70.4 | 70.9 | 70.2 | 70.5 | 70.3 | 67.9 | 67.8 | 66.2 | 65.7 | 65.6 | 63.3 | 60.1 |
| 20:00   | 82.2             | 80.7        | 65.3       | 63.1 | 63.2 | 65.1 | 67.4 | 67.0 | 69.1 | 69.4 | 70.5 | 71.1 | 70.7 | 69.3 | 70.1 | 68.0 | 67.5 | 65.5 | 64.2 | 64.9 | 61.7 | 61.2 |
| 21:00   | 82.1             | 80.6        | 64.5       | 63.2 | 63.4 | 65.7 | 67.1 | 67.3 | 69.0 | 69.3 | 70.4 | 71.0 | 70.9 | 69.5 | 70.1 | 67.6 | 67.2 | 64.9 | 63.7 | 65.5 | 61.2 | 59.4 |
| 22:00   | 82.1             | 80.4        | 62.9       | 63.0 | 63.3 | 65.6 | 66.8 | 67.2 | 69.2 | 69.3 | 70.4 | 71.2 | 70.7 | 69.4 | 70.1 | 67.6 | 67.0 | 64.4 | 62.0 | 63.3 | 59.1 | 57.0 |
| 23:00   | 82.2             | 80.4        | 60.2       | 59.3 | 61.1 | 64.9 | 66.8 | 67.2 | 69.0 | 69.4 | 70.6 | 71.2 | 70.8 | 69.4 | 70.2 | 67.9 | 67.2 | 64.8 | 62.8 | 64.1 | 59.6 | 57.7 |
| 0:00    | 82.1             | 80.3        | 61.0       | 60.8 | 61.5 | 64.8 | 66.7 | 67.1 | 68.8 | 69.4 | 70.4 | 71.1 | 70.9 | 69.5 | 70.2 | 67.6 | 67.1 | 64.9 | 62.7 | 63.1 | 60.5 | 56.2 |
| 1:00    | 82.2             | 80.4        | 61.8       | 60.5 | 61.5 | 64.8 | 66.7 | 67.1 | 68.9 | 69.5 | 70.6 | 71.2 | 70.6 | 69.3 | 70.2 | 67.9 | 67.3 | 65.4 | 62.6 | 62.9 | 60.2 | 56.5 |
| 2:00    | 82.3             | 80.4        | 62.0       | 60.5 | 61.4 | 65.1 | 66.9 | 67.0 | 69.0 | 69.3 | 70.5 | 71.4 | 70.6 | 69.3 | 70.3 | 68.1 | 67.1 | 64.9 | 61.9 | 61.8 | 59.4 | 56.8 |
| 3:00    | 82.2             | 80.4        | 62.5       | 61.3 | 61.8 | 65.3 | 66.8 | 67.1 | 68.9 | 69.4 | 70.4 | 71.3 | 70.6 | 69.3 | 70.3 | 67.8 | 67.1 | 64.7 | 62.3 | 62.7 | 59.0 | 55.9 |
| 4:00    | 82.1             | 81.2        | 69.3       | 67.9 | 67.5 | 68.1 | 68.7 | 68.5 | 69.3 | 69.8 | 70.6 | 71.2 | 70.5 | 69.4 | 70.1 | 67.8 | 67.1 | 64.5 | 61.6 | 62.4 | 59.5 | 55.7 |
| 5:00    | 82.4             | 80.6        | 62.6       | 61.6 | 62.7 | 65.5 | 67.2 | 67.2 | 69.0 | 69.4 | 70.7 | 71.5 | 70.4 | 69.4 | 70.2 | 68.2 | 68.4 | 65.2 | 62.9 | 63.5 | 60.0 | 57.7 |
| 24 時間平均 | 82.5             | 80.9        | 64.9       | 63.3 | 63.2 | 65.5 | 67.1 | 67.3 | 69.1 | 69.5 | 70.5 | 71.3 | 70.4 | 69.8 | 70.3 | 68.3 | 68.0 | 66.2 | 65.7 | 65.7 | 63.2 | 60.4 |

注 1) L<sub>Geq</sub> は G 特性等価音圧レベルである。

注 2) AP は、1～80Hz の周波数ごとの平坦特性等価音圧レベルの合成値である。

注 3) 平均は毎回の測定の等価音圧レベルのパワー平均値である。

注 4) 測定開始時間は、12 時である。




表 7.1-8(5) 低周波音周波数測定結果（停止時、地点 3）

調査期間：平成 31 年 2 月 7 日（木）17 時～2 月 8 日（金）17 時（停止時）

（単位：dB）

| 時刻     | L <sub>Geq</sub> | 平坦特性等価音圧レベル |            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|--------|------------------|-------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|        |                  | AP          | 中心周波数 (Hz) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|        |                  |             | 1          | 1.25 | 1.6  | 2    | 2.5  | 3.15 | 4    | 5    | 6.3  | 8    | 10   | 12.5 | 16   | 20   | 25   | 31.5 | 40   | 50   | 63   | 80   |
| 6:00   | 71.5             | 70.7        | 60.2       | 58.2 | 57.0 | 56.5 | 55.7 | 54.6 | 54.2 | 53.6 | 56.8 | 59.4 | 55.0 | 54.5 | 57.3 | 58.0 | 62.7 | 56.8 | 58.2 | 59.7 | 58.3 | 53.9 |
| 7:00   | 71.0             | 70.0        | 58.9       | 58.1 | 55.9 | 55.6 | 54.5 | 53.9 | 54.0 | 53.6 | 56.7 | 59.9 | 55.1 | 54.6 | 57.3 | 58.7 | 58.8 | 57.1 | 58.3 | 58.8 | 56.5 | 54.9 |
| 8:00   | 72.6             | 71.4        | 58.8       | 57.1 | 56.4 | 56.2 | 55.6 | 56.6 | 56.2 | 56.1 | 57.3 | 60.8 | 56.4 | 55.9 | 58.3 | 60.6 | 60.9 | 58.8 | 60.9 | 61.1 | 59.5 | 55.6 |
| 9:00   | 73.4             | 74.8        | 66.9       | 66.7 | 64.3 | 62.3 | 60.4 | 59.9 | 59.5 | 58.6 | 58.7 | 60.9 | 57.3 | 57.1 | 59.0 | 61.5 | 60.9 | 60.4 | 61.9 | 62.5 | 60.5 | 58.0 |
| 10:00  | 72.7             | 75.1        | 68.1       | 66.2 | 64.1 | 63.2 | 62.3 | 61.6 | 60.5 | 59.3 | 59.2 | 61.0 | 57.8 | 57.4 | 59.5 | 59.6 | 60.7 | 59.9 | 61.0 | 62.7 | 60.7 | 58.2 |
| 11:00  | 73.3             | 75.2        | 68.3       | 66.5 | 63.4 | 62.2 | 61.1 | 60.7 | 59.2 | 58.1 | 58.2 | 60.9 | 57.3 | 56.8 | 58.6 | 60.9 | 62.3 | 61.9 | 61.6 | 63.1 | 61.9 | 58.7 |
| 12:00  | 71.9             | 72.9        | 65.1       | 63.5 | 62.0 | 60.5 | 58.9 | 58.6 | 57.8 | 57.1 | 57.9 | 60.5 | 56.9 | 56.2 | 58.1 | 59.1 | 60.8 | 59.6 | 59.1 | 60.0 | 57.3 | 55.4 |
| 13:00  | 72.1             | 73.1        | 65.1       | 63.4 | 61.2 | 59.9 | 58.6 | 59.0 | 58.1 | 57.2 | 57.9 | 60.5 | 56.8 | 56.4 | 59.7 | 58.5 | 60.0 | 59.2 | 59.5 | 60.9 | 60.5 | 58.2 |
| 14:00  | 71.4             | 71.3        | 60.9       | 59.3 | 58.1 | 56.9 | 56.6 | 57.6 | 56.5 | 56.1 | 57.2 | 60.4 | 56.4 | 55.9 | 58.0 | 58.5 | 59.9 | 58.4 | 59.3 | 60.4 | 58.4 | 56.3 |
| 15:00  | 72.4             | 72.8        | 65.2       | 62.8 | 60.1 | 59.1 | 57.9 | 57.8 | 57.0 | 56.3 | 57.2 | 60.1 | 56.4 | 56.2 | 58.4 | 59.4 | 62.1 | 60.1 | 59.8 | 60.5 | 58.3 | 56.8 |
| 16:00  | 72.9             | 72.4        | 64.0       | 61.2 | 59.4 | 58.5 | 57.5 | 56.8 | 55.8 | 55.3 | 56.6 | 59.8 | 55.4 | 55.7 | 61.7 | 58.6 | 60.4 | 60.1 | 60.6 | 61.3 | 59.3 | 57.8 |
| 17:00  | 71.3             | 69.4        | 52.1       | 51.5 | 51.1 | 52.1 | 51.7 | 51.5 | 52.2 | 53.0 | 55.2 | 59.2 | 55.7 | 55.6 | 57.7 | 58.8 | 59.2 | 58.6 | 58.7 | 59.9 | 57.9 | 55.3 |
| 18:00  | 70.7             | 69.2        | 50.2       | 49.8 | 50.2 | 51.8 | 51.7 | 50.8 | 51.9 | 52.6 | 54.9 | 59.3 | 55.5 | 55.0 | 57.4 | 57.5 | 59.5 | 59.1 | 59.2 | 59.6 | 57.7 | 55.1 |
| 19:00  | 70.0             | 68.9        | 51.2       | 50.4 | 50.9 | 52.4 | 52.4 | 51.0 | 52.4 | 53.1 | 55.6 | 59.5 | 55.4 | 54.7 | 56.8 | 56.6 | 58.7 | 58.0 | 58.4 | 59.4 | 56.7 | 54.4 |
| 20:00  | 70.0             | 68.8        | 51.3       | 52.0 | 51.7 | 53.5 | 52.9 | 53.4 | 54.2 | 54.2 | 55.9 | 59.7 | 55.5 | 54.8 | 57.0 | 56.7 | 58.2 | 56.7 | 57.8 | 58.3 | 56.4 | 54.0 |
| 21:00  | 67.6             | 66.7        | 52.2       | 51.2 | 51.6 | 52.2 | 52.0 | 50.1 | 51.2 | 52.1 | 55.5 | 58.8 | 54.1 | 53.6 | 55.4 | 53.6 | 54.2 | 52.8 | 53.8 | 55.3 | 52.7 | 50.1 |
| 22:00  | 66.5             | 65.5        | 48.5       | 48.4 | 49.6 | 51.7 | 51.1 | 49.6 | 51.1 | 51.8 | 54.9 | 55.9 | 51.7 | 52.4 | 54.2 | 52.8 | 53.4 | 52.4 | 53.1 | 54.9 | 52.1 | 50.0 |
| 23:00  | 65.3             | 64.9        | 52.8       | 51.5 | 51.0 | 51.9 | 51.3 | 49.7 | 51.2 | 51.4 | 54.6 | 55.5 | 51.1 | 51.7 | 52.8 | 51.6 | 52.1 | 50.0 | 50.5 | 52.4 | 50.6 | 48.0 |
| 0:00   | 66.6             | 68.2        | 60.6       | 58.6 | 57.3 | 56.4 | 55.5 | 54.2 | 53.7 | 53.0 | 55.3 | 56.2 | 51.4 | 52.6 | 53.9 | 53.1 | 53.5 | 53.3 | 54.1 | 54.2 | 52.4 | 48.7 |
| 1:00   | 67.9             | 68.5        | 59.7       | 57.7 | 56.1 | 55.6 | 54.1 | 53.1 | 52.8 | 52.9 | 56.5 | 59.2 | 54.2 | 53.3 | 56.0 | 53.9 | 54.1 | 53.6 | 53.2 | 57.4 | 52.1 | 49.7 |
| 2:00   | 67.6             | 67.1        | 54.9       | 54.3 | 53.3 | 53.6 | 52.9 | 51.5 | 52.0 | 52.6 | 56.4 | 59.2 | 53.9 | 53.0 | 55.9 | 53.3 | 53.6 | 52.1 | 51.4 | 55.8 | 50.9 | 49.1 |
| 3:00   | 67.6             | 69.0        | 60.5       | 59.0 | 57.7 | 56.8 | 56.1 | 55.0 | 54.4 | 53.5 | 56.7 | 59.2 | 54.3 | 53.4 | 55.8 | 52.9 | 54.2 | 52.9 | 52.8 | 56.6 | 52.7 | 49.5 |
| 4:00   | 67.9             | 69.5        | 61.9       | 59.6 | 58.6 | 57.1 | 56.2 | 55.2 | 54.2 | 54.0 | 57.0 | 59.4 | 54.6 | 53.4 | 55.9 | 53.5 | 54.8 | 53.5 | 52.4 | 56.1 | 52.0 | 50.3 |
| 5:00   | 71.9             | 70.4        | 59.3       | 58.1 | 56.2 | 55.6 | 55.3 | 54.6 | 53.9 | 53.0 | 56.8 | 59.1 | 54.5 | 54.1 | 56.2 | 58.7 | 63.7 | 56.3 | 57.1 | 59.1 | 56.0 | 52.3 |
| 24時間平均 | 70.9             | 71.1        | 62.3       | 60.7 | 58.7 | 57.8 | 56.7 | 56.3 | 55.7 | 55.1 | 56.8 | 59.6 | 55.4 | 55.0 | 57.6 | 57.8 | 59.5 | 57.8 | 58.3 | 59.5 | 57.5 | 55.0 |

注 1)  $L_{Geq}$  は G 特性等価音圧レベルである。

注 2) AP は、1～80Hz の周波数ごとの平坦特性等価音圧レベルの合成値である。

注 3) 平均は毎回の測定の等価音圧レベルのパワー平均値である。

注 4) 測定開始時間は、17 時である。




表 7.1-8(6) 低周波音周波数測定結果（稼働時、地点 3）

調査期間：平成 30 年 12 月 18 日（火）12 時～12 月 19 日（水）12 時（稼働時）

（単位：dB）


| 時刻     | L <sub>Geq</sub> | 平坦特性等価音圧レベル |           |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|--------|------------------|-------------|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|        |                  | AP          | 中心周波数(Hz) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|        |                  |             | 1         | 1.25 | 1.6  | 2    | 2.5  | 3.15 | 4    | 5    | 6.3  | 8    | 10   | 12.5 | 16   | 20   | 25   | 31.5 | 40   | 50   | 63   | 80   |
| 6:00   | 75.3             | 71.3        | 49.2      | 49.9 | 49.9 | 52.1 | 53.3 | 53.5 | 54.5 | 55.2 | 58.4 | 62.2 | 57.7 | 56.0 | 59.3 | 64.6 | 61.6 | 60.1 | 59.3 | 58.5 | 56.6 | 55.4 |
| 7:00   | 75.0             | 70.9        | 49.4      | 49.4 | 50.6 | 52.5 | 53.9 | 53.6 | 54.8 | 55.1 | 58.2 | 63.0 | 56.6 | 56.7 | 59.6 | 64.4 | 57.9 | 57.6 | 59.2 | 59.0 | 56.7 | 54.4 |
| 8:00   | 75.2             | 71.6        | 48.8      | 49.5 | 50.5 | 52.0 | 54.1 | 56.2 | 56.0 | 57.1 | 58.7 | 62.7 | 58.2 | 57.8 | 59.8 | 64.3 | 59.9 | 58.4 | 61.5 | 60.0 | 56.9 | 56.4 |
| 9:00   | 76.2             | 72.6        | 50.6      | 50.0 | 50.8 | 52.9 | 55.0 | 58.3 | 56.6 | 57.4 | 58.3 | 61.2 | 60.3 | 59.6 | 60.3 | 65.2 | 62.6 | 60.4 | 62.1 | 61.6 | 59.3 | 57.2 |
| 10:00  | 76.0             | 72.1        | 51.9      | 51.3 | 51.2 | 52.1 | 54.2 | 58.2 | 56.5 | 56.7 | 58.2 | 61.2 | 61.3 | 57.5 | 60.4 | 65.2 | 60.5 | 59.6 | 60.6 | 60.3 | 57.8 | 56.8 |
| 11:00  | 75.3             | 71.9        | 53.1      | 51.5 | 50.7 | 52.2 | 54.7 | 58.2 | 57.0 | 57.0 | 58.4 | 61.0 | 60.8 | 57.8 | 59.9 | 64.4 | 60.4 | 59.2 | 60.3 | 60.6 | 59.0 | 57.5 |
| 12:00  | 75.7             | 72.1        | 59.2      | 57.3 | 56.0 | 55.1 | 56.1 | 56.9 | 56.2 | 57.1 | 58.6 | 60.9 | 59.1 | 59.7 | 59.7 | 64.9 | 60.6 | 58.7 | 59.1 | 59.4 | 57.4 | 56.2 |
| 13:00  | 76.0             | 72.4        | 53.1      | 52.3 | 51.9 | 53.0 | 54.8 | 57.9 | 57.0 | 57.3 | 58.5 | 60.7 | 58.0 | 61.1 | 60.5 | 65.1 | 61.1 | 60.2 | 61.7 | 61.6 | 58.8 | 57.5 |
| 14:00  | 75.8             | 72.0        | 50.0      | 49.6 | 50.6 | 52.2 | 54.6 | 58.3 | 57.1 | 57.6 | 58.2 | 60.2 | 58.6 | 61.0 | 60.2 | 64.8 | 60.7 | 59.7 | 60.1 | 60.7 | 58.4 | 56.3 |
| 15:00  | 77.4             | 73.1        | 55.4      | 54.5 | 54.0 | 53.8 | 55.6 | 57.8 | 56.8 | 57.4 | 58.4 | 61.0 | 58.1 | 61.0 | 65.9 | 64.7 | 61.2 | 60.4 | 61.0 | 61.1 | 60.0 | 57.7 |
| 16:00  | 76.5             | 72.1        | 55.6      | 53.6 | 52.6 | 53.4 | 54.3 | 54.0 | 55.3 | 55.5 | 57.7 | 60.5 | 56.6 | 61.1 | 64.1 | 64.4 | 60.7 | 59.5 | 60.3 | 60.5 | 58.1 | 56.1 |
| 17:00  | 75.3             | 71.3        | 49.0      | 48.6 | 49.2 | 51.7 | 53.1 | 53.4 | 54.6 | 55.4 | 57.6 | 60.3 | 56.7 | 61.1 | 59.7 | 64.4 | 59.8 | 58.7 | 60.2 | 60.0 | 57.8 | 56.7 |
| 18:00  | 74.9             | 71.1        | 49.0      | 49.1 | 49.8 | 51.4 | 53.2 | 52.9 | 54.5 | 55.3 | 57.5 | 60.5 | 57.6 | 60.2 | 59.7 | 63.8 | 59.6 | 58.5 | 59.7 | 60.7 | 58.8 | 56.1 |
| 19:00  | 74.9             | 70.8        | 49.5      | 48.9 | 49.6 | 51.5 | 52.9 | 52.9 | 54.4 | 55.2 | 57.5 | 60.5 | 56.7 | 60.8 | 59.3 | 63.9 | 59.2 | 58.0 | 59.3 | 59.5 | 56.4 | 55.0 |
| 20:00  | 74.6             | 70.4        | 49.3      | 48.6 | 50.0 | 51.6 | 53.2 | 53.1 | 54.2 | 55.2 | 57.5 | 60.9 | 60.2 | 56.6 | 59.1 | 63.9 | 58.2 | 56.3 | 57.7 | 58.4 | 55.6 | 55.0 |
| 21:00  | 73.7             | 70.0        | 48.1      | 48.0 | 49.5 | 51.5 | 52.7 | 52.7 | 54.2 | 54.8 | 57.9 | 60.1 | 60.1 | 57.1 | 58.6 | 62.8 | 56.6 | 55.9 | 58.0 | 58.6 | 55.3 | 54.5 |
| 22:00  | 73.7             | 69.4        | 48.9      | 48.5 | 50.2 | 51.8 | 53.0 | 52.8 | 54.1 | 54.9 | 57.4 | 57.1 | 60.0 | 56.4 | 57.4 | 63.3 | 55.6 | 55.0 | 56.8 | 57.4 | 53.9 | 52.2 |
| 23:00  | 74.6             | 69.8        | 47.7      | 48.0 | 49.4 | 51.7 | 52.8 | 52.6 | 54.0 | 55.0 | 57.3 | 57.4 | 61.2 | 56.2 | 57.9 | 64.2 | 56.0 | 55.3 | 57.0 | 57.9 | 53.8 | 51.6 |
| 0:00   | 73.8             | 69.2        | 47.3      | 47.6 | 49.3 | 51.4 | 52.5 | 52.3 | 54.1 | 54.8 | 57.3 | 57.0 | 60.1 | 56.8 | 57.4 | 63.4 | 55.2 | 54.4 | 56.6 | 57.0 | 52.8 | 50.8 |
| 1:00   | 74.2             | 69.6        | 47.0      | 47.8 | 49.1 | 50.8 | 52.6 | 52.5 | 53.9 | 55.0 | 57.5 | 58.1 | 59.7 | 55.2 | 57.6 | 63.9 | 56.0 | 55.6 | 57.5 | 57.4 | 53.7 | 52.3 |
| 2:00   | 74.5             | 69.5        | 47.2      | 47.2 | 49.5 | 51.3 | 53.3 | 52.8 | 53.8 | 54.7 | 57.4 | 59.2 | 59.1 | 55.6 | 58.0 | 64.3 | 55.1 | 53.8 | 56.1 | 56.2 | 52.6 | 50.9 |
| 3:00   | 73.7             | 69.1        | 46.8      | 47.7 | 49.0 | 51.5 | 52.9 | 52.8 | 53.6 | 54.9 | 57.3 | 58.5 | 58.9 | 55.9 | 57.4 | 63.3 | 55.6 | 54.2 | 56.0 | 55.9 | 52.9 | 51.3 |
| 4:00   | 73.8             | 69.8        | 52.4      | 51.3 | 51.6 | 52.7 | 54.1 | 53.3 | 54.2 | 55.1 | 58.6 | 60.3 | 59.3 | 56.3 | 58.5 | 63.1 | 55.6 | 54.2 | 56.5 | 56.7 | 53.5 | 52.2 |
| 5:00   | 75.0             | 70.7        | 48.8      | 49.1 | 49.8 | 51.9 | 53.5 | 53.4 | 54.5 | 55.1 | 58.2 | 62.6 | 58.1 | 55.9 | 59.2 | 64.3 | 60.9 | 56.0 | 57.4 | 58.0 | 55.0 | 53.9 |
| 24時間平均 | 75.2             | 71.1        | 51.7      | 50.8 | 51.0 | 52.3 | 53.9 | 55.2 | 55.2 | 55.9 | 58.0 | 60.6 | 59.1 | 58.6 | 60.1 | 64.2 | 59.4 | 58.0 | 59.3 | 59.4 | 56.9 | 55.3 |

注 1) L<sub>Geq</sub> は G 特性等価音圧レベルである。

注 2) AP は、1～80Hz の周波数ごとの平坦特性等価音圧レベルの合成値である。

注 3) 平均は毎回の測定の等価音圧レベルのパワー平均値である。

注 4) 測定開始時間は、12 時である。



7 環境影響評価の項目（資料編）

表 7.1-8(7) 低周波音周波数測定結果（停止時、地点 4）

調査期間：平成 31 年 2 月 7 日（木）17 時～2 月 8 日（金）17 時（停止時）

（単位：dB）

| 時刻     | L <sub>Geq</sub> | 平坦特性等価音圧レベル |            |      |      |      |      |      |      |      |      |      |      |       |      |      |      |      |      |      |      |      |
|--------|------------------|-------------|------------|------|------|------|------|------|------|------|------|------|------|-------|------|------|------|------|------|------|------|------|
|        |                  | AP          | 中心周波数 (Hz) |      |      |      |      |      |      |      |      |      |      |       |      |      |      |      |      |      |      |      |
|        |                  |             | 1          | 1.25 | 1.6  | 2    | 2.5  | 3.15 | 4    | 5    | 6.3  | 8    | 10   | 12.5  | 16   | 20   | 25   | 31.5 | 40   | 50   | 63   | 80   |
| 6:00   | 70.6             | 69.8        | 59.7       | 57.4 | 55.7 | 55.2 | 54.5 | 53.8 | 53.6 | 54.2 | 55.8 | 59.5 | 55.6 | 54.8  | 57.0 | 56.9 | 60.5 | 56.0 | 57.4 | 58.2 | 55.8 | 53.4 |
| 7:00   | 72.3             | 71.1        | 59.7       | 58.1 | 55.6 | 55.0 | 54.4 | 55.2 | 55.2 | 55.7 | 57.3 | 61.1 | 58.6 | 57.5  | 58.9 | 59.0 | 60.1 | 58.3 | 58.8 | 59.1 | 56.1 | 54.8 |
| 8:00   | 73.7             | 72.3        | 60.1       | 57.9 | 56.3 | 55.7 | 55.2 | 57.0 | 56.9 | 57.5 | 58.0 | 62.0 | 60.2 | 58.9  | 59.8 | 60.5 | 61.6 | 59.9 | 60.5 | 60.4 | 58.1 | 55.4 |
| 9:00   | 73.3             | 73.7        | 64.9       | 63.2 | 60.8 | 59.1 | 57.8 | 58.3 | 58.1 | 58.3 | 58.2 | 61.7 | 59.7 | 58.6  | 59.5 | 60.2 | 60.9 | 60.3 | 61.2 | 60.8 | 58.7 | 56.6 |
| 10:00  | 72.9             | 73.5        | 64.0       | 61.9 | 59.9 | 59.0 | 58.3 | 58.9 | 58.6 | 58.6 | 58.5 | 61.6 | 59.8 | 58.5  | 59.6 | 59.3 | 61.1 | 59.7 | 60.0 | 60.5 | 58.2 | 56.1 |
| 11:00  | 71.6             | 73.9        | 67.8       | 64.1 | 61.8 | 59.4 | 58.8 | 57.7 | 56.9 | 58.4 | 56.4 | 57.0 | 58.2 | 55.0  | 57.1 | 58.1 | 60.2 | 60.4 | 59.3 | 60.3 | 59.0 | 57.8 |
| 12:00  | 70.3             | 72.4        | 66.8       | 64.1 | 61.5 | 59.4 | 57.8 | 56.6 | 55.7 | 57.6 | 55.6 | 56.7 | 58.1 | 54.4  | 56.4 | 57.3 | 59.0 | 58.7 | 55.1 | 57.4 | 56.0 | 52.0 |
| 13:00  | 69.9             | 70.8        | 63.7       | 61.2 | 57.4 | 57.1 | 55.9 | 55.7 | 55.5 | 57.7 | 55.1 | 56.6 | 57.6 | 54.1  | 56.9 | 57.2 | 56.1 | 56.0 | 57.3 | 58.8 | 56.5 | 55.3 |
| 14:00  | 69.9             | 70.1        | 60.7       | 59.6 | 56.5 | 55.8 | 55.1 | 55.5 | 55.4 | 57.4 | 55.2 | 56.5 | 58.1 | 54.3  | 56.6 | 57.3 | 56.6 | 56.9 | 58.1 | 58.5 | 56.6 | 54.5 |
| 15:00  | 70.7             | 71.4        | 64.0       | 60.6 | 60.2 | 57.6 | 55.4 | 55.7 | 55.1 | 57.8 | 55.5 | 56.5 | 58.2 | 54.5  | 56.9 | 58.1 | 59.1 | 57.6 | 55.8 | 60.2 | 58.1 | 56.0 |
| 16:00  | 69.9             | 70.0        | 62.9       | 60.2 | 57.6 | 56.5 | 55.5 | 53.9 | 52.8 | 52.8 | 54.0 | 53.6 | 50.4 | 52.4  | 57.6 | 57.8 | 55.0 | 55.7 | 59.3 | 59.4 | 56.0 | 53.5 |
| 17:00  | 68.8             | 66.5        | 53.3       | 51.7 | 51.3 | 51.6 | 52.2 | 50.7 | 50.2 | 50.7 | 53.9 | 53.6 | 50.5 | 51.3  | 55.2 | 57.1 | 55.6 | 54.6 | 54.4 | 56.6 | 53.3 | 52.1 |
| 18:00  | 69.2             | 66.6        | 51.2       | 49.5 | 50.0 | 51.1 | 51.6 | 50.1 | 50.1 | 51.4 | 54.2 | 53.8 | 50.3 | 51.4  | 55.5 | 57.3 | 56.7 | 55.6 | 55.1 | 56.6 | 53.3 | 52.3 |
| 19:00  | 69.3             | 66.6        | 49.8       | 49.5 | 49.4 | 50.7 | 51.9 | 50.7 | 51.0 | 51.6 | 54.3 | 53.9 | 50.6 | 51.5  | 55.4 | 57.3 | 57.9 | 54.7 | 55.0 | 56.3 | 52.9 | 52.0 |
| 20:00  | 68.8             | 66.3        | 50.2       | 50.5 | 50.0 | 51.5 | 52.1 | 50.9 | 50.4 | 51.5 | 54.6 | 54.1 | 51.1 | 52.2  | 55.3 | 56.9 | 55.4 | 54.6 | 54.2 | 56.0 | 52.4 | 51.4 |
| 21:00  | 67.5             | 64.7        | 49.2       | 47.9 | 48.6 | 50.1 | 50.7 | 49.3 | 49.4 | 50.2 | 53.6 | 53.0 | 49.4 | 450.2 | 54.1 | 55.8 | 53.8 | 51.1 | 51.5 | 54.3 | 50.3 | 49.2 |
| 22:00  | 67.3             | 64.2        | 47.6       | 47.8 | 48.7 | 50.4 | 50.9 | 49.8 | 49.7 | 49.9 | 53.7 | 53.1 | 50.0 | 49.8  | 53.9 | 55.8 | 52.4 | 51.0 | 50.0 | 51.9 | 48.5 | 47.8 |
| 23:00  | 66.9             | 64.0        | 50.7       | 49.8 | 50.0 | 50.6 | 51.1 | 49.8 | 50.0 | 50.7 | 53.0 | 52.4 | 48.6 | 48.9  | 53.3 | 55.4 | 52.9 | 49.9 | 49.3 | 49.8 | 47.4 | 47.3 |
| 0:00   | 67.4             | 66.8        | 60.2       | 58.1 | 55.2 | 54.0 | 53.6 | 52.2 | 51.4 | 51.6 | 53.4 | 52.6 | 48.6 | 49.5  | 53.7 | 55.9 | 53.7 | 51.0 | 50.5 | 50.1 | 48.0 | 46.8 |
| 1:00   | 67.8             | 65.8        | 56.6       | 54.3 | 52.8 | 52.8 | 52.5 | 50.6 | 50.7 | 50.6 | 53.5 | 52.7 | 49.2 | 49.9  | 54.6 | 56.0 | 54.0 | 50.9 | 51.7 | 54.3 | 48.9 | 48.2 |
| 2:00   | 67.7             | 66.5        | 55.8       | 54.3 | 53.1 | 53.2 | 52.7 | 51.1 | 51.4 | 51.6 | 55.0 | 56.0 | 51.6 | 51.5  | 55.3 | 54.7 | 53.8 | 51.5 | 51.6 | 55.1 | 49.9 | 48.7 |
| 3:00   | 67.7             | 67.8        | 58.2       | 56.7 | 55.4 | 55.0 | 54.4 | 53.1 | 52.9 | 52.6 | 55.9 | 57.6 | 53.0 | 52.5  | 55.6 | 53.8 | 54.0 | 52.2 | 52.2 | 55.9 | 51.3 | 49.1 |
| 4:00   | 67.8             | 68.7        | 60.1       | 58.2 | 57.0 | 56.1 | 55.3 | 54.2 | 53.6 | 53.3 | 56.5 | 58.5 | 53.8 | 53.0  | 55.8 | 53.7 | 54.4 | 52.9 | 52.3 | 56.0 | 51.7 | 49.7 |
| 5:00   | 69.9             | 69.6        | 59.7       | 58.2 | 56.6 | 55.9 | 55.3 | 54.4 | 53.8 | 53.2 | 56.7 | 58.8 | 54.2 | 53.6  | 56.0 | 56.2 | 59.1 | 54.6 | 54.7 | 57.6 | 53.9 | 51.0 |
| 24時間平均 | 70.1             | 69.9        | 61.3       | 58.9 | 56.8 | 55.7 | 54.9 | 54.5 | 54.2 | 55.0 | 55.6 | 57.5 | 55.8 | 54.3  | 56.6 | 57.3 | 57.8 | 56.3 | 56.6 | 57.7 | 55.1 | 53.2 |

注 1)  $L_{Geq}$  は G 特性等価音圧レベルである。

注 2) AP は、1～80Hz の周波数ごとの平坦特性等価音圧レベルの合成値である。

注 3) 平均は毎回の測定の等価音圧レベルのパワー平均値である。

注 4) 測定開始時間は、17 時である。






表 7.1-8(8) 低周波音周波数測定結果（稼働時、地点 4）

調査期間：平成 30 年 12 月 18 日（火）12 時～12 月 19 日（水）12 時（稼働時）

（単位：dB）

| 時刻      | L <sub>Geq</sub> | 平坦特性等価音圧レベル |            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|---------|------------------|-------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         |                  | AP          | 中心周波数 (Hz) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                  |             | 1          | 1.25 | 1.6  | 2    | 2.5  | 3.15 | 4    | 5    | 6.3  | 8    | 10   | 12.5 | 16   | 20   | 25   | 31.5 | 40   | 50   | 63   | 80   |
| 6:00    | 74.1             | 68.9        | 49.5       | 49.0 | 49.5 | 52.0 | 53.4 | 54.5 | 53.5 | 54.2 | 55.8 | 57.1 | 53.3 | 51.2 | 58.4 | 64.1 | 53.2 | 54.3 | 55.0 | 58.2 | 54.0 | 53.4 |
| 7:00    | 73.9             | 68.9        | 48.1       | 48.9 | 49.8 | 51.8 | 53.7 | 54.5 | 53.6 | 54.5 | 56.1 | 57.5 | 52.2 | 51.8 | 58.2 | 63.8 | 53.7 | 55.4 | 55.3 | 57.4 | 54.8 | 54.7 |
| 8:00    | 74.6             | 70.5        | 48.8       | 49.5 | 50.0 | 51.7 | 53.5 | 56.1 | 56.0 | 58.6 | 57.1 | 59.5 | 59.6 | 55.6 | 59.0 | 64.2 | 56.3 | 58.0 | 56.8 | 58.8 | 56.0 | 54.8 |
| 9:00    | 74.4             | 70.7        | 51.3       | 50.9 | 50.5 | 52.7 | 54.4 | 57.4 | 56.2 | 59.1 | 57.2 | 58.8 | 60.3 | 56.4 | 58.9 | 63.8 | 56.4 | 58.7 | 57.2 | 58.4 | 56.5 | 54.8 |
| 10:00   | 74.4             | 70.7        | 53.0       | 51.8 | 50.9 | 51.8 | 53.7 | 57.3 | 55.9 | 59.0 | 57.5 | 58.3 | 60.4 | 56.2 | 59.2 | 63.7 | 56.6 | 58.4 | 57.7 | 58.6 | 56.3 | 55.0 |
| 11:00   | 74.4             | 70.7        | 52.2       | 51.4 | 51.1 | 52.1 | 53.7 | 57.6 | 55.8 | 59.1 | 56.9 | 58.2 | 60.5 | 56.3 | 59.0 | 63.8 | 56.6 | 58.6 | 56.9 | 58.6 | 57.4 | 56.6 |
| 12:00   | 73.6             | 71.0        | 59.8       | 57.6 | 56.8 | 55.8 | 56.3 | 57.1 | 56.4 | 58.4 | 56.7 | 57.5 | 59.1 | 55.7 | 58.3 | 62.9 | 55.3 | 57.9 | 57.7 | 59.8 | 55.7 | 55.1 |
| 13:00   | 74.4             | 71.0        | 55.0       | 53.7 | 52.9 | 54.1 | 55.0 | 57.6 | 56.6 | 59.5 | 58.1 | 57.8 | 59.7 | 57.7 | 58.9 | 63.6 | 58.7 | 58.5 | 57.7 | 58.7 | 56.9 | 54.8 |
| 14:00   | 74.2             | 71.0        | 56.1       | 54.7 | 53.6 | 54.1 | 55.0 | 57.7 | 56.9 | 60.0 | 57.9 | 57.9 | 60.4 | 57.9 | 58.9 | 63.4 | 55.6 | 58.4 | 58.0 | 58.9 | 56.4 | 54.3 |
| 15:00   | 75.4             | 71.8        | 59.4       | 57.1 | 55.9 | 55.5 | 56.3 | 57.9 | 57.2 | 59.3 | 57.4 | 58.1 | 60.2 | 58.3 | 62.6 | 64.0 | 56.5 | 58.8 | 57.3 | 58.7 | 57.0 | 55.6 |
| 16:00   | 74.8             | 70.3        | 56.1       | 54.8 | 54.3 | 54.0 | 54.9 | 55.3 | 54.8 | 54.7 | 56.0 | 55.8 | 52.9 | 57.9 | 60.3 | 64.2 | 56.8 | 56.7 | 57.8 | 58.3 | 55.4 | 54.8 |
| 17:00   | 74.3             | 69.6        | 53.3       | 51.9 | 51.6 | 52.6 | 53.6 | 54.5 | 53.5 | 53.7 | 55.7 | 55.5 | 52.4 | 56.3 | 58.7 | 64.0 | 55.6 | 56.9 | 57.1 | 58.7 | 55.4 | 55.6 |
| 18:00   | 74.2             | 69.5        | 53.4       | 52.9 | 51.3 | 52.4 | 53.5 | 54.1 | 53.0 | 54.3 | 56.2 | 55.6 | 52.9 | 56.0 | 58.7 | 64.0 | 54.6 | 55.9 | 57.0 | 58.4 | 55.6 | 55.1 |
| 19:00   | 73.6             | 68.6        | 49.4       | 49.2 | 49.1 | 51.5 | 52.8 | 53.9 | 53.2 | 54.1 | 55.9 | 55.6 | 52.0 | 55.5 | 58.2 | 63.4 | 53.4 | 54.4 | 54.9 | 57.6 | 53.6 | 53.5 |
| 20:00   | 73.3             | 68.3        | 47.9       | 47.8 | 48.3 | 51.0 | 53.0 | 54.2 | 52.8 | 54.2 | 55.7 | 55.9 | 54.0 | 51.2 | 57.9 | 63.1 | 53.4 | 54.1 | 54.6 | 57.4 | 53.2 | 53.0 |
| 21:00   | 72.9             | 68.2        | 48.0       | 48.0 | 49.0 | 51.0 | 52.8 | 54.0 | 52.8 | 53.6 | 55.7 | 55.2 | 55.6 | 52.7 | 57.3 | 62.7 | 52.9 | 54.0 | 54.3 | 57.5 | 53.6 | 53.3 |
| 22:00   | 72.8             | 67.6        | 49.7       | 49.2 | 49.3 | 51.3 | 52.6 | 54.2 | 53.0 | 53.7 | 55.5 | 54.8 | 54.7 | 52.5 | 56.9 | 62.7 | 51.0 | 53.2 | 52.6 | 53.8 | 51.5 | 51.0 |
| 23:00   | 73.4             | 68.0        | 46.6       | 47.2 | 48.5 | 51.4 | 53.0 | 54.2 | 52.7 | 53.8 | 55.8 | 55.0 | 54.6 | 53.1 | 57.4 | 63.3 | 52.8 | 54.0 | 53.5 | 54.6 | 52.0 | 51.5 |
| 0:00    | 72.9             | 67.7        | 47.1       | 46.9 | 48.1 | 51.0 | 52.5 | 54.0 | 52.6 | 54.0 | 55.9 | 55.0 | 55.2 | 53.6 | 57.0 | 62.8 | 51.8 | 53.0 | 53.4 | 53.9 | 51.0 | 51.7 |
| 1:00    | 73.3             | 67.9        | 46.4       | 47.3 | 47.8 | 50.6 | 52.6 | 54.1 | 52.7 | 54.2 | 56.1 | 55.5 | 54.0 | 51.1 | 57.5 | 63.2 | 52.4 | 53.7 | 53.6 | 54.6 | 51.8 | 52.0 |
| 2:00    | 73.3             | 67.8        | 46.8       | 46.6 | 48.1 | 50.7 | 53.0 | 54.2 | 52.8 | 53.8 | 55.6 | 55.7 | 54.1 | 52.6 | 57.5 | 63.3 | 51.5 | 53.0 | 52.6 | 53.9 | 51.0 | 50.8 |
| 3:00    | 73.5             | 67.9        | 46.9       | 47.3 | 47.9 | 50.5 | 52.8 | 54.2 | 52.3 | 53.9 | 55.7 | 55.5 | 53.5 | 52.6 | 57.4 | 63.5 | 52.9 | 53.3 | 52.8 | 53.8 | 51.0 | 50.8 |
| 4:00    | 73.3             | 68.4        | 52.3       | 50.8 | 50.6 | 52.5 | 53.8 | 54.8 | 53.2 | 54.4 | 56.1 | 55.2 | 53.1 | 52.7 | 57.8 | 63.1 | 53.0 | 53.7 | 53.7 | 57.5 | 53.1 | 52.1 |
| 5:00    | 74.0             | 68.6        | 48.9       | 49.3 | 49.4 | 51.4 | 53.4 | 54.3 | 52.8 | 53.9 | 56.0 | 57.3 | 52.7 | 50.9 | 58.2 | 63.9 | 53.6 | 53.7 | 53.8 | 57.3 | 53.2 | 52.4 |
| 24 時間平均 | 73.9             | 69.5        | 53.1       | 51.9 | 51.4 | 52.5 | 53.9 | 55.6 | 54.5 | 56.5 | 56.4 | 56.8 | 56.9 | 55.1 | 58.6 | 63.5 | 54.8 | 56.2 | 55.9 | 57.6 | 54.7 | 53.9 |

注 1)  $L_{Geq}$  は G 特性等価音圧レベルである。

注 2) AP は、1～80Hz の周波数ごとの平坦特性等価音圧レベルの合成値である。

注 3) 平均は毎回の測定の等価音圧レベルのパワー平均値である。

注 4) 測定開始時間は、12 時である。






表 7.1-8(9) 低周波音周波数測定結果（停止時、地点 5）

調査期間：平成 31 年 2 月 7 日（木）17 時～2 月 8 日（金）17 時（停止時）

（単位：dB）

| 時刻      | L <sub>Geq</sub> | 平坦特性等価音圧レベル |            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|---------|------------------|-------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|         |                  | AP          | 中心周波数 (Hz) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|         |                  |             | 1          | 1.25 | 1.6  | 2    | 2.5  | 3.15 | 4    | 5    | 6.3  | 8    | 10   | 12.5 | 16   | 20   | 25   | 31.5 | 40   | 50   | 63   | 80   |
| 6:00    | 69.6             | 68.9        | 59.2       | 56.6 | 54.3 | 53.8 | 53.2 | 53.0 | 52.9 | 54.7 | 54.8 | 59.5 | 56.2 | 55.1 | 56.6 | 55.8 | 58.2 | 55.2 | 56.6 | 56.6 | 53.2 | 52.8 |
| 7:00    | 73.5             | 72.2        | 60.4       | 58.0 | 55.3 | 54.4 | 54.3 | 56.4 | 56.4 | 57.8 | 57.8 | 62.3 | 62.1 | 60.4 | 60.4 | 59.3 | 61.3 | 59.5 | 59.2 | 59.4 | 55.7 | 54.7 |
| 8:00    | 74.7             | 73.2        | 61.3       | 58.7 | 56.1 | 55.1 | 54.8 | 57.4 | 57.6 | 58.9 | 58.7 | 63.1 | 63.9 | 61.9 | 61.3 | 60.4 | 62.3 | 61.0 | 60.1 | 59.7 | 56.6 | 55.2 |
| 9:00    | 73.2             | 72.5        | 62.8       | 59.7 | 57.2 | 55.8 | 55.2 | 56.7 | 56.6 | 58.0 | 57.7 | 62.4 | 62.0 | 60.1 | 60.0 | 58.9 | 60.8 | 60.1 | 60.4 | 59.1 | 56.9 | 55.2 |
| 10:00   | 73.1             | 71.8        | 59.8       | 57.6 | 55.6 | 54.7 | 54.3 | 56.1 | 56.6 | 57.9 | 57.8 | 62.2 | 61.8 | 59.6 | 59.7 | 58.9 | 61.4 | 59.4 | 59.0 | 58.2 | 55.6 | 54.0 |
| 11:00   | 76.7             | 76.0        | 66.3       | 62.8 | 60.0 | 57.8 | 57.1 | 60.4 | 60.3 | 61.3 | 60.6 | 65.3 | 67.7 | 65.0 | 63.4 | 61.9 | 63.3 | 65.0 | 64.1 | 61.5 | 60.6 | 57.6 |
| 12:00   | 77.0             | 75.3        | 63.3       | 60.3 | 57.7 | 56.4 | 55.9 | 59.6 | 60.1 | 61.2 | 60.7 | 64.9 | 67.5 | 65.0 | 63.3 | 62.7 | 64.3 | 64.1 | 62.0 | 60.4 | 58.6 | 56.2 |
| 13:00   | 77.0             | 76.1        | 61.2       | 59.4 | 57.4 | 56.4 | 56.1 | 60.4 | 60.2 | 61.4 | 61.3 | 65.0 | 67.6 | 65.0 | 63.8 | 62.3 | 63.7 | 63.9 | 67.0 | 65.6 | 61.7 | 58.8 |
| 14:00   | 77.3             | 76.2        | 60.9       | 59.3 | 56.7 | 56.0 | 55.6 | 60.0 | 59.9 | 61.3 | 60.8 | 64.9 | 67.9 | 65.4 | 64.0 | 62.6 | 64.4 | 64.4 | 68.0 | 65.0 | 59.7 | 57.7 |
| 15:00   | 77.4             | 75.4        | 61.5       | 59.3 | 56.2 | 55.0 | 55.3 | 59.7 | 59.8 | 60.9 | 60.7 | 65.0 | 67.9 | 65.6 | 64.1 | 62.8 | 64.4 | 63.8 | 61.8 | 62.1 | 58.1 | 56.5 |
| 16:00   | 71.0             | 71.9        | 61.3       | 59.2 | 57.0 | 56.6 | 54.8 | 54.7 | 54.0 | 55.4 | 55.3 | 59.1 | 56.3 | 54.7 | 57.3 | 58.5 | 58.9 | 57.0 | 65.6 | 63.4 | 57.9 | 55.5 |
| 17:00   | 70.0             | 68.7        | 57.3       | 53.6 | 52.1 | 52.7 | 52.4 | 52.3 | 52.3 | 54.2 | 55.3 | 59.8 | 56.9 | 55.3 | 57.3 | 56.3 | 58.1 | 55.8 | 56.6 | 56.6 | 54.5 | 54.3 |
| 18:00   | 70.2             | 68.5        | 52.0       | 49.7 | 49.3 | 50.8 | 51.0 | 50.5 | 51.5 | 53.8 | 55.2 | 60.1 | 57.1 | 55.3 | 57.5 | 56.5 | 58.2 | 56.5 | 57.2 | 57.1 | 55.5 | 54.3 |
| 19:00   | 69.9             | 68.2        | 49.7       | 49.0 | 48.7 | 50.5 | 51.1 | 50.6 | 51.5 | 53.8 | 55.1 | 60.3 | 57.0 | 54.9 | 57.3 | 56.0 | 58.0 | 56.2 | 57.0 | 56.8 | 54.6 | 53.8 |
| 20:00   | 70.1             | 68.6        | 52.1       | 51.6 | 50.8 | 51.9 | 52.6 | 53.0 | 53.1 | 54.9 | 56.0 | 60.3 | 57.2 | 56.0 | 57.4 | 56.3 | 57.9 | 55.5 | 56.6 | 56.9 | 54.2 | 53.5 |
| 21:00   | 68.4             | 66.9        | 48.8       | 48.0 | 48.8 | 50.3 | 50.0 | 49.6 | 51.1 | 53.6 | 54.5 | 59.9 | 56.2 | 54.2 | 56.1 | 53.9 | 56.0 | 53.5 | 54.6 | 54.3 | 51.9 | 51.2 |
| 22:00   | 68.5             | 67.1        | 48.9       | 48.4 | 48.6 | 50.5 | 50.7 | 50.4 | 52.0 | 53.8 | 54.8 | 60.1 | 56.8 | 54.4 | 56.3 | 53.7 | 55.9 | 54.1 | 54.9 | 53.3 | 52.1 | 51.6 |
| 23:00   | 67.7             | 67.0        | 54.6       | 52.8 | 51.9 | 52.4 | 51.7 | 50.6 | 52.0 | 53.9 | 54.4 | 59.4 | 56.1 | 53.4 | 55.3 | 53.0 | 55.5 | 52.8 | 53.6 | 52.6 | 50.3 | 50.3 |
| 0:00    | 67.4             | 67.7        | 59.8       | 55.8 | 54.1 | 53.7 | 52.5 | 51.3 | 52.3 | 53.7 | 54.3 | 59.3 | 55.3 | 53.3 | 54.8 | 53.0 | 55.3 | 52.8 | 53.7 | 52.7 | 50.7 | 50.1 |
| 1:00    | 67.8             | 66.9        | 53.9       | 51.8 | 50.8 | 51.8 | 51.0 | 50.1 | 51.7 | 53.8 | 54.2 | 59.2 | 56.0 | 53.5 | 55.4 | 53.4 | 55.4 | 53.2 | 54.2 | 54.2 | 50.6 | 50.6 |
| 2:00    | 68.4             | 67.1        | 53.3       | 51.5 | 49.9 | 50.7 | 50.6 | 50.8 | 51.7 | 53.8 | 54.6 | 59.7 | 56.3 | 54.1 | 56.1 | 54.1 | 55.4 | 53.5 | 54.4 | 54.7 | 51.5 | 51.3 |
| 3:00    | 68.1             | 67.5        | 56.8       | 54.9 | 53.0 | 52.4 | 51.9 | 51.2 | 52.0 | 54.2 | 54.8 | 59.5 | 55.5 | 53.6 | 55.6 | 53.9 | 55.7 | 53.4 | 54.2 | 54.4 | 51.2 | 50.4 |
| 4:00    | 68.4             | 68.1        | 58.2       | 54.8 | 53.2 | 53.4 | 53.2 | 52.7 | 52.8 | 54.4 | 54.6 | 59.5 | 56.0 | 54.1 | 55.8 | 54.0 | 56.4 | 53.7 | 55.2 | 55.6 | 52.2 | 51.8 |
| 5:00    | 69.2             | 68.3        | 56.3       | 54.9 | 53.4 | 53.0 | 52.7 | 52.5 | 53.0 | 54.5 | 54.8 | 59.5 | 56.1 | 54.1 | 56.1 | 55.1 | 58.5 | 54.7 | 56.0 | 56.0 | 52.5 | 51.8 |
| 24 時間平均 | 72.9             | 71.8        | 59.7       | 57.1 | 54.8 | 54.1 | 53.7 | 55.8 | 56.0 | 57.4 | 57.4 | 61.9 | 62.6 | 60.2 | 59.8 | 58.6 | 60.3 | 59.6 | 60.9 | 59.5 | 56.7 | 54.5 |

注 1)  $L_{Geq}$  は G 特性等価音圧レベルである。

注 2) AP は、1～80Hz の周波数ごとの平坦特性等価音圧レベルの合成値である。

注 3) 平均は毎回の測定の等価音圧レベルのパワー平均値である。

注 4) 測定開始時間は、17 時である。




表 7.1-8(10) 低周波音周波数測定結果（稼働時、地点 5）

調査期間：平成 30 年 12 月 18 日（火）12 時～12 月 19 日（水）12 時（稼働時）

（単位：dB）

| 時刻     | L <sub>Geq</sub> | 平坦特性等価音圧レベル |           |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|--------|------------------|-------------|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|        |                  | AP          | 中心周波数(Hz) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|        |                  |             | 1         | 1.25 | 1.6  | 2    | 2.5  | 3.15 | 4    | 5    | 6.3  | 8    | 10   | 12.5 | 16   | 20   | 25   | 31.5 | 40   | 50   | 63   | 80   |
| 6:00   | 71.3             | 69.7        | 49.5      | 49.5 | 49.4 | 51.9 | 53.3 | 55.1 | 54.3 | 57.0 | 57.2 | 62.4 | 59.1 | 58.7 | 57.9 | 57.9 | 57.4 | 55.4 | 57.1 | 56.9 | 54.9 | 54.3 |
| 7:00   | 71.2             | 69.8        | 53.2      | 51.1 | 49.7 | 51.8 | 53.5 | 55.4 | 54.2 | 57.5 | 57.4 | 62.3 | 58.0 | 58.2 | 57.8 | 58.0 | 57.7 | 55.9 | 57.2 | 57.3 | 56.3 | 54.7 |
| 8:00   | 78.7             | 76.0        | 54.1      | 51.8 | 50.7 | 52.5 | 54.6 | 59.5 | 60.1 | 62.3 | 62.2 | 66.3 | 69.2 | 67.6 | 65.8 | 63.8 | 64.2 | 64.4 | 61.6 | 59.5 | 59.2 | 57.2 |
| 9:00   | 79.4             | 76.7        | 58.4      | 54.5 | 51.2 | 53.2 | 56.1 | 62.3 | 60.1 | 63.4 | 62.4 | 65.8 | 69.6 | 67.3 | 66.5 | 65.2 | 65.6 | 65.7 | 63.5 | 60.7 | 60.9 | 59.4 |
| 10:00  | 79.6             | 76.7        | 58.6      | 55.1 | 53.1 | 53.2 | 56.0 | 61.5 | 60.3 | 63.0 | 62.5 | 65.8 | 69.6 | 67.2 | 66.5 | 66.0 | 65.3 | 65.4 | 63.4 | 61.6 | 60.1 | 57.9 |
| 11:00  | 79.2             | 76.9        | 63.4      | 60.2 | 58.6 | 58.0 | 57.7 | 62.8 | 60.7 | 63.0 | 62.4 | 65.8 | 69.4 | 67.2 | 66.5 | 64.7 | 65.0 | 65.8 | 63.1 | 61.0 | 61.6 | 58.3 |
| 12:00  | 77.8             | 75.5        | 58.8      | 56.5 | 54.8 | 54.2 | 55.9 | 60.5 | 61.0 | 62.1 | 61.7 | 65.2 | 68.0 | 66.1 | 64.5 | 63.6 | 64.2 | 64.6 | 60.9 | 58.7 | 59.4 | 57.1 |
| 13:00  | 80.0             | 77.0        | 56.6      | 55.0 | 54.5 | 55.1 | 56.9 | 62.3 | 60.4 | 63.1 | 62.6 | 65.4 | 69.1 | 68.5 | 67.3 | 65.4 | 66.5 | 65.9 | 63.4 | 60.7 | 60.8 | 57.9 |
| 14:00  | 79.6             | 77.1        | 61.9      | 58.9 | 57.4 | 56.6 | 57.6 | 62.5 | 60.4 | 63.7 | 62.8 | 65.6 | 69.3 | 67.9 | 66.9 | 64.9 | 66.1 | 66.4 | 63.5 | 60.7 | 61.6 | 59.2 |
| 15:00  | 79.3             | 77.0        | 64.3      | 61.0 | 60.7 | 58.4 | 59.1 | 62.3 | 61.4 | 63.6 | 62.4 | 65.6 | 69.3 | 68.0 | 67.3 | 63.8 | 65.0 | 64.9 | 62.7 | 59.7 | 59.6 | 57.7 |
| 16:00  | 73.3             | 70.8        | 57.1      | 53.9 | 53.0 | 53.7 | 54.4 | 55.6 | 55.0 | 56.6 | 57.1 | 60.9 | 58.3 | 63.1 | 61.5 | 57.9 | 58.4 | 56.4 | 58.7 | 57.3 | 55.5 | 53.7 |
| 17:00  | 72.3             | 70.3        | 55.2      | 51.2 | 50.0 | 51.6 | 53.2 | 54.9 | 53.9 | 56.4 | 56.9 | 60.9 | 58.2 | 62.9 | 58.4 | 57.7 | 58.6 | 57.2 | 57.7 | 57.0 | 56.0 | 55.5 |
| 18:00  | 72.0             | 70.2        | 56.3      | 54.4 | 52.7 | 53.4 | 54.0 | 54.9 | 54.1 | 56.8 | 57.7 | 61.0 | 58.6 | 61.8 | 58.5 | 58.0 | 58.1 | 56.0 | 57.6 | 56.8 | 54.6 | 54.0 |
| 19:00  | 72.0             | 69.8        | 50.8      | 49.4 | 48.8 | 51.2 | 52.9 | 54.7 | 54.0 | 56.6 | 57.4 | 61.1 | 58.3 | 63.0 | 58.0 | 57.1 | 57.7 | 55.1 | 56.7 | 56.8 | 54.8 | 53.1 |
| 20:00  | 70.6             | 69.1        | 48.9      | 47.9 | 48.2 | 50.6 | 53.1 | 54.4 | 53.8 | 56.9 | 57.1 | 61.2 | 60.8 | 56.7 | 57.5 | 56.8 | 56.9 | 54.2 | 56.4 | 55.7 | 53.4 | 52.7 |
| 21:00  | 70.6             | 69.0        | 50.9      | 50.5 | 49.8 | 51.2 | 52.9 | 54.5 | 53.6 | 56.4 | 57.1 | 60.8 | 60.8 | 57.6 | 57.5 | 56.7 | 57.0 | 54.0 | 55.5 | 55.2 | 52.9 | 52.1 |
| 22:00  | 70.2             | 68.6        | 49.0      | 48.8 | 49.2 | 51.3 | 53.1 | 54.7 | 54.1 | 56.9 | 57.0 | 60.6 | 60.1 | 57.8 | 56.7 | 56.5 | 56.1 | 52.8 | 54.6 | 53.6 | 51.4 | 52.0 |
| 23:00  | 70.9             | 69.2        | 49.0      | 48.1 | 48.2 | 51.3 | 52.9 | 54.7 | 54.0 | 56.6 | 57.1 | 61.1 | 61.9 | 58.0 | 57.4 | 56.9 | 56.7 | 54.5 | 56.1 | 54.3 | 52.4 | 51.9 |
| 0:00   | 70.6             | 68.8        | 47.9      | 48.1 | 48.4 | 51.2 | 52.6 | 54.3 | 54.0 | 56.7 | 57.4 | 60.7 | 60.6 | 58.2 | 57.1 | 56.8 | 56.6 | 53.2 | 55.1 | 53.5 | 51.8 | 51.3 |
| 1:00   | 70.8             | 69.1        | 48.6      | 48.2 | 48.0 | 50.7 | 52.5 | 54.3 | 53.8 | 57.0 | 57.4 | 61.6 | 61.6 | 57.1 | 57.2 | 57.2 | 56.7 | 53.9 | 55.5 | 54.0 | 52.5 | 51.5 |
| 2:00   | 70.5             | 68.9        | 48.1      | 47.6 | 47.9 | 50.9 | 53.0 | 54.6 | 53.9 | 56.6 | 57.1 | 61.5 | 60.7 | 57.3 | 57.2 | 56.9 | 56.4 | 53.5 | 55.4 | 54.0 | 52.5 | 52.0 |
| 3:00   | 70.9             | 69.2        | 49.4      | 48.3 | 48.4 | 51.1 | 52.9 | 54.6 | 53.6 | 56.4 | 57.2 | 61.5 | 62.0 | 58.2 | 57.3 | 57.0 | 56.7 | 53.5 | 55.3 | 53.8 | 52.3 | 51.4 |
| 4:00   | 70.6             | 69.2        | 51.5      | 50.5 | 50.1 | 51.7 | 53.3 | 54.7 | 54.1 | 57.2 | 57.5 | 60.6 | 62.1 | 58.0 | 56.9 | 56.7 | 56.1 | 53.1 | 55.1 | 55.2 | 52.1 | 51.7 |
| 5:00   | 70.8             | 69.2        | 49.2      | 48.9 | 49.0 | 51.4 | 53.4 | 54.8 | 53.9 | 56.7 | 57.2 | 62.0 | 59.4 | 58.5 | 57.1 | 57.1 | 57.4 | 54.1 | 55.6 | 55.6 | 53.1 | 52.4 |
| 24時間平均 | 75.7             | 73.3        | 56.9      | 54.2 | 53.2 | 53.4 | 54.8 | 58.5 | 57.4 | 60.0 | 59.7 | 63.3 | 65.4 | 64.0 | 62.8 | 61.3 | 61.7 | 61.3 | 59.7 | 57.9 | 57.3 | 55.4 |

注 1) L<sub>Geq</sub> は G 特性等価音圧レベルである。

注 2) AP は、1～80Hz の周波数ごとの平坦特性等価音圧レベルの合成値である。

注 3) 平均は毎回の測定の等価音圧レベルのパワー平均値である。

注 4) 測定開始時間は、12 時である。




表 7.1-8(11) 低周波音周波数測定結果（停止時、地点 6）

調査期間：平成 31 年 2 月 7 日（木）22 時～2 月 8 日（金）16 時（停止時）（単位：dB）

| 時刻    | L <sub>Geq</sub> | 平坦特性等価音圧レベル |            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|-------|------------------|-------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|       |                  | AP          | 中心周波数 (Hz) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|       |                  |             | 1          | 1.25 | 1.6  | 2    | 2.5  | 3.15 | 4    | 5    | 6.3  | 8    | 10   | 12.5 | 16   | 20   | 25   | 31.5 | 40   | 50   | 63   | 80   |
| 6:00  | 74.8             | 72.7        | 59.8       | 59.9 | 57.9 | 56.8 | 57.4 | 57.1 | 55.1 | 54.6 | 55.2 | 56.8 | 57.3 | 59.8 | 61.0 | 61.9 | 64.6 | 62.1 | 61.9 | 61.1 | 59.8 | 58.1 |
| 16:00 | 75.0             | 74.0        | 64.5       | 62.6 | 61.2 | 60.0 | 59.4 | 58.8 | 56.8 | 56.5 | 56.1 | 57.3 | 57.5 | 58.9 | 60.4 | 62.3 | 65.5 | 61.9 | 62.1 | 62.0 | 61.3 | 59.6 |
| 22:00 | 70.9             | 68.7        | 51.5       | 49.4 | 50.7 | 51.7 | 54.2 | 54.5 | 51.6 | 53.3 | 54.0 | 55.3 | 56.5 | 56.7 | 58.9 | 57.1 | 57.9 | 58.3 | 57.3 | 57.0 | 56.9 | 55.7 |
| 2:00  | 73.7             | 70.4        | 57.3       | 56.7 | 55.1 | 55.3 | 56.4 | 55.6 | 52.7 | 53.9 | 54.3 | 55.5 | 56.3 | 57.6 | 58.8 | 62.0 | 62.5 | 58.2 | 57.4 | 57.6 | 55.3 | 53.6 |
| 平均    | 73.9             | 71.9        | 60.5       | 59.2 | 57.7 | 56.9 | 57.2 | 56.8 | 54.5 | 54.8 | 55.0 | 56.3 | 56.9 | 58.4 | 59.9 | 61.3 | 63.4 | 60.5 | 60.3 | 59.9 | 58.9 | 57.3 |

- 注 1) L<sub>Geq</sub> は G 特性等価音圧レベルである。  
注 2) AP は、1 ～ 80Hz の周波数ごとの平坦特性等価音圧レベルの合成値である。  
注 3) 平均は 4 回の測定の実値音圧レベルのパワー平均値である。  
注 4) 測定開始時間は、22 時である。




表 7.1-8(12) 低周波音周波数測定結果（稼働時、地点 6）

調査期間：平成 30 年 12 月 18 日（火）16 時～12 月 19 日（水）6 時（稼働時）

（単位：dB）

| 時刻    | L <sub>Geq</sub> | 平坦特性等価音圧レベル |            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|-------|------------------|-------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|       |                  | AP          | 中心周波数 (Hz) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|       |                  |             | 1          | 1.25 | 1.6  | 2    | 2.5  | 3.15 | 4    | 5    | 6.3  | 8    | 10   | 12.5 | 16   | 20   | 25   | 31.5 | 40   | 50   | 63   | 80   |
| 6:00  | 74.5             | 72.4        | 53.0       | 49.8 | 50.6 | 51.9 | 54.6 | 57.0 | 54.2 | 55.4 | 56.9 | 59.1 | 57.0 | 58.5 | 59.3 | 61.7 | 65.2 | 64.2 | 61.6 | 61.0 | 60.7 | 59.4 |
| 16:00 | 74.6             | 72.2        | 59.0       | 56.5 | 55.2 | 54.6 | 57.0 | 57.6 | 55.3 | 56.6 | 57.0 | 58.7 | 58.2 | 60.3 | 61.8 | 61.6 | 62.2 | 60.5 | 60.9 | 60.9 | 60.3 | 58.2 |
| 22:00 | 70.3             | 69.1        | 52.6       | 51.5 | 52.3 | 52.5 | 55.7 | 56.2 | 53.7 | 55.3 | 57.7 | 58.4 | 59.4 | 57.7 | 57.7 | 55.6 | 57.1 | 57.0 | 57.1 | 55.5 | 53.6 | 54.6 |
| 2:00  | 70.5             | 68.7        | 45.5       | 46.8 | 49.4 | 51.1 | 55.4 | 56.2 | 53.5 | 55.3 | 57.1 | 58.6 | 58.5 | 57.7 | 57.6 | 56.5 | 58.1 | 56.9 | 55.8 | 55.1 | 53.9 | 53.4 |
| 平均    | 73.0             | 70.9        | 54.8       | 52.6 | 52.4 | 52.7 | 55.8 | 56.8 | 54.2 | 55.7 | 57.2 | 58.7 | 58.4 | 58.7 | 59.5 | 59.7 | 61.9 | 60.7 | 59.5 | 59.0 | 58.3 | 57.1 |

注 1)  $L_{Geq}$  は G 特性等価音圧レベルである。

注 2) AP は、1～80Hz の周波数ごとの平坦特性等価音圧レベルの合成値である。

注 3) 平均は 4 回の測定の等価音圧レベルのパワー平均値である。

注 4) 測定開始時間は、16 時である。




表 7.1-8(13) 低周波音周波数測定結果（停止時、地点 7）

調査期間：平成 31 年 2 月 7 日（木）22 時～2 月 8 日（金）16 時（停止時）（単位：dB）

| 時刻    | L <sub>Geq</sub> | 平坦特性等価音圧レベル |            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|-------|------------------|-------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|       |                  | AP          | 中心周波数 (Hz) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|       |                  |             | 1          | 1.25 | 1.6  | 2    | 2.5  | 3.15 | 4    | 5    | 6.3  | 8    | 10   | 12.5 | 16   | 20   | 25   | 31.5 | 40   | 50   | 63   | 80   |
| 6:00  | 74.8             | 75.0        | 66.3       | 64.1 | 62.6 | 62.1 | 60.6 | 61.0 | 59.9 | 60.9 | 63.2 | 64.1 | 63.5 | 58.4 | 62.8 | 60.9 | 61.6 | 59.1 | 61.8 | 59.7 | 58.7 | 55.3 |
| 16:00 | 77.2             | 76.8        | 68.9       | 66.8 | 64.6 | 63.8 | 62.0 | 61.7 | 60.6 | 61.7 | 63.3 | 64.4 | 63.0 | 59.4 | 62.5 | 62.8 | 69.3 | 61.1 | 60.4 | 60.1 | 59.0 | 57.0 |
| 22:00 | 73.3             | 72.2        | 57.3       | 55.4 | 55.8 | 57.6 | 56.1 | 57.8 | 57.6 | 60.4 | 62.7 | 63.9 | 62.8 | 58.1 | 62.5 | 57.6 | 57.1 | 56.2 | 57.5 | 57.4 | 56.5 | 55.3 |
| 2:00  | 73.4             | 74.9        | 67.6       | 65.4 | 63.7 | 62.8 | 61.4 | 61.9 | 61.3 | 61.7 | 63.6 | 64.1 | 63.0 | 58.3 | 62.6 | 57.4 | 57.1 | 55.6 | 56.3 | 55.8 | 53.9 | 52.3 |
| 平均    | 75.0             | 75.0        | 66.6       | 64.5 | 62.7 | 62.1 | 60.5 | 60.9 | 60.1 | 61.2 | 63.2 | 64.1 | 63.1 | 58.6 | 62.6 | 60.3 | 64.4 | 58.6 | 59.5 | 58.6 | 57.5 | 55.3 |

- 注 1) L<sub>Geq</sub> は G 特性等価音圧レベルである。  
注 2) AP は、1 ～80Hz の周波数ごとの平坦特性等価音圧レベルの合成値である。  
注 3) 平均は 4 回の測定の等価音圧レベルのパワー平均値である。  
注 4) 測定開始時間は、22 時である。




表 7.1-8(14) 低周波音周波数測定結果（稼働時、地点 7）

調査期間：平成 30 年 12 月 18 日（火）16 時～12 月 19 日（水）6 時（稼働時）

（単位：dB）

| 時刻    | L <sub>Geq</sub> | 平坦特性等価音圧レベル |            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|-------|------------------|-------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|       |                  | AP          | 中心周波数 (Hz) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|       |                  |             | 1          | 1.25 | 1.6  | 2    | 2.5  | 3.15 | 4    | 5    | 6.3  | 8    | 10   | 12.5 | 16   | 20   | 25   | 31.5 | 40   | 50   | 63   | 80   |
| 6:00  | 75.5             | 74.7        | 60.9       | 59.9 | 59.4 | 60.0 | 59.0 | 61.2 | 62.1 | 63.2 | 65.4 | 66.1 | 64.6 | 59.6 | 62.9 | 62.3 | 61.0 | 59.1 | 59.4 | 59.5 | 57.9 | 55.6 |
| 16:00 | 76.7             | 76.2        | 66.7       | 65.4 | 63.5 | 63.3 | 61.8 | 62.7 | 63.2 | 63.7 | 64.8 | 65.3 | 63.8 | 61.8 | 64.5 | 63.3 | 62.7 | 59.3 | 60.6 | 60.1 | 58.4 | 56.7 |
| 22:00 | 74.5             | 75.0        | 64.7       | 63.3 | 60.8 | 61.3 | 60.2 | 61.3 | 62.1 | 63.4 | 64.8 | 65.6 | 66.2 | 59.8 | 62.4 | 59.5 | 59.8 | 57.1 | 57.5 | 57.2 | 56.5 | 54.2 |
| 2:00  | 74.3             | 73.5        | 54.5       | 54.1 | 55.1 | 58.1 | 57.4 | 60.0 | 61.4 | 62.9 | 64.8 | 66.0 | 64.6 | 59.3 | 62.7 | 59.3 | 57.3 | 56.6 | 57.4 | 55.5 | 53.9 | 53.1 |
| 平均    | 75.4             | 75.0        | 63.6       | 62.3 | 60.6 | 61.1 | 59.9 | 61.4 | 62.2 | 63.3 | 65.0 | 65.8 | 64.9 | 60.2 | 63.2 | 61.4 | 60.6 | 58.2 | 58.9 | 58.4 | 57.0 | 55.1 |

注 1)  $L_{G_{eq}}$  は G 特性等価音圧レベルである。

注 2) AP は、1～80Hz の周波数ごとの平坦特性等価音圧レベルの合成値である。

注 3) 平均は 4 回の測定の等価音圧レベルのパワー平均値である。

注 4) 測定開始時間は、16 時である。




表 7.1-8(15) 低周波音周波数測定結果（停止時、地点 8）

調査期間：平成 31 年 2 月 7 日（木）22 時～2 月 8 日（金）16 時（停止時）（単位：dB）

| 時刻    | L <sub>Geq</sub> | 平坦特性等価音圧レベル |            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|-------|------------------|-------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|       |                  | AP          | 中心周波数 (Hz) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|       |                  |             | 1          | 1.25 | 1.6  | 2    | 2.5  | 3.15 | 4    | 5    | 6.3  | 8    | 10   | 12.5 | 16   | 20   | 25   | 31.5 | 40   |
| 6:00  | 66.8             | 76.1        | 71.9       | 70.0 | 67.5 | 65.4 | 63.1 | 59.9 | 57.3 | 54.3 | 52.2 | 50.9 | 48.2 | 47.3 | 48.9 | 56.1 | 54.4 | 51.7 | 54.9 |
| 16:00 | 67.8             | 70.3        | 64.9       | 62.0 | 60.3 | 58.9 | 57.9 | 56.2 | 55.1 | 53.4 | 51.7 | 52.0 | 50.1 | 49.6 | 51.2 | 56.9 | 55.3 | 53.5 | 56.2 |
| 22:00 | 65.2             | 63.6        | 48.2       | 48.0 | 48.5 | 50.5 | 51.0 | 50.1 | 51.2 | 48.0 | 48.0 | 48.7 | 48.3 | 46.5 | 48.5 | 54.4 | 51.8 | 53.8 | 54.9 |
| 2:00  | 65.5             | 71.0        | 68.1       | 63.5 | 60.7 | 58.1 | 55.3 | 51.8 | 51.5 | 48.4 | 48.0 | 48.6 | 45.3 | 45.1 | 47.3 | 55.3 | 51.6 | 49.5 | 54.3 |
| 平均    | 66.5             | 72.2        | 68.0       | 65.4 | 63.0 | 61.0 | 58.9 | 56.1 | 54.5 | 51.9 | 50.4 | 50.3 | 48.3 | 47.4 | 49.2 | 55.8 | 53.6 | 52.4 | 55.1 |

注 1) L<sub>Geq</sub> は G 特性等価音圧レベルである。  
注 2) AP は、1 ～80Hz の周波数ごとの平坦特性等価音圧レベルの合成値である。  
注 3) 平均は 4 回の測定の等価音圧レベルのパワー平均値である。  
注 4) 測定開始時間は、22 時である。






表 7.1-8(16) 低周波音周波数測定結果（稼働時、地点 8）

調査期間：平成 30 年 12 月 18 日（火）16 時～12 月 19 日（水）6 時（稼働時）

（単位：dB）

| 時刻    | L <sub>G<sub>eq</sub></sub> | 平坦特性等価音圧レベル |            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|-------|-----------------------------|-------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|       |                             | AP          | 中心周波数 (Hz) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|       |                             |             | 1          | 1.25 | 1.6  | 2    | 2.5  | 3.15 | 4    | 5    | 6.3  | 8    | 10   | 12.5 | 16   | 20   | 25   | 31.5 | 40   | 50   | 63   | 80   |
| 6:00  | 67.2                        | 65.1        | 48.1       | 48.6 | 48.6 | 51.0 | 52.5 | 53.5 | 54.0 | 50.2 | 49.9 | 52.0 | 48.4 | 48.0 | 49.5 | 56.8 | 52.7 | 52.2 | 54.3 | 53.5 | 51.1 | 53.1 |
| 16:00 | 68.8                        | 66.1        | 50.3       | 50.0 | 50.0 | 51.5 | 53.0 | 53.4 | 55.3 | 51.9 | 50.6 | 52.1 | 49.1 | 54.2 | 54.8 | 57.3 | 54.4 | 52.9 | 53.9 | 54.5 | 51.2 | 50.0 |
| 22:00 | 66.6                        | 64.5        | 49.8       | 48.8 | 49.7 | 50.9 | 51.9 | 53.2 | 53.6 | 49.6 | 49.3 | 50.1 | 49.8 | 47.9 | 47.3 | 56.5 | 50.1 | 55.3 | 52.6 | 51.4 | 48.0 | 48.2 |
| 2:00  | 66.3                        | 63.7        | 45.9       | 46.1 | 46.9 | 49.8 | 51.9 | 53.0 | 53.7 | 49.3 | 48.9 | 51.0 | 48.5 | 47.6 | 47.6 | 56.1 | 51.5 | 50.2 | 51.5 | 51.1 | 47.5 | 47.7 |
| 平均    | 67.3                        | 64.9        | 48.8       | 48.6 | 49.0 | 50.8 | 52.3 | 53.3 | 54.2 | 50.4 | 49.7 | 51.4 | 49.0 | 50.5 | 51.0 | 56.7 | 52.5 | 53.0 | 53.2 | 52.9 | 49.8 | 50.3 |

注 1)  $L_{G_{eq}}$  は G 特性等価音圧レベルである。

注 2) AP は、1～80Hz の周波数ごとの平坦特性等価音圧レベルの合成値である。

注 3) 平均は 4 回の測定の等価音圧レベルのパワー平均値である。

注 4) 測定開始時間は、16 時である。




表 7.1-8(17) 低周波音周波数測定結果（停止時、地点 9）

調査期間：平成 31 年 2 月 7 日（木）22 時～2 月 8 日（金）16 時（停止時）（単位：dB）

| 時刻    | L <sub>Geq</sub> | 平坦特性等価音圧レベル |            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|-------|------------------|-------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|       |                  | AP          | 中心周波数 (Hz) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|       |                  |             | 1          | 1.25 | 1.6  | 2    | 2.5  | 3.15 | 4    | 5    | 6.3  | 8    | 10   | 12.5 | 16   | 20   | 25   | 31.5 | 40   | 50   | 63   | 80   |
| 6:00  | 61.7             | 69.4        | 63.4       | 62.4 | 61.3 | 59.1 | 58.1 | 56.9 | 54.0 | 52.9 | 52.2 | 51.7 | 48.5 | 48.1 | 49.1 | 47.5 | 48.3 | 48.8 | 51.0 | 50.4 | 45.3 | 42.1 |
| 16:00 | 62.6             | 70.1        | 64.1       | 63.2 | 61.6 | 59.9 | 58.1 | 57.5 | 55.1 | 53.8 | 52.7 | 51.6 | 48.8 | 48.2 | 49.8 | 49.3 | 49.0 | 49.8 | 51.4 | 54.8 | 48.4 | 44.7 |
| 22:00 | 60.4             | 61.4        | 49.0       | 48.1 | 48.4 | 48.9 | 49.1 | 48.6 | 47.1 | 47.3 | 50.0 | 50.7 | 48.3 | 46.9 | 48.0 | 45.6 | 47.1 | 50.3 | 47.9 | 50.6 | 45.9 | 42.4 |
| 2:00  | 59.6             | 62.4        | 55.4       | 53.6 | 52.0 | 50.7 | 50.2 | 49.2 | 47.4 | 47.5 | 49.7 | 50.2 | 47.0 | 46.7 | 48.0 | 44.7 | 44.5 | 45.5 | 45.4 | 48.8 | 41.1 | 37.2 |
| 平均    | 61.2             | 67.4        | 61.1       | 60.1 | 58.8 | 57.0 | 55.7 | 54.8 | 52.3 | 51.3 | 51.3 | 51.1 | 48.2 | 47.5 | 48.8 | 47.1 | 47.5 | 48.9 | 49.5 | 51.8 | 45.9 | 42.3 |

- 注 1) L<sub>Geq</sub> は G 特性等価音圧レベルである。  
注 2) AP は、1 ～80Hz の周波数ごとの平坦特性等価音圧レベルの合成値である。  
注 3) 平均は 4 回の測定の等価音圧レベルのパワー平均値である。  
注 4) 測定開始時間は、22 時である。




表 7.1-8(18) 低周波音周波数測定結果（稼働時、地点 9）

調査期間：平成 30 年 12 月 18 日（火）16 時～12 月 19 日（水）6 時（稼働時）

（単位：dB）

| 時刻    | $L_{Geq}$ | 平坦特性等価音圧レベル |            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|-------|-----------|-------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|       |           | AP          | 中心周波数 (Hz) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|       |           |             | 1          | 1.25 | 1.6  | 2    | 2.5  | 3.15 | 4    | 5    | 6.3  | 8    | 10   | 12.5 | 16   | 20   | 25   | 31.5 | 40   |
| 6:00  | 62.9      | 63.3        | 47.7       | 48.7 | 48.7 | 50.4 | 52.0 | 52.8 | 50.2 | 50.9 | 51.8 | 54.7 | 52.2 | 48.9 | 49.0 | 50.0 | 47.0 | 49.4 | 48.4 |
| 16:00 | 65.7      | 64.7        | 53.7       | 52.3 | 51.2 | 51.9 | 52.5 | 53.1 | 51.5 | 51.3 | 51.8 | 52.6 | 50.2 | 54.6 | 54.2 | 51.3 | 47.9 | 49.3 | 49.4 |
| 22:00 | 62.2      | 62.4        | 47.8       | 47.8 | 47.9 | 49.5 | 50.5 | 52.5 | 49.3 | 50.6 | 51.4 | 51.5 | 53.1 | 50.2 | 48.1 | 49.0 | 44.0 | 45.8 | 47.2 |
| 2:00  | 62.2      | 62.3        | 45.4       | 45.9 | 47.1 | 48.7 | 50.7 | 52.4 | 49.3 | 50.6 | 51.3 | 53.8 | 53.0 | 50.5 | 48.3 | 48.8 | 43.5 | 46.5 | 44.3 |
| 平均    | 63.5      | 63.3        | 49.9       | 49.3 | 49.0 | 50.3 | 51.5 | 52.7 | 50.2 | 50.9 | 51.6 | 53.3 | 52.3 | 51.6 | 50.7 | 49.9 | 46.0 | 48.0 | 47.7 |

注 1)  $L_{Geq}$  は G 特性等価音圧レベルである。

注 2) AP は、1～80Hz の周波数ごとの平坦特性等価音圧レベルの合成値である。

注 3) 平均は 4 回の測定の等価音圧レベルのパワー平均値である。

注 4) 測定開始時間は、16 時である。




表 7.1-8(19) 低周波音周波数測定結果（停止時、地点 10）

調査期間：平成 31 年 2 月 7 日（木）22 時～2 月 8 日（金）16 時（停止時）

（単位：dB）

| 時刻    | L <sub>Geq</sub> | 平坦特性等価音圧レベル |            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|-------|------------------|-------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|       |                  | AP          | 中心周波数 (Hz) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|       |                  |             | 1          | 1.25 | 1.6  | 2    | 2.5  | 3.15 | 4    | 5    | 6.3  | 8    | 10   | 12.5 | 16   | 20   | 25   | 31.5 | 40   | 50   | 63   | 80   |
| 6:00  | 63.7             | 69.2        | 63.3       | 61.0 | 59.9 | 58.9 | 57.3 | 56.0 | 54.7 | 54.8 | 54.0 | 54.2 | 52.8 | 50.4 | 50.2 | 49.1 | 51.9 | 50.8 | 50.5 | 51.5 | 49.0 | 48.1 |
| 16:00 | 64.7             | 73.0        | 67.9       | 65.5 | 63.6 | 62.8 | 61.6 | 59.3 | 58.3 | 57.6 | 56.2 | 55.2 | 53.3 | 50.7 | 50.4 | 50.1 | 54.0 | 54.2 | 54.5 | 54.7 | 53.3 | 51.0 |
| 22:00 | 62.3             | 63.4        | 51.8       | 50.5 | 50.6 | 49.9 | 49.5 | 48.7 | 50.0 | 52.2 | 52.2 | 52.6 | 51.9 | 49.4 | 49.1 | 47.9 | 49.6 | 50.0 | 49.0 | 49.8 | 50.1 | 48.2 |
| 2:00  | 61.3             | 64.4        | 56.9       | 55.5 | 53.2 | 51.9 | 51.6 | 50.0 | 50.1 | 52.2 | 52.0 | 52.8 | 51.4 | 48.4 | 48.2 | 46.3 | 48.1 | 48.8 | 47.4 | 47.8 | 46.8 | 45.7 |
| 平均    | 63.2             | 69.2        | 63.5       | 61.2 | 59.5 | 58.7 | 57.4 | 55.5 | 54.7 | 54.8 | 53.9 | 53.8 | 52.4 | 49.8 | 49.6 | 48.6 | 51.5 | 51.5 | 51.2 | 51.7 | 50.4 | 48.7 |

注 1) L<sub>Geq</sub> は G 特性等価音圧レベルである。

注 2) AP は、1～80Hz の周波数ごとの平坦特性等価音圧レベルの合成値である。

注 3) 平均は 4 回の測定の等価音圧レベルのパワー平均値である。

注 4) 測定開始時間は、22 時である。




表 7.1-8(20) 低周波音周波数測定結果（稼働時、地点 10）

調査期間：平成 30 年 12 月 18 日（火）16 時～12 月 19 日（水）6 時（稼働時）

（単位：dB）

| 時刻    | $L_{Geq}$ | 平坦特性等価音圧レベル |            |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|-------|-----------|-------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|       |           | AP          | 中心周波数 (Hz) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|       |           |             | 1          | 1.25 | 1.6  | 2    | 2.5  | 3.15 | 4    | 5    | 6.3  | 8    | 10   | 12.5 | 16   | 20   | 25   | 31.5 | 40   |
| 6:00  | 64.8      | 65.4        | 48.3       | 48.4 | 48.6 | 49.9 | 51.1 | 52.5 | 52.7 | 55.1 | 57.4 | 55.8 | 50.7 | 50.6 | 50.8 | 51.9 | 49.6 | 50.2 | 52.3 |
| 16:00 | 69.3      | 67.7        | 52.5       | 51.6 | 51.0 | 51.3 | 52.8 | 54.3 | 53.6 | 55.4 | 52.7 | 53.0 | 53.8 | 56.3 | 58.6 | 53.9 | 54.3 | 56.0 | 58.1 |
| 22:00 | 63.0      | 64.6        | 51.4       | 49.7 | 49.7 | 50.1 | 50.4 | 51.5 | 52.1 | 55.6 | 55.0 | 55.1 | 55.8 | 50.5 | 48.4 | 48.0 | 49.2 | 48.2 | 48.4 |
| 2:00  | 63.1      | 64.1        | 46.8       | 46.4 | 47.3 | 48.3 | 50.2 | 51.5 | 51.5 | 54.7 | 54.3 | 56.7 | 55.8 | 49.4 | 49.1 | 48.4 | 48.3 | 47.2 | 46.9 |
| 平均    | 65.9      | 65.7        | 50.3       | 49.4 | 49.4 | 50.0 | 51.3 | 52.6 | 52.5 | 55.2 | 54.4 | 55.9 | 55.4 | 52.7 | 53.9 | 51.0 | 51.6 | 51.8 | 53.4 |

注 1)  $L_{Geq}$  は G 特性等価音圧レベルである。

注 2) AP は、1～80Hz の周波数ごとの平坦特性等価音圧レベルの合成値である。

注 3) 平均は 4 回の測定の等価音圧レベルのパワー平均値である。

注 4) 測定開始時間は、16 時である。

