

表 8.3-10(3) 地盤卓越振動数測定結果 (地点③ 動物愛護相談センター城南島出張所付近)

単位: dB

測定 No.	AP	1/3 オクターブバンド中心周波数(Hz)																				卓越振動数(Hz)
		1	1.25	1.6	2	2.5	3.15	4	5	6.3	8	10	12.5	16	20	25	31.5	40	50	63	80	
1	58.2							26.1	30.4	32.4	38.2	47.0	54.1	48.3	47.4	44.5	41.1	39.0	34.2			12.5
2	66.0						27.6	26.1	32.9	37.8	36.9	46.2	53.3	58.0	53.7	51.0	41.5	42.7	40.6	37.7	34.2	16
3	58.4						25.7	26.9	26.7	36.0	34.9	44.3	50.8	54.5	50.1	49.9	46.9	42.4	35.8	26.1		16
4	56.3						26.4	24.6	25.3	31.9	33.0	46.3	49.9	51.5	50.2	45.5	42.3	34.8	25.4			16
5	51.5						29.7	26.7			28.7	36.7	39.9	48.0	45.6	39.1	37.8	26.3				16
6	46.8							27.8			28.9	33.8	39.5	42.0	40.9	38.6	35.9	31.7	28.9	25.5	25.6	16
7	58.4					36.2	35.1	37.1	39.8	44.1	44.8	41.8	45.9	47.4	51.1	46.5	46.2	40.1	37.3	34.7	29.8	20
8	54.1					34.4	34.5	34.0	37.5	39.6	40.6	41.9	40.0	40.1	50.4	47.2	43.6	39.5	37.9	33.1	32.6	20
9	50.8								25.6	29.4	32.3	37.2	38.9	41.0	42.3	41.0	35.2	33.8	34.0	33.4	31.1	20
10	55.8						25.4		26.8	33.4	33.5	37.4	40.4	46.0	49.8	51.6	42.5	37.1	31.6			25
平均卓越振動数(Hz)																						17.8

注) 網掛部は最大値を、空欄は 25dB 未満を示す。





表 8.3-10(4) 地盤卓越振動数測定結果（地点④ フェリーふ頭公園付近）

単位：dB

測定 No.	AP	1/3 オクターブバンド中心周波数(Hz)																				卓越振動数(Hz)
		1	1.25	1.6	2	2.5	3.15	4	5	6.3	8	10	12.5	16	20	25	31.5	40	50	63	80	
1	62.8	13.1	13.5	14.1	13.2	21.4	26.4	20.4	27.6	28.1	34.0	43.9	59.9	56.0	50.4	43.0	39.0	34.1	31.5	25.0	21.9	12.5
2	56.0	14.3	13.3	15.4	13.8	28.1	33.7	32.0	30.8	32.8	35.5	41.9	50.4	49.9	48.1	42.8	42.8	42.7	39.9	35.6	26.5	12.5
3	54.8	10.4	14.1	13.7	13.2	16.1	23.5	26.4	24.6	21.8	27.5	32.1	38.9	49.6	49.3	35.3	33.3	26.2	22.4	20.5	18.0	16
4	54.5	12.4	15.3	12.9	14.6	19.3	27.6	24.7	35.2	38.0	39.6	43.6	46.5	49.0	45.2	41.2	38.1	34.9	30.4	21.5	19.1	16
5	53.0	15.1	16.1	12.8	13.4	16.2	26.9	33.7	34.6	37.8	37.8	41.0	42.6	47.5	45.9	44.5	39.9	38.2	34.6	28.6	23.7	16
6	59.5	29.7	16.3	12.8	14.6	22.1	26.2	27.4	36.2	34.3	38.0	45.4	47.9	49.3	52.6	50.0	50.0	43.8	42.7	35.3	29.9	20
7	59.2	15.2	13.3	14.4	15.2	17.5	28.6	24.5	24.0	32.8	35.3	43.7	47.3	52.1	53.0	51.5	49.0	45.8	38.8	29.5	23.8	20
8	58.2	10.0	16.3	13.2	14.1	14.1	28.1	29.7	32.5	40.1	35.8	44.7	46.9	50.7	52.0	47.9	46.6	43.8	41.3	32.9	25.1	20
9	56.8	12.4	13.5	14.6	13.8	20.5	29.0	29.6	28.0	29.4	34.4	42.5	44.1	48.5	52.3	51.9	47.6	44.1	37.5	23.4	18.7	20
10	57.3	10.0	14.0	14.5	14.1	20.2	35.7	33.6	29.3	32.9	39.3	45.0	45.1	48.3	49.7	50.3	47.1	45.2	43.4	34.4	30.3	25
平均卓越振動数(Hz)																						17.8

注) 網掛部は最大値を、空欄は 25B 未満を示す。



(3) 低周波音の状況

ア 現地調査結果の詳細

低周波音の調査で使用した機器は、表 8.3-11 に示すとおりである。

低周波音の測定結果は、表 8.3-12(1)～表 8.3-12(8)に示すとおりである。

なお、低周波音の調査時間は毎正時各 10 分間とした。

表 8.3-11 使用機器（低周波音）

調査事項	機器名	メーカー名	形式	仕様
低周波音 (音圧レベル)	精密騒音計 (低周波音測定機能付)	リオン(株)	NL-62	測定範囲：43～138dB（G特性） ：50～138dB（平坦特性） 周波数範囲：1～20 k Hz (分析範囲 1～80Hz)

8.3 騒音・振動（資料編）

表 8.3-12(1) 低周波音周波数測定結果（停止時 敷地境界北側）

調査期間：令和元年12月8日（日）8時～12月9日（月）8時（停止時）

単位：dB

時刻	L _{Geq}	平坦特性等価音圧レベル																				
		AP	中心周波数(Hz)																			
			1	1.25	1.6	2	2.5	3.15	4	5	6.3	8	10	12.5	16	20	25	31.5	40	50	63	80
8:00	73.8	76.1	68.3	67.1	64.6	63.0	60.7	59.4	57.6	56.4	55.9	55.8	57.3	58.9	60.1	61.1	62.0	62.7	63.8	63.7	68.3	61.8
9:00	72.7	72.7	63.1	61.7	59.9	58.2	57.2	56.3	55.2	54.9	54.6	55.4	58.3	58.1	59.1	59.8	60.8	62.1	61.8	62.0	61.2	59.9
10:00	74.1	74.2	65.8	63.7	62.1	60.4	59.4	58.4	57.2	57.2	56.7	57.1	59.1	59.5	60.7	61.2	61.9	62.9	62.7	62.6	61.9	60.0
11:00	75.0	74.6	65.1	63.9	62.6	59.9	58.4	57.6	56.6	56.2	57.2	56.4	58.0	63.6	60.9	62.0	62.3	62.6	63.9	64.6	62.4	60.3
12:00	72.5	73.2	65.5	63.7	61.7	59.8	58.4	57.4	55.8	55.0	53.9	53.9	55.1	57.3	58.5	60.0	61.0	61.7	61.3	61.8	60.1	58.8
13:00	71.6	72.2	63.9	62.7	60.7	58.6	58.1	56.0	54.8	54.2	53.3	53.4	55.0	57.0	58.2	58.7	59.8	61.4	60.8	61.0	58.9	57.8
14:00	71.4	69.9	56.5	55.0	53.6	52.2	51.4	50.9	50.9	51.9	51.7	52.3	54.4	56.9	58.2	58.4	60.0	60.6	60.1	60.6	58.6	57.7
15:00	72.3	70.6	56.1	55.2	54.3	53.9	54.5	54.2	52.3	54.0	52.9	53.4	55.9	57.7	58.9	59.5	60.0	60.4	60.5	61.4	59.1	58.3
16:00	72.7	71.6	59.5	58.3	57.0	54.7	53.5	52.9	52.4	52.9	53.0	54.0	55.4	57.6	59.0	60.1	61.0	62.0	62.7	61.9	59.8	60.2
17:00	72.0	71.0	52.5	50.8	50.2	49.0	49.4	49.9	50.4	51.5	51.9	52.7	54.5	56.4	58.2	59.4	60.5	61.5	63.3	62.8	61.1	60.3
18:00	72.6	74.3	67.2	65.6	64.0	62.3	60.7	59.5	58.5	57.9	57.2	56.8	57.3	57.4	59.9	59.3	60.4	61.1	60.9	60.9	59.8	58.4
19:00	73.3	76.1	69.3	68.4	66.4	65.0	63.3	61.8	60.4	59.5	58.9	58.3	58.0	59.3	59.8	60.3	61.4	62.6	61.0	60.6	60.1	58.8
20:00	73.6	76.5	69.9	68.5	66.7	65.1	63.6	62.0	60.9	60.3	59.2	58.2	58.2	59.8	59.8	60.5	61.8	62.4	62.0	62.0	61.3	59.9
21:00	70.9	75.3	69.3	67.5	66.0	64.3	63.1	61.9	60.4	59.5	58.1	56.8	56.0	57.7	56.8	57.8	59.0	59.6	58.5	59.0	58.1	56.4
22:00	69.8	75.4	69.6	68.0	66.2	64.8	63.4	62.3	61.2	60.3	59.3	58.3	57.2	56.9	56.2	56.2	56.9	57.2	55.2	56.5	54.7	52.3
23:00	69.9	77.8	72.1	70.7	69.6	68.0	66.2	64.8	63.2	62.4	61.3	60.0	58.5	57.8	56.4	56.0	55.7	55.7	55.4	54.8	54.1	50.5
0:00	73.6	76.9	70.9	69.2	67.7	66.0	64.0	62.8	61.8	61.0	60.1	59.1	59.2	59.7	60.2	60.8	60.3	60.2	61.3	59.8	59.2	57.4
1:00	70.8	72.9	65.9	64.5	63.2	61.7	60.0	58.9	57.9	57.6	56.3	55.9	56.0	57.2	57.2	58.1	57.2	57.1	60.8	57.5	56.2	55.1
2:00	69.7	70.2	61.4	60.5	59.3	58.3	56.6	56.0	55.4	54.8	53.7	53.9	54.6	56.2	56.2	56.9	56.9	56.9	59.0	56.2	55.1	53.7
3:00	69.5	69.2	60.1	58.9	57.3	56.2	55.7	55.5	55.2	54.9	53.5	54.3	55.2	56.8	56.0	56.5	55.9	54.8	56.9	55.5	54.5	51.8
4:00	71.7	71.4	62.2	61.1	59.4	58.1	57.6	57.5	56.6	56.1	54.9	55.5	57.3	58.5	59.1	58.3	58.0	58.8	60.2	58.4	57.0	54.3
5:00	72.8	72.3	62.2	60.7	59.4	58.4	57.6	57.7	57.3	56.9	56.9	56.0	58.7	60.0	59.7	59.5	59.9	60.3	61.9	59.8	59.4	57.2
6:00	74.4	75.0	66.5	64.7	63.1	62.0	60.8	59.9	59.2	58.7	57.9	57.5	59.7	60.4	59.7	62.0	62.7	62.7	63.7	63.7	62.1	61.2
7:00	77.4	79.1	71.5	69.6	68.3	66.6	65.0	63.5	62.7	61.9	61.1	60.6	61.4	62.8	62.4	65.5	65.0	65.3	69.9	66.0	65.4	63.6
24時間平均	72.8	74.5	67.0	65.5	64.0	62.4	60.9	59.7	58.6	57.9	57.1	56.7	57.5	58.9	59.1	60.1	60.6	61.2	62.3	61.4	60.9	58.8

注1) L_{Geq}はG特性等価音圧レベルである。

注2) APは、1～80Hzの周波数ごとの平坦特性等価音圧レベルの合成値である。

注3) 平均は毎回の測定の等価音圧レベルのパワー平均値である。

表 8.3-12(2) 低周波音周波数測定結果（稼働時 敷地境界北側）

調査期間：令和元年12月9日（月）10時～12月10日（火）10時（稼働時）

単位：dB

時刻	L _{Geq}	平坦特性等価音圧レベル																				
		AP	中心周波数(Hz)																			
			1	1.25	1.6	2	2.5	3.15	4	5	6.3	8	10	12.5	16	20	25	31.5	40	50	63	80
10:00	80.9	83.9	73.7	72.5	70.6	69.3	68.0	66.4	65.4	64.7	64.7	76.4	68.2	66.3	66.8	65.6	66.5	78.3	70.2	68.9	69.3	64.7
11:00	80.5	84.0	74.5	73.4	72.1	70.6	68.8	67.4	66.1	65.3	64.8	74.7	66.9	66.3	66.2	65.4	66.3	78.6	70.1	67.3	67.3	64.6
12:00	81.1	84.5	74.9	73.8	72.2	70.3	69.1	67.6	66.5	65.5	65.0	75.6	67.2	69.4	66.3	64.8	66.2	79.5	69.6	67.0	67.3	64.2
13:00	80.2	83.2	72.0	70.7	69.0	67.1	65.8	64.6	63.8	63.3	63.4	77.1	67.6	65.2	66.0	63.9	65.0	77.9	69.7	67.7	66.9	64.0
14:00	80.3	82.9	70.5	69.1	67.3	66.0	64.8	63.8	63.4	62.7	62.9	77.3	67.8	64.9	66.1	64.0	65.0	78.0	69.2	67.3	67.2	63.7
15:00	79.1	80.7	67.2	66.1	63.9	62.6	61.5	60.9	60.4	60.0	60.1	75.2	65.7	64.2	65.3	63.9	64.5	75.4	67.1	66.3	66.3	63.5
16:00	75.8	75.8	66.8	65.5	63.6	61.8	60.7	60.3	59.5	59.0	58.3	58.8	61.4	62.9	63.2	62.2	63.7	63.0	63.9	63.5	64.7	62.6
17:00	75.4	78.2	71.4	70.1	67.9	66.3	64.9	63.8	62.9	62.1	61.2	60.5	61.4	63.0	62.9	61.4	63.5	62.4	64.0	65.1	61.9	62.0
18:00	75.0	79.0	72.4	70.8	69.6	68.3	66.4	65.1	63.9	63.3	62.2	61.7	62.1	62.6	61.6	61.2	63.5	62.4	64.5	63.3	61.7	62.2
19:00	76.6	79.3	72.6	71.0	69.7	68.0	66.4	64.9	64.0	63.4	62.5	62.3	62.4	63.1	63.8	62.9	64.5	64.5	65.6	63.8	62.5	62.1
20:00	76.4	81.3	75.1	73.8	72.0	70.3	69.1	67.8	66.5	65.4	64.4	63.6	63.2	64.3	63.2	62.5	64.2	62.9	65.6	64.6	63.6	62.6
21:00	75.3	80.6	74.4	73.2	72.0	70.2	68.5	66.8	65.6	64.4	63.9	62.7	62.5	65.0	61.7	60.7	62.7	61.1	64.2	61.9	61.0	59.2
22:00	73.9	78.8	72.8	71.1	69.7	68.0	66.9	65.4	63.8	63.0	62.1	60.9	61.0	63.1	60.8	59.3	61.6	59.1	63.1	60.5	58.0	57.7
23:00	73.2	79.8	73.8	72.7	71.0	69.9	67.5	66.4	65.0	64.2	63.3	62.3	61.2	62.0	60.3	58.3	60.5	57.8	62.4	59.9	56.8	56.2
0:00	74.6	79.0	72.7	71.3	70.3	68.3	66.6	65.3	64.1	63.3	62.4	61.6	61.1	62.6	61.3	60.9	62.4	60.8	63.7	61.9	60.2	59.4
1:00	72.5	75.6	69.1	67.2	66.0	64.1	62.6	61.8	60.6	60.3	59.6	58.5	58.5	59.6	59.5	58.8	61.1	59.0	62.4	60.1	57.2	56.8
2:00	72.1	75.1	68.1	67.0	65.4	63.9	62.6	61.5	60.4	59.8	58.5	57.6	57.8	59.4	59.2	58.3	61.0	58.3	61.9	60.3	57.5	57.0
3:00	71.7	75.3	69.0	67.2	65.4	64.2	63.1	61.7	60.8	59.9	59.0	58.0	58.4	59.7	58.9	57.4	60.4	57.2	61.2	59.4	56.8	56.2
4:00	72.9	74.8	67.9	66.7	64.7	62.5	61.3	60.3	59.6	58.9	57.8	58.3	58.6	60.2	60.5	58.7	61.1	58.5	62.2	60.4	58.3	56.9
5:00	73.3	74.4	66.7	65.2	62.8	61.9	60.4	59.6	58.8	58.7	57.8	57.5	59.2	61.1	60.8	59.3	60.5	60.2	62.8	60.9	59.6	58.9
6:00	74.6	75.2	66.2	64.1	62.2	61.2	60.2	59.2	58.4	57.8	57.1	57.5	59.2	60.9	60.1	62.0	63.7	63.2	65.2	64.1	62.7	63.0
7:00	79.6	76.5	58.9	57.1	55.8	55.2	55.1	55.6	55.9	56.4	55.9	57.1	59.7	62.3	62.0	69.0	67.5	67.0	68.1	66.0	66.2	64.5
8:00	79.1	80.4	66.8	65.7	63.3	62.4	61.8	61.1	60.9	60.3	59.8	71.8	64.3	66.0	64.5	65.4	66.6	74.6	69.3	68.3	69.6	66.6
9:00	81.2	83.3	66.9	64.4	62.9	61.8	61.0	60.7	60.7	60.7	61.8	78.5	68.4	66.2	67.0	65.2	66.0	78.1	70.4	69.3	70.3	67.6
24時間平均	77.6	80.4	71.5	70.2	68.6	67.0	65.5	64.3	63.2	62.5	61.9	71.7	64.1	64.1	63.6	63.1	64.2	73.2	66.8	65.2	65.0	62.7

注1) L_{Geq}はG特性等価音圧レベルである。

注2) APは、1～80Hzの周波数ごとの平坦特性等価音圧レベルの合成値である。

注3) 平均は毎回の測定の実等価音圧レベルのパワー平均値である。

8.3 騒音・振動（資料編）

表 8.3-12(3) 低周波音周波数測定結果（停止時 敷地境界東側）

調査期間：令和元年12月8日（日）8時～12月9日（月）8時（停止時）

単位：dB

時刻	L _{Geq}	平坦特性等価音圧レベル																				
		AP	中心周波数(Hz)																			
			1	1.25	1.6	2	2.5	3.15	4	5	6.3	8	10	12.5	16	20	25	31.5	40	50	63	80
8:00	88.1	82.2	62.3	61.2	59.9	58.6	57.6	56.8	55.9	55.1	56.2	58.4	62.4	61.0	62.8	75.7	79.2	67.2	68.1	69.9	69.3	62.1
9:00	93.4	86.8	61.6	61.5	59.3	57.9	57.9	56.5	55.2	54.5	55.4	59.5	65.8	60.7	62.1	81.1	84.6	69.3	70.6	73.6	65.8	63.4
10:00	93.6	87.0	65.3	63.6	62.5	61.5	60.1	59.3	58.2	56.6	57.0	60.1	65.9	62.2	63.6	81.4	84.6	69.6	70.5	73.3	67.2	62.9
11:00	93.6	86.9	60.2	58.9	57.2	56.9	55.7	54.9	54.0	53.4	55.7	59.0	65.8	62.7	62.7	81.5	84.6	69.4	70.1	73.0	64.3	62.5
12:00	85.8	79.7	62.3	61.1	60.0	58.6	57.6	56.6	55.7	54.3	54.4	55.5	60.0	59.6	60.5	73.7	76.7	64.9	64.7	66.4	61.3	59.6
13:00	72.2	71.1	58.6	57.3	55.5	53.9	53.0	52.5	52.1	51.2	52.3	52.6	55.9	57.8	58.7	59.1	60.5	62.9	61.8	61.3	59.9	58.2
14:00	72.2	71.1	58.8	57.7	56.4	54.5	53.4	52.2	51.8	51.1	52.3	52.7	55.8	57.9	59.2	58.8	60.6	62.7	61.3	61.0	59.4	57.8
15:00	72.4	70.6	54.4	53.7	52.1	51.0	50.2	50.1	50.3	50.2	52.0	52.5	56.1	58.6	59.3	59.1	60.2	62.5	61.3	61.4	59.9	58.1
16:00	73.1	72.5	61.6	60.2	59.1	58.1	57.1	55.9	54.9	53.7	54.4	54.7	57.7	59.8	59.9	59.9	60.9	63.2	62.8	61.5	59.9	58.1
17:00	73.2	72.5	59.2	59.4	58.0	56.3	55.5	55.3	54.6	53.3	53.7	53.9	57.1	59.0	60.0	60.1	61.1	63.6	63.5	62.9	61.1	59.0
18:00	73.0	72.7	62.8	61.7	60.5	58.4	56.8	55.3	53.9	53.2	53.6	54.7	58.1	58.4	60.2	59.8	60.8	63.1	62.2	62.2	60.4	58.4
19:00	73.9	73.7	64.9	63.3	61.5	60.1	58.9	57.7	56.1	54.8	55.1	54.9	57.4	59.9	61.0	60.9	61.6	63.8	62.6	62.3	60.5	58.6
20:00	74.2	75.4	67.9	66.0	64.5	62.9	62.3	59.9	58.0	57.3	56.4	55.9	58.1	60.1	61.0	61.0	62.1	64.2	63.6	63.4	61.6	59.4
21:00	71.7	74.9	68.3	66.6	65.0	64.2	62.5	60.8	59.3	58.2	57.6	56.5	56.6	57.7	58.1	58.5	59.7	62.2	59.8	59.7	58.7	56.3
22:00	72.9	79.7	73.4	72.5	71.1	70.2	69.0	66.8	65.5	63.9	62.6	61.7	60.9	60.0	59.5	59.0	59.6	61.4	58.4	57.6	57.3	54.6
23:00	68.6	72.4	65.8	64.7	63.4	61.7	60.0	58.8	57.4	56.1	54.7	54.7	54.6	55.7	55.4	54.7	55.8	59.4	54.4	53.6	55.7	52.9
0:00	74.8	74.5	65.9	64.9	63.6	62.6	60.7	59.3	58.5	56.9	56.4	57.6	60.1	60.7	61.8	61.7	62.4	63.0	61.0	61.2	60.3	57.4
1:00	71.9	69.6	56.8	55.0	53.0	51.8	51.4	51.7	52.4	51.6	52.2	54.4	57.1	58.6	58.7	58.6	59.3	60.8	57.8	58.0	57.7	54.8
2:00	70.5	68.6	53.8	52.7	51.4	51.6	51.1	52.1	52.9	51.5	51.9	54.0	56.2	57.7	57.4	57.1	57.9	60.1	57.3	57.5	57.1	54.3
3:00	69.8	68.2	55.1	54.1	53.0	52.3	52.0	53.1	54.4	52.7	52.0	54.7	56.0	57.5	56.5	56.0	57.0	59.4	54.7	54.9	56.1	52.8
4:00	72.0	69.6	57.2	54.9	54.2	53.1	53.6	54.8	54.4	52.8	52.5	55.4	58.4	59.1	59.7	58.2	57.9	60.4	56.1	55.7	56.8	53.3
5:00	73.8	75.6	68.6	67.4	66.1	64.6	63.1	61.9	61.1	59.9	59.5	58.8	60.7	61.3	61.0	60.1	59.9	60.8	57.5	58.1	58.6	55.6
6:00	74.8	76.7	69.1	67.7	66.4	64.9	63.6	62.1	61.3	59.9	59.0	58.9	60.5	61.1	60.4	62.3	62.0	62.7	64.8	64.3	62.6	61.4
7:00	76.2	76.5	67.0	65.3	63.1	61.1	59.6	59.1	58.1	57.1	57.1	58.5	61.6	63.9	62.3	63.1	63.7	65.7	68.2	65.5	64.6	63.6
24時間平均	85.3	79.6	65.4	64.1	62.7	61.5	60.2	58.8	57.7	56.4	56.2	57.0	60.5	60.0	60.5	73.0	76.3	64.6	64.8	66.3	62.3	59.3

注1) L_{Geq}はG特性等価音圧レベルである。

注2) APは、1～80Hzの周波数ごとの平坦特性等価音圧レベルの合成値である。

注3) 平均は毎回の測定等の等価音圧レベルのパワー平均値である。

表 8.3-12(4) 低周波音周波数測定結果（稼働時 敷地境界東側）

調査期間：令和元年12月9日（月）10時～12月10日（火）10時（稼働時）

単位：dB

時刻	L _{Geq}	平坦特性等価音圧レベル																				
		AP	中心周波数(Hz)																			
			1	1.25	1.6	2	2.5	3.15	4	5	6.3	8	10	12.5	16	20	25	31.5	40	50	63	80
10:00	94.1	89.3	70.3	68.9	67.3	66.0	65.1	64.2	63.2	63.3	65.6	78.5	73.7	77.0	72.1	81.5	84.7	81.5	75.0	74.9	71.1	67.5
11:00	93.7	89.4	73.3	72.2	70.6	68.7	67.8	66.7	65.3	64.6	66.0	77.2	73.3	76.7	71.6	81.0	84.3	82.8	74.6	74.4	70.5	67.3
12:00	94.1	89.8	72.9	71.4	69.8	68.1	67.1	66.0	64.5	63.9	65.9	79.2	73.9	77.0	71.5	81.5	84.6	82.8	75.8	74.8	72.5	69.4
13:00	94.1	89.2	69.6	68.6	67.5	66.4	65.2	64.3	63.1	63.2	65.8	79.3	73.7	76.8	71.7	81.5	84.6	80.7	74.7	73.8	70.3	67.6
14:00	94.1	89.1	66.2	65.7	64.3	63.2	62.5	62.2	61.9	62.0	65.3	79.2	73.4	76.9	71.7	81.5	84.7	80.9	74.5	73.8	69.9	66.6
15:00	92.3	87.0	60.7	59.1	57.4	57.1	58.4	59.4	59.3	60.0	63.0	76.3	70.8	76.9	71.2	80.1	82.4	77.4	71.7	72.4	69.9	66.6
16:00	82.6	79.4	64.6	63.1	62.0	60.6	59.9	59.4	58.7	57.4	57.5	58.8	63.8	76.4	68.9	63.6	65.6	65.1	65.8	66.8	64.3	61.5
17:00	82.7	82.5	74.6	73.3	71.9	70.6	69.0	67.6	65.8	64.8	63.3	63.2	65.1	76.5	69.3	63.0	64.6	65.1	65.1	66.5	62.8	60.6
18:00	76.5	80.2	73.5	72.3	71.3	69.8	68.2	66.6	65.2	63.8	63.0	62.4	62.9	66.2	63.3	62.0	63.0	64.0	63.6	63.7	61.3	59.1
19:00	77.4	82.3	75.5	74.8	73.4	72.1	70.9	69.7	68.4	67.0	65.8	65.6	65.4	65.0	64.5	63.3	64.1	65.2	64.6	63.4	61.5	59.2
20:00	79.2	86.2	79.7	79.1	77.6	76.7	75.5	73.8	72.3	70.8	69.5	68.6	68.0	67.3	66.1	65.0	64.6	65.2	65.1	64.5	62.6	60.1
21:00	77.1	85.2	79.5	78.3	76.6	75.6	74.1	72.2	70.9	69.2	67.7	66.8	66.3	65.8	64.2	62.2	62.4	63.7	62.4	61.5	60.0	57.0
22:00	75.0	80.8	74.8	73.4	71.9	70.6	69.3	67.8	65.8	64.3	63.2	62.7	63.1	64.6	62.0	60.0	60.5	62.3	61.0	60.9	61.1	58.0
23:00	75.4	83.2	77.3	76.3	74.9	73.3	71.8	70.5	68.6	67.0	65.7	64.8	64.0	65.0	62.5	60.1	60.1	61.7	59.5	59.0	60.5	56.9
0:00	77.0	83.3	77.1	76.3	74.5	73.2	72.1	70.4	68.7	67.3	66.3	64.9	64.9	65.6	63.8	62.6	63.1	63.9	62.9	62.6	62.2	59.3
1:00	74.5	80.6	74.1	73.2	72.1	70.6	69.2	67.8	66.5	65.3	63.9	63.5	62.9	62.7	61.1	60.3	61.0	62.4	61.3	60.5	61.0	57.4
2:00	73.8	79.5	73.6	71.9	70.6	69.4	67.8	66.4	65.0	63.5	62.5	62.0	61.7	61.7	60.5	59.8	60.6	61.6	59.3	59.5	61.0	56.7
3:00	73.0	79.6	73.6	72.6	71.1	69.6	67.8	66.5	64.9	63.5	62.4	61.6	61.2	61.9	59.8	58.5	59.0	60.7	57.4	57.4	59.9	54.9
4:00	73.6	77.8	71.5	70.4	68.7	67.6	66.0	64.2	62.6	61.7	60.7	60.7	61.0	61.8	61.2	59.1	59.1	60.4	57.4	62.5	58.7	55.0
5:00	73.8	75.8	68.9	68.2	66.1	64.7	63.4	62.1	60.8	59.5	59.1	59.3	60.7	62.4	61.3	59.4	59.7	60.9	58.1	57.3	57.3	55.3
6:00	74.4	74.9	66.3	64.8	63.0	61.9	60.6	59.2	58.4	57.3	56.8	58.4	60.6	61.9	60.8	60.6	62.8	63.3	62.7	62.9	61.8	60.4
7:00	76.3	74.7	58.0	57.3	56.1	55.6	55.6	55.7	56.2	55.9	56.1	58.1	60.5	64.0	62.3	63.4	64.4	65.8	65.2	65.2	64.3	61.8
8:00	90.2	85.4	58.9	58.8	58.3	58.3	59.7	60.5	59.7	59.6	61.2	74.1	68.9	71.6	68.1	77.6	80.9	77.0	72.2	72.0	72.6	66.2
9:00	94.2	89.3	58.1	56.9	56.5	57.4	59.0	59.9	59.3	60.7	64.8	80.1	73.9	77.8	72.8	81.5	84.6	80.4	74.5	75.1	74.7	70.4
24時間平均	89.0	85.4	73.8	72.8	71.3	70.0	68.7	67.3	65.8	64.6	64.5	73.9	69.2	73.2	68.1	76.3	79.3	76.3	70.1	69.9	67.7	64.1

注1) L_{Geq}はG特性等価音圧レベルである。

注2) APは、1～80Hzの周波数ごとの平坦特性等価音圧レベルの合成値である。

注3) 平均は毎回の測定の数値の等価音圧レベルのパワー平均値である。